


From: FRS Water and Access <FRSWaterandAccess@westsussex.gov.uk>
Sent: 21 January 2026 08:48
To: Planning
Subject: Planning consultation - DC/25/1146 Leonardslee Gardens Brighton Road Lower Beeding West Sussex RH13 6PP
Categories: Consultations

FAO: Alice Johnson

Dear Alice,

Having reviewed the additional information provided for application no. DC/25/1146 for the internal & external reconfigurations, extensions and change of use of existing properties at Leonardslee Gardens, I am satisfied there is a supply of water for firefighting provided with two private fire hydrants located on site, as shown on a screen shot of our operational mapping.



With regards to the access routes, there are several pinch points identified on the Proposed site fire strategy plan that may restrict an attending fire appliance gaining access past these points. A fire appliance requires 3.1m through any gateway or narrowing, and 3.7m between road edge or curb for any operating area to ensure all equipment can be accessed from the storage lockers located on the side of the fire appliance.

Providing a fire appliance can reach the points indicated on the plan, the hose lay distances indicate all points inside the properties are within 45m of the fire appliance and meet with requirements. So we just need clarification a fire appliance can reach all attendance points indicated.

Regards



Ian Stocks
Water & Access Manager - Protection
West Sussex Fire & Rescue Service
Office 0330 222 4499 [REDACTED]
Web www.westsussex.gov.uk/fire
Email frs.waterandaccess@westsussex.gov.uk

Bognor Regis Fire Station Fire Station, West Meads Drive, West Sussex, PO19 1BD

My pronouns are he/him/his 

[Click here to find out why we use pronouns in our signatures](#)



LEGAL DISCLAIMER

This email and any attachments are confidential and intended solely for the persons addressed. If it has come to you in error please reply to advise us but you should not read it, copy it, show it to anyone else nor make any other use of its content. West Sussex County Council takes steps to ensure emails and attachments are virus-free but you should carry out your own checks before opening any attachment.
