



Date: 15 May 2025

Our ref: 03973

Nicola Pettifer
Horsham District Council
Parkside
Horsham
West Sussex
RH12 1RL

By email only: Planning Department, planning@horsham.gov.uk

Thank you for requesting advice on this application from Place Services' ecological advice service. This service provides advice to planning officers to inform Horsham District Council planning decisions with regard to potential ecological impacts from development. Any additional information, queries or comments on this advice that the applicant or other interested parties may have, must be directed to the Planning Officer who will seek further advice from us where appropriate and necessary.

Application: DC/25/0102
Location: Land at Campsfield Linfield Close Southwater West Sussex RH13 9FR
Proposal: Outline application with all matters reserved except for access for up to 82 dwellings with vehicular and pedestrian accesses, public open space, noise mitigation measures, landscaping, foul and surface water drainage and associated works.

Thank you for re-consulting Place Services on the above application.

No ecological objection	<input type="checkbox"/>
Recommend approval subject to attached conditions	<input checked="" type="checkbox"/>
Further information required/Temporary holding objection	<input type="checkbox"/>
Recommend Refusal	<input type="checkbox"/>
Subject to Natural England's formal comments on the conclusion of the Water Neutrality Appropriate Assessment	<input checked="" type="checkbox"/>

Please note that following receipt of Natural England's position statement on developments in the Sussex North Water Supply Zone, decisions on planning applications should await the completion of a Sussex North water neutrality strategy.

Summary

We have reviewed the additional ecology information submitted, including the Ecological Impact Assessment (Ecosupport Ltd., April 2025), and have no further comments in addition to our response dated 11th March 2025. Please note that comments on mandatory Biodiversity Net Gain are provided by Horsham District Council in-house.

We are still satisfied that there is sufficient ecological information available for determination of this application. We still have no objections on ecological matters excluding Great Crested Newt as we have been instructed to leave comments on this European Protected Species to the [NatureSpace Partnership](#).

Please note that the HRA screening report dated 11th March 2025 is still valid.

For clarity, we have included the conditions recommended in our response dated 11th March 2025 below. Submission for approval and implementation of the details below should be a condition of any planning consent:

Recommended conditions

1. ACTION REQUIRED IN ACCORDANCE WITH ECOLOGICAL APPRAISAL RECOMMENDATIONS

"All mitigation measures and/or works shall be carried out in accordance with the details contained in the Ecological Impact Assessment (Ecosupport Ltd., April 2025), Ecological Impact Assessment (Ecosupport Ltd., December 2024) and Lighting Strategy Revision 5 (SLR Consulting Ltd., December 2024), as already submitted with the planning application and agreed in principle with the local planning authority prior to determination.

This will include the appointment of an appropriately competent person e.g. an ecological clerk of works (ECoW) to provide on-site ecological expertise during construction. The appointed person shall undertake all activities, and works shall be carried out, in accordance with the approved details."

Reason: To conserve protected and Priority species and allow the LPA to discharge its duties under the Conservation of Habitats and Species Regulations 2017 (as amended), the Wildlife & Countryside Act 1981 (as amended) and s40 of the NERC Act 2006 (as amended).

2. CONCURRENT WITH RESERVED MATTERS PRIOR TO COMMENCEMENT OF ANY WORKS WHICH WILL IMPACT THE BREEDING / RESTING PLACE OF HAZEL DORMOUSE

"Any works which will impact the breeding / resting place of Hazel Dormouse bats, shall not commence in any circumstances unless the local planning authority has been provided with either:

- a) a licence issued by Natural England pursuant to Regulation 55 of The Conservation of Habitats and Species Regulations 2017 (as amended) authorizing the specified activity/development to go ahead; or
- b) a statement in writing from the Natural England to the effect that it does not consider that the specified activity/development will require a licence.”

Reason: To conserve protected species and allow the LPA to discharge its duties under the Conservation of Habitats and Species Regulations 2017 (as amended), the Wildlife & Countryside Act 1981 (as amended) and s17 Crime & Disorder Act 1998.

3. CONCURRENT WITH RESERVED MATTERS: PRIOR TO COMMENCEMENT: CONSTRUCTION ENVIRONMENTAL MANAGEMENT PLAN FOR BIODIVERSITY

“A construction environmental management plan (CEMP: Biodiversity) shall be submitted to and approved in writing by the local planning authority.

The CEMP (Biodiversity) shall include the following.

- a) Risk assessment of potentially damaging construction activities.
- b) Identification of “biodiversity protection zones”.
- c) Practical measures (both physical measures and sensitive working practices) to avoid or reduce impacts during construction (may be provided as a set of method statements).
- d) The location and timing of sensitive works to avoid harm to biodiversity features.
- e) The times during construction when specialist ecologists need to be present on site to oversee works.
- f) Responsible persons and lines of communication.
- g) The role and responsibilities on site of an ecological clerk of works (ECoW) or similarly competent person.
- h) Use of protective fences, exclusion barriers and warning signs.

The approved CEMP shall be adhered to and implemented throughout the construction period strictly in accordance with the approved details, unless otherwise agreed in writing by the local planning authority”

Reason: To conserve protected and Priority species and allow the LPA to discharge its duties under the Conservation of Habitats and Species Regulations 2017 (as amended), the Wildlife & Countryside Act 1981 (as amended) and s40 of the NERC Act 2006 (as amended).

4. PRIOR TO ANY WORKS ABOVE SLAB LEVEL: BIODIVERSITY ENHANCEMENT STRATEGY

“Prior to any works above slab level, a Biodiversity Enhancement Strategy for protected, Priority and threatened species, prepared by a suitably qualified ecologist in line with the recommendations of the Ecological Impact Assessment (Ecosupport Ltd., April 2025), shall be submitted to and approved in writing by the local planning authority.

The content of the Biodiversity Enhancement Strategy shall include the following:

- a) *Purpose and conservation objectives for the proposed enhancement measures;*
- b) *detailed designs or product descriptions to achieve stated objectives;*
- c) *locations of proposed enhancement measures by appropriate maps and plans (where relevant);*
- d) *persons responsible for implementing the enhancement measures; and*
- e) *details of initial aftercare and long-term maintenance (where relevant).*

The works shall be implemented in accordance with the approved details shall be retained in that manner thereafter.”

Reason: To enhance protected, Priority and threatened species and allow the LPA to discharge its duties under paragraph 187d of NPPF 2024 and s40 of the NERC Act 2006 (as amended).

5. ACTION REQUIRED CONCURRENT WITH RESERVED MATTERS: TIME LIMIT ON DEVELOPMENT BEFORE FURTHER SURVEYS ARE REQUIRED

If the outline application hereby approved does not commence within one year from the date of the planning consent, the approved ecological mitigation measures secured through condition shall be reviewed and, where necessary, amended and updated.

The review shall be informed by further ecological surveys commissioned to:

- I. *establish if there have been any changes in the presence and/or abundance of protected species and*
- II. *identify any likely new ecological impacts that might arise from any changes.*

Where the survey results indicate that changes have occurred that will result in ecological impacts not previously addressed in the approved scheme, the original approved ecological measures will be revised and new or amended measures, and a timetable for their implementation, will be submitted to and approved in writing by the local planning authority prior to the commencement of the erection of up to up to 82 dwellings with vehicular and pedestrian accesses, public open space, noise mitigation measures, landscaping, foul and surface water drainage and associated works.

Works will then be carried out in accordance with the proposed new approved ecological measures and timetable.”

Reason: To allow the LPA to discharge its duties under the Conservation of Habitats and Species Regulations 2017 (as amended), the Wildlife & Countryside Act 1981 (as amended) and s40 of the NERC Act 2006 (as amended).

Please do not hesitate to contact us if you have any queries in relation to this advice.

Hayley Dean MCIEEM MSc BSc (Hons)
Ecological Consultant
Place Services at Essex County Council
Email: PlaceServicesEcology@essex.gov.uk



Place Services provide ecological advice on behalf of Horsham District Council.

Please note: This letter is advisory and should only be considered as the opinion formed by specialist staff in relation to this particular matter.