

From: Edward Anderson <Edward.Anderson@westsussex.gov.uk>
Sent: 17 September 2025 16:13
To: Planning
Cc: PL Planning Applications
Subject: MWPA Response DC/25/1327 LEO Mousedell Close, 74 Dwellings

Categories: Consultations

Good afternoon,

The application as per the subject line of this email is located within a Mineral Safeguarding Area for Brick Clay (Weald Clay). That said, the application site is less than 3ha in size. As per the exemption criteria (para 2.4) of the Minerals and Waste Safeguarding [Guidance](#), the MWPA would not consider the proposal to result in a significant degree of Mineral Sterilisation.

Therefore, the MWPA has no objections to the proposed development from a minerals safeguarding perspective.

Kind regards,

Edward Anderson

Planner, County Planning, Planning Services
West Sussex County Council, Ground Floor, Northleigh, County Hall, Chichester, West Sussex, PO19 1RQ
Internal: [REDACTED] | External: [REDACTED] | E-mail: [REDACTED] | Web: www.westsussex.gov.uk

LEGAL DISCLAIMER

This email and any attachments are confidential and intended solely for the persons addressed. If it has come to you in error please reply to advise us but you should not read it, copy it, show it to anyone else nor make any other use of its content. West Sussex County Council takes steps to ensure emails and attachments are virus-free but you should carry out your own checks before opening any attachment.
