



AQUA TERRA | CONSULTING

Land at Church Farm: Land Quality Desk Study

P25083_R1_Rev2
December 2025



AQUA TERRA
CONSULTING

Document Control

Title

Land at Church Farm: Land Quality Desk Study

Client

Fairfax Acquisitions Ltd,
Buncton Barn,
Buncton Lane,
Bolney,
Haywards Heath,
RH17 5RE

Reference

P25083_R1_Rev2

Status

Final

Document reference	Issue date	Comments	Written by	Approved by
P25083_R1	September 2025	Final	RLW	JEM
P25083_R1_Rev1	December 2025	Updated Site layout	RLW	JEM
P25083_R1_Rev2	December 2025	Updated Site boundary	RLW	JEM

Table of Contents

1.	Introduction	4
1.1.	Instruction.....	4
1.2.	Brief.....	4
1.3.	Scope.....	4
1.4.	Limitations.....	4
2.	Desk Study.....	5
2.1.	Site Location.....	5
2.2.	Proposed development.....	5
2.3.	Planning History	5
2.4.	Site Walkover	5
2.5.	Geology	6
2.6.	Hydrogeology.....	6
2.7.	Hydrology	6
2.7.1.	Surface Water.....	6
2.7.2.	Flooding	6
2.8.	Site History.....	6
2.9.	Environmental Database Search	8
2.10.	Geo-hazards.....	9
2.11.	Environmental Designations	9
2.12.	Preliminary UXO Risk Assessment.....	9
3.	Preliminary Conceptual Site Model and Risk Assessment.....	10
3.1.	Sources.....	10
3.1.1.	On-site source potential.....	10
3.1.2.	Off-site source potential.....	10
3.2.	Pathways.....	10
3.2.1.	Existing pathways	10
3.2.2.	Construction-phase pathways	10
3.2.3.	Future pathways following redevelopment	11
3.3.	Receptors	11
3.3.1.	Human health.....	11
3.3.2.	Wider environment.....	11
3.4.	Preliminary Risk Assessment	11
4.	Conclusions and recommendations.....	14
4.1.	Land quality desk study	14

4.2.	Next steps	14
4.2.1.	Site investigation.....	14
5.	References.....	15

List of Tables

Table 2-1	Summary of Site history	6
Table 2-2	Environmental database records.....	8
Table 2-3	Summary of geo-hazards.....	9
Table 3-1	Pollutant linkage assessment	12
Table 3-2	Off-Site pollutant linkage assessment.....	13

Drawings

P25083_R1_D0_Rev2 Site Location Plan

List of Appendices

Appendix A: Report Conditions
 Appendix B: Drawings provided by the Client
 Appendix C: Photolog
 Appendix D: Envirocheck Report
 Appendix E: Ciria 552 Risk Methodology

1. Introduction

1.1. Instruction

Aqua Terra Consultants Ltd (Aqua Terra) was instructed by Fairfax Acquisitions Ltd (the Client) to provide a Phase 1 preliminary risk assessment (Desk Study) for a parcel of land at Church Farm, Upper Beeding (the Site). Instruction to proceed was provided by email from the Client on the 27th of June 2023.

1.2. Brief

The brief was to provide a land quality focussed desk study to support the proposed planning application for the residential development of the Site.

1.3. Scope

This report presents records of desk study research, which is in-turn used to develop a conceptual site model and inform a preliminary environmental risk assessment. The information and assessment presented herein is considered sufficient to support the planning application process.

The report identifies key potential land quality risks and uncertainties associated with the ground conditions which may require further assessment and/ or risk management in due course via suitable condition(s) linked to the future planning consent.

1.4. Limitations

This report is written strictly for the benefit of the Client and bound by the conditions presented in Appendix A.

2. Desk Study

The following section collates and presents available information pertinent to the Site and its local environs.

2.1. Site Location

A Site location plan is presented as drawing P25083_R1_D01_Rev1 and the Site address is as follows:

Land at Church Farm,
Church Farm Walk,
Upper Beeding

The area of the Site is approximately 0.49Ha and the National Grid Reference (NGR) at the centre of the Site is TQ 19400, 11177.

2.2. Proposed development

The proposed development layout provided by the Client is provided in Appendix B.

2.3. Planning History

The Horsham District Council website holds a record of 1No. planning application at the Site, summarised below:

- DC/22/0618: Withdrawn application - Erection of 4No. detached dwellings with associated amenity space, car parking spaces, detached carports, access road and other associated infrastructure.

2.4. Site Walkover

A Site walkover was completed on the 27th June 2023 and photographs taken during the walkover are presented in Appendix C. Key observations from the walkover are detailed below. The entire land ownership area, referred to below as the 'wider Site' was walked which extends north of the Site, this is included in drawing P25083_R1_D01.

The wider Site appeared to have been through a phase of vegetation clearance, with the majority of the vegetation reduced to approximately 10cm above ground level with sparse young trees across the wider Site. The area along the south-western boundary of the wider Site and the southern portion of the Site appeared overgrown with nettles, brambles and small scrub. The south-eastern boundary, which separates the Site from a number of park homes, was delineated by a concrete fence. A hedgerow marked the eastern boundary of the wider Site. As for the northern boundary, it was not clearly delineated, but it can be inferred to be situated south of a surface water drain containing rushes. Additionally, the surface water drain at the eastern boundary of the wider Site was observed to be stagnant. No evidence of previously present Site buildings was noted. No other anthropogenic influences were noted apart from a small pile of miscellaneous timber pieces in the centre of the Site. No potentially contaminative activities were noted either on- or off-Site during the walkover.

2.5. Geology

According to British Geological Survey (BGS) 1:50,000 scale mapping, the general geological sequence underlying the Site is as follows:

- Superficial deposits: River Terrace Deposits (sand and gravel).
- Bedrock geology: West Melbury Marly Chalk Formation (White Chalk).

The nearest borehole is shallow (2.53m depth) and located 412m south of the Site. Detail on the borehole scan is limited, though it describes the strata as 'Drift' underlain by 'L. CK'.

2.6. Hydrogeology

The White Chalk is classified by the Environment Agency (EA) as a Principal Aquifer and the River Terrace Deposits are classified as a Secondary Undifferentiated aquifer. Principal and secondary aquifers provide significant quantities of drinking water, and water for business needs. They may also support rivers, lakes and wetlands.

Groundwater vulnerability on Site is classed as high, and the Site is not within a source protection zone (SPZ).

2.7. Hydrology

2.7.1. Surface Water

The nearest key surface water feature is the River Adur which lies 220m west of the Site. However, several surface water drains and streams feeding the River Adur are present surrounding the Site including approximately 85m north, 115m east and 100m west of the Site.

2.7.2. Flooding

According to EA mapping, the Site is within Flood Zone 1, indicating a low risk of flooding. The northern and eastern portions of the wider Site fall within Flood Zone 3, indicating a high potential risk of flooding. However, the EA mapping shows flood defences present along the River Adur to the west.

The EA mapping shows the entirety of the Site to be a low risk of surface water (pluvial) flooding.

BGS mapping indicates that there is potential for groundwater flooding to occur at the surface across the Site.

2.8. Site History

A review of historical Ordnance Survey (OS) mapping of the Site has been undertaken. The historical mapping is provided in Appendix D. The salient observations are summarised in Table 2-1.

Table 2-1 Summary of Site history

Epoch	On-Site	Off-Site	Development consideration
1873-1879 (1:2,500 & 1:10,560)	The Site spans across two fields lined with non-coniferous trees.	St. Peter's Church (and Vicarage) is immediately south of the Site, with an adjoining graveyard and building known as The Priory. The River Adur lies 220m west of the Site and a drain is shown 105m east.	None.

Epoch	On-Site	Off-Site	Development consideration
		Streams lie 70m north and 120m west of the Site, leading to a sluice gate 275m southwest of the Site where the stream meets the Adur.	
1897-1899 (1:2,500 & 1:10,560)	No change of Site use.	-	None.
1911-1914 (1:2,500 & 1:10,560)	No change of Site use.	-	None.
1932-1937 (1:2,500)	No change of Site use.	Residential development on Church Lane and Pepperscombe Lane 100m to 250 m south of the Site. An orchard is shown immediately northeast of the Site.	None.
1947 (1:10,560)	No change of Site use	-	None.
1947-1951 (Aerial imagery)	No change of Site use.	-	None.
1957-1972 (1:2,500)	Church Farm is shown on-Site, comprising 2 buildings on Site, 2 immediately west.	A caravan park is shown immediately east of the Site. Residential development has continued south of the Site.	None.
1972-1977 (1:10,000)	No change of Site use.	-	None.
1975-1976 (1:2,500)	No change of Site use.	-	None.
1981-1983 (1:2,500)	No change of Site use.	Residential development has continued southeast of the Site. Unspecified works and a riding school are shown 350m east of the Site.	None.
1989-1992 (1:2,500)	No change of Site use.	A saltworks is shown 200m northwest of the Site. The fields northwest of the Site are shown to contain several mounds.	None.
1990-1993 (1:2,500 & 1:10,000)	No change of Site use.	-	None.

Epoch	On-Site	Off-Site	Development consideration
1999 (Aerial imagery)	Farm buildings are no longer shown on-Site.	-	Potential for Made Ground including asbestos associated with the removal of farm buildings.
2000 (1:10,000)	No change of Site use.	-	None.
2009 (1:10,000)	No change of Site use.	Works is no longer labelled on the map, though the building remains.	None.
2023 (1:10,000)	No change of Site use.	-	None.

2.9. Environmental Database Search

An Envirocheck report was purchased as part of the desk study assessment. The full database report is provided in Appendix D. A summary of the database records is provided in Table 2-2 below with reference to entries within 250m of the Site, unless considered to be relevant at greater distances.

Table 2-2 Environmental database records.

Distance (m)	Land use / permitted activity / authorisation	Development consideration
105m (E)	1No. discharge consents relating to the discharge of surface water into a freshwater river.	None.
197 – 224m (SW)	2No. pollution incidents to controlled waters involving a burst sewage pipe and a petrol spillage after a road traffic accident. Both were considered a minor incident (category 3).	None.
143m (SW)	1No. substantiated pollution incident register classified as a significant incident (category 2) with respect to water impact. Pollutant not identified.	None.
179m (E)	1No. historic landfill sites. Waste deposited at the site 179m east included inert, industrial, commercial, and household waste.	Potential contamination associated with migration of gas and/ or leachate.
133m (W)	1No. infilled ground – infilled stream.	None.

2.10. Geo-hazards

The Envirocheck report provided in Appendix D also includes information from the BGS regarding potential geo-hazards on or near the Site. These potential geo-hazards are summarised in Table 2-3 below.

Table 2-3 Summary of geo-hazards.

The following potential ground stability hazards have been identified by the BGS on-Site:	
Ground Stability Hazards	<i>Collapsible ground</i> Very low
	<i>Compressible ground</i> High
	<i>Ground dissolution</i> Very low
	<i>Landslide ground</i> Very low
	<i>Running sand</i> Low
	<i>Shrinking or swelling clay</i> Moderate
Radon	The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level).

2.11. Environmental Designations

Online mapping (Defra) indicates there are no environmental designations covering the Site or the surrounding local area.

2.12. Preliminary UXO Risk Assessment

Zetica produce online mapping relating to potential risks associated with discovering unexploded ordnance (UXO). Based on this mapping, the Site is indicated to be at a Low Risk from all forms of UXO.

3. Preliminary Conceptual Site Model and Risk Assessment

The following section draws together the findings of the desk study to develop a preliminary conceptual site model. The relationship of identified sources, viable pathways and identified environmental receptors is considered and used as a technical basis to inform a qualitative assessment of risk to human health and the wider environment posed by the proposed ground conditions based on the continued use of the Site for commercial/ industrial purposes.

3.1. Sources

The key identified potential contaminant sources are summarised as follows and covered within the risk assessment table in Section 3.4 below.

3.1.1. On-site source potential

- **Historic building demolition** (Made Ground): Demolition of the farm buildings may have resulted in the deposition of Made Ground including asbestos containing materials.
- **Radon gas**: Potential migration of radon gas from the underlying geology (the Site lies within an intermediate probability radon area).

3.1.2. Off-site source potential

- **Historic landfill**: Potential for ground gas and leachate associated with historic landfill east of the Site. Whilst recorded by the EA and Local Authority, no evidence of a landfill has been noted on the historical maps or more recently by Google earth imagery.

3.2. Pathways

3.2.1. Existing pathways

For the purposes of this risk assessment, it is assumed that the relevant pathways comprise:

- Direct contact with sub-surface materials (dermal soil/ leachate contact, soil ingestion and dust ingestion/ inhalation).
- Ingress into potable supply pipes.
- Leaching of contaminants to groundwater.
- Migration of dissolved phase contamination in groundwater.
- Preferential flow through the drainage system.
- Migration of gas and/ or vapours through preferential pathways and/ or permeable sub-surface materials.

3.2.2. Construction-phase pathways

In addition to the above, during the redevelopment of the Site it will be necessary to cause a period of exposure of bare earth. This in turn will allow for increased infiltration during rainfall events, and therefore an increased potential for leaching and throughflow of potential sub-surface contaminants. It will also represent a period of increased human exposure (both construction workers and users/ resident of neighbouring sites) to the soils and groundwater beneath the Site.

3.2.3. Future pathways following redevelopment

Following redevelopment, the Site will comprise residential housing with gardens. Therefore, the existing pathways will apply, with the addition of indoor vapour inhalation.

3.3. Receptors

The key identified potential environmental receptors are summarised as follows and covered within the risk assessment table in Section 3.4 below.

3.3.1. Human health

- Demolition, construction, and maintenance workers (short term acute risks).
- Off-Site residential and commercial occupants.
- Future residential Site occupants.

3.3.2. Wider environment

- Surface water – River Adur.
- Principal and secondary aquifers.

3.4. Preliminary Risk Assessment

A summary of the potential contaminant linkages associated with the Site is presented in Table 3-1 and Table 3-2 alongside an assessment of the risks posed by each linkage. The contaminant linkages have been assessed using the risk assessment methodology described in CIRIA C552 (2001). As such, risk is considered to be a function of both the probability (likelihood) of contamination occurring at the study site and also the potential severity (consequence) of the environmental impacts associated with any such contamination. The classification system used to define contaminant probability, consequence and risk is described in Appendix E.

Land at Church Farm: Land Quality Desk Study
P25083_R1_Rev2

Table 3-1 Pollutant linkage assessment

Sources	Pathways	Receptors	Consequence	Probability	Risk	Risk management / remediation
Potential deposition of Made Ground following the demolition of the farm buildings.	Direct human contact exposure pathways (dermal, ingestion, inhalation).	Future Site users	Medium	Unlikely	Low	Limited source potential has been identified on-Site.
		Construction workers	Medium	Low likelihood	Moderate/low	Risk to construction workers can be adequately managed to low by standard precautions and health and safety procedures commensurate with working on brownfield sites.
	Ingress into potable supply pipes.	Future Site users	Medium	Unlikely	Low	Limited source potential has been identified on-Site, reducing the likelihood of contaminant ingress to potable supply pipes.
	Migration of gases and/or vapours through permeable subsurface materials and/or preferential pathways.	Future Site users	Medium	Unlikely	Low	Limited source potential has been identified on-Site.
	Leaching and/or water mobile constituents passing through permeable sub-surface soils and/or shallow preferential pathways.	Secondary Aquifers	Medium	Unlikely	Low	Limited source potential has been identified on-Site.

Land at Church Farm: Land Quality Desk Study
P25083_R1_Rev2

Sources	Pathways	Receptors	Consequence	Probability	Risk	Risk management / remediation
Potential generation of radon gas from the underlying geology.	Migration of radon gas through permeable subsurface materials and/or preferential pathways.	Future Site users	Medium	Likely	Moderate	The proposed development is in an intermediate probability radon area. Basic radon protection measures are therefore likely to be required during construction. Potential risks may be managed to low by incorporating a suitable radon protection barrier into new dwellings.

Table 3-2 Off-Site pollutant linkage assessment.

Sources	Pathways	Receptors	Consequence	Probability	Risk	Risk management / remediation
Potential for migration of ground gas and/or leachate associated with historic landfill east of the Site.	Lateral migration of dissolved phase contamination.	Future Site users	Medium	Unlikely	Low	Potential off-Site sources of contamination have been identified. However, it is unlikely that off-Site sources would have impacted the Site.
	Direct human contact exposure pathways (dermal, ingestion, inhalation).	Construction workers	Medium	Unlikely	Low	None additional required.
	Lateral migration of ground gases and/or vapours through permeable subsurface materials and/or preferential pathways.	Future Site users	Medium	Low likelihood	Moderate/low	Lateral migration of ground gas and/or vapours is possible however no evidence of historic quarrying or landfill activities have been identified. Therefore, further assessment is required which may include gas monitoring along the eastern boundary of the Site.

4. Conclusions and recommendations

4.1. Land quality desk study

The earliest available mapping shows that the Site spanned across two fields in the late 19th century. The surrounding area became more developed throughout the 20th century with numerous residential properties. The Site formed part of a farm between 1957 and 1972 including several buildings, which were later demolished by 1999/2000. The overall source potential on-Site is considered to be low, though Made Ground including asbestos containing materials may have been deposited following the demolition of the farm buildings.

Based on the findings of the desk study and current Site use, an assessment of land quality has been undertaken in accordance with current guidance and best practice. On this basis, the potential risk to **human health** is considered to be **LOW** from on-Site sources, and **MODERATE TO LOW** from off-Site sources. The potential risk to the **wider environment** is assessed to be **LOW** on the basis it is underlain by Principal and Secondary aquifers with high vulnerability.

The exceptions to the above are:

- due to the potential for radon gas generation. Suitable protection measures may be required in new dwellings to reduce the potential risk to **LOW**.
- The presence of a former landfill off-Site to the east which may generate ground gas and leachate which could migrate onto Site. Other than the EA/ Local Authority records, no evidence of this could be identified on historic maps or contemporary aerial imagery. However, suitable investigation and assessment of this potential pollutant linkage is recommended below.

4.2. Next steps

The preliminary conceptual site model and desk based preliminary risk assessment presented herein is considered sufficient to support the proposed planning application. However, the following should be considered as part of the proposed development in due course.

4.2.1. Site investigation

A suitably scoped and targeted site investigation should be undertaken to understand the ground, groundwater, and ground gas regime across the Site and to test the preliminary conceptual site model. Such an investigation will also provide the opportunity to characterise the ground for the purposes of geotechnical characterisation for foundation design and may also support the design of infiltration drainage.

5. References

CIRIA **2001**. *Contaminated land risk assessment: A guide to good practice*. CIRIA document reference C552.

EA **2021**. *Land Contamination Risk Management*. Environment Agency, April 2021



Figure Title

Site location

Client

Fairfax Acquisitions Ltd

Drawing Number

P25083_R1_D01_Rev2

Project Number

P25083

Date

11/12/2025

Scale

NTS

Drawn

RLW

Site Location

Land at Church Farm, Upper Beeding

Original

A4

Checked

JEM



Report Conditions

This report has been prepared by Aqua Terra Consultants Ltd. (Aqua Terra) in its professional capacity as soil and groundwater specialists, with reasonable skill, care and diligence within the agreed scope and terms of contract and taking account of the manpower and resources devoted to it by agreement with its client and is provided by Aqua Terra solely for the internal use of its client.

The advice and opinions in this report should be read and relied on only in the context of the report, taking account of the terms of reference agreed with the client. The findings are based on the information made available to Aqua Terra at the date of the report (and will have been assumed to be correct) and on current UK standards, codes, technology, and practices as at that time. They do not purport to include any manner of legal advice or opinion. New information or changes in conditions and regulatory requirements may occur in future, which will change the conclusions presented here.

Where necessary and appropriate, the report represents and relies on published information from third party, publicly and commercially available sources which is used in good faith of its accuracy and efficacy. Aqua Terra cannot accept responsibility for the work of others.

Site investigation results necessarily rely on tests and observations within exploratory holes only. The inherent variation in ground conditions mean that the results may not be representative of ground conditions between exploratory holes. Aqua Terra take no responsibility for variation in ground conditions between exploratory positions.

This report is confidential to the client. The client may submit the report to regulatory bodies, where appropriate. Should the client wish to release this report to any other third party for that party's reliance, Aqua Terra may, by prior written agreement, agree to such release, if it is acknowledged that Aqua Terra accepts no responsibility of any nature to any third party to whom this report or any part thereof is made known. Aqua Terra accepts no responsibility for any loss or damage incurred as a result, and the third party does not acquire any rights whatsoever, contractual, or otherwise, against Aqua Terra except as expressly agreed with Aqua Terra in writing. Aqua Terra reserves the right to withhold and/ or negotiate the transference of reliance on this report, subject to legal and commercial review.



Fairfax

project:
Development at:
**CHURCH FARM
CHURCH FARM WALK
UPPER BEEDING**

title:
BLOCK PLAN - B&W

date: Dec '25 scale: 1 : 500 @ A1

drawing number: 2517/PL.03	Rev. F
-------------------------------	-----------

Paul Hewett R.I.B.A.
CHARTERED ARCHITECT
51 Foxdale Drive : Angmering : West Sussex
BN16 4HF
Tel: 01903 778701
email: hewett439@btinternet.com

Copyright: Paul Hewett RIBA Chartered Architect - All Rights Reserved



Entering the Site from the west, facing east		Southwestern boundary of the Site is overgrown	
Project	Church Farm	Date	27/06/2023
Project No.	P23626	Engineer	JRB
Client	Fairfax	Comments	



	Facing east, southwestern boundary of the Site is overgrown		Facing east, looking towards the park homes beyond the concrete fence
Project	Church Farm	Date	27/06/2023
Project No.	P23626	Engineer	JRB
Client	Fairfax	Comments	



	Facing north		Facing northeast
Project	Church Farm	Date	27/06/2023
Project No.	P23626	Engineer	JRB
Client	Fairfax	Comments	



	Facing southwest, Site boundary overgrown		Facing west
Project	Church Farm	Date	27/06/2023
Project No.	P23626	Engineer	JRB
Client	Fairfax	Comments	



	Facing north		Facing northeast
Project	Church Farm	Date	27/06/2023
Project No.	P23626	Engineer	JRB
Client	Fairfax	Comments	



Stagnant surface water drain at the eastern Site boundary			
Project	Church Farm	Date	27/06/2023
Project No.	P23626	Engineer	JRB
Client	Fairfax	Comments	

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

313621383_1_1

Customer Reference:

P23626

National Grid Reference:

519420, 111230

Slice:

A

Site Area (Ha):

3.76

Search Buffer (m):

1000

Site Details:

Church Lane
Upper Beeding
Steyning
BN44 3HF

Client Details:

Mr A Egan
Yellow Sub Geo Ltd
Rabble Studio
103 Bute Street
Cardiff
CF10 5AD

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	68
Hazardous Substances	-
Geological	70
Industrial Land Use	75
Sensitive Land Use	83
Data Currency	84
Data Suppliers	91
Useful Contacts	92

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2023. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.

A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Environment Agency & United Kingdom Research and Innovation 2023. © Natural Resources Wales & United Kingdom Research and Innovation 2023.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2023. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 1		2	4	28
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 10				1
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 10	Yes			
Pollution Incidents to Controlled Waters	pg 10		2	2	4
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality	pg 11		1	1	1
River Quality Biology Sampling Points	pg 12				1
River Quality Chemistry Sampling Points	pg 13				1
Substantiated Pollution Incident Register	pg 13		1	2	
Water Abstractions	pg 14				(*13)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 17	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 18	1	n/a	n/a	n/a
Groundwater Vulnerability - Local Information			n/a	n/a	n/a
Bedrock Aquifer Designations	pg 18	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 18	Yes	n/a	n/a	n/a
Source Protection Zones	pg 18				2
Extreme Flooding from Rivers or Sea without Defences	pg 18	Yes	Yes	n/a	n/a
Flooding from Rivers or Sea without Defences	pg 27	Yes	Yes	n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences	pg 28		Yes	n/a	n/a
OS Water Network Lines	pg 28	2	34	85	231

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 68		2		
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 68	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites	pg 68		3	1	
Potentially Infilled Land (Non-Water)					
Potentially Infilled Land (Water)	pg 69		1		8
Registered Landfill Sites	pg 69		1		
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Geological					
BGS 1:625,000 Solid Geology	pg 70	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 70	Yes	Yes	Yes	Yes
BGS Recorded Mineral Sites					
BGS Urban Soil Chemistry					
BGS Urban Soil Chemistry Averages					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain	pg 73	Yes		n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 73	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 73	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards	pg 73	Yes		n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 73	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 74	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 74	Yes	Yes	n/a	n/a
Radon Potential - Radon Affected Areas	pg 74	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 75		10	9	23
Fuel Station Entries	pg 78				1
Points of Interest - Commercial Services	pg 78		2		4
Points of Interest - Education and Health					
Points of Interest - Manufacturing and Production	pg 79		4		
Points of Interest - Public Infrastructure	pg 79		2	5	23
Points of Interest - Recreational and Environmental	pg 82				3
Gas Pipelines					
Underground Electrical Cables					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas	pg 83				1
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks	pg 83				1
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 83			1	1
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13NE (NE)	0	1	519416 111230
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13NW (NW)	0	1	519400 111250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13NE (E)	0	1	519500 111230
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13NE (E)	29	1	519600 111250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13NE (E)	80	1	519650 111230
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SW (E)	300	1	519850 111150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SW (E)	320	1	519850 111100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14SW (E)	347	1	519900 111150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SW (E)	365	1	519900 111100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SW (E)	387	1	519900 111050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14SW (E)	411	1	519950 111100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A12NE (W)	420	1	518850 111350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SW (E)	432	1	519950 111050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14SW (E)	458	1	520000 111100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NE (W)	462	1	518800 111300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A12NE (NW)	476	1	518850 111500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A14SW (E)	499	1	520000 111000
1	Discharge Consents Operator: B. Barker Esq. Property Type: CONSTRUCTION OF BUILDINGS Location: Residential Development, The Driftway, Pound Lane , Upper Beeding West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: N01410 Permit Version: 1 Effective Date: 30th January 1974 Issued Date: 30th January 1974 Revocation Date: 1st July 1991 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A13SE (SE)	17	2	519530 111160

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
2	Discharge Consents Operator: B. Barker Esq. Property Type: CONSTRUCTION OF BUILDINGS Location: Residential Development, The Driftway, Pound Lane , Upper Beeding West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: N01410 Permit Version: 1 Effective Date: 30th January 1974 Issued Date: 30th January 1974 Revocation Date: 1st July 1991 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A13SE (E)	163	2	519690 111130
3	Discharge Consents Operator: A & F Pilbeam Ltd. Property Type: Undefined Or Other Location: Church Lane, Upper Beeding, Steyning West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: N02083 Permit Version: 1 Effective Date: 5th January 1976 Issued Date: 5th January 1976 Revocation Date: 1st July 1991 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A8NW (S)	284	2	519350 110820
4	Discharge Consents Operator: Downs Construction Company Property Type: FARMS (NOT HOUSE)/CROP + ANIMAL REARING/PLANT NURSERY Location: Harmans Nursery, UPPER BEEDING , West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: S01654 Permit Version: 1 Effective Date: 10th October 1967 Issued Date: 10th October 1967 Revocation Date: 31st March 1997 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A8NW (S)	339	2	519280 110780
5	Discharge Consents Operator: Edwards (E.E. & R.E.) Ltd. Property Type: Undefined Or Other Location: Hyde Farm, East Of Pound Lane, UPPER BEEDING , West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: S01487 Permit Version: 1 Effective Date: 13th May 1966 Issued Date: 13th May 1966 Revocation Date: 31st March 1997 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Controlled Sea Environment: Receiving Water: Controlled Sea Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A14SW (SE)	391	2	519800 110900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	Discharge Consents Operator: J I Edwards Esq Property Type: FARMS (NOT HOUSE)/CROP + ANIMAL REARING/PLANT NURSERY Location: New Farm, Pound Lane, Upper Beeding Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: S02639 Permit Version: 1 Effective Date: 30th January 1970 Issued Date: 30th January 1970 Revocation Date: 1st July 1991 Discharge Type: Unknown Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A8NE (SE)	442	2	519640 110740
7	Discharge Consents Operator: Mr Keith Striven Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Barn Croft Kings Barn Farm, Kings Barn Lane, Steyning, West Sussex, Bn44 3yr Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: Npswqd006553 Permit Version: 1 Effective Date: 13th March 2009 Issued Date: 13th March 2009 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Unnamed Trib Of R Adur Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A12NE (W)	517	2	518778 111444
8	Discharge Consents Operator: G H Strivens Property Type: Mixed Farming Location: Kings Barn Farm, Kings Barn Lane, Steyning, West Sussex, Bn44 3yu Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: App/So/96su Permit Version: 1 Effective Date: 1st April 1999 Issued Date: 1st April 1999 Revocation Date: 21st April 2004 Discharge Type: Trade Discharge - Process Water Discharge: Into Land Environment: Receiving Water: Into Land Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A17SE (NW)	553	2	518810 111580
9	Discharge Consents Operator: The Occupier Property Type: Undefined Or Other Location: Hyde Farm Estate, Upper Beeding West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: S01745 Permit Version: 1 Effective Date: 6th August 1968 Issued Date: 6th August 1968 Revocation Date: 31st March 1997 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Controlled Sea Environment: Receiving Water: Controlled Sea Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A14SW (E)	561	2	520060 110980

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	Discharge Consents Operator: Chanctonbury Rural District C. Property Type: Undefined Or Other Location: College Road, Upper Beeding College Road, Manor Road, Upper Beeding, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: S01417 Permit Version: 1 Effective Date: 3rd September 1965 Issued Date: 3rd September 1965 Revocation Date: 1st July 1991 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Controlled Sea Environment: Receiving Water: Controlled Sea Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A9NW (SE)	604	2	520000 110800
11	Discharge Consents Operator: Kerrisdale Properties Ltd. Property Type: CONSTRUCTION OF BUILDINGS Location: Littlecroft & Keywood, The Street, Bramber, Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: S02042 Permit Version: 1 Effective Date: 12th November 1971 Issued Date: 12th November 1971 Revocation Date: 1st July 1991 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	813	2	518790 110540
12	Discharge Consents Operator: Southern Water Services Limited. + Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Kingsbarn Lane Pumping Station, Kingsbarn Lane P.S., Steyning West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: A00290 Permit Version: 2 Effective Date: 21st April 1996 Issued Date: 21st April 1996 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A17SW (W)	834	2	518500 111600
12	Discharge Consents Operator: Southern Water Services Limited. + Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Kingsbarn Lane Pumping Station, Kingsbarn Lane P.S., Steyning West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: A00290 Permit Version: 2 Effective Date: 21st April 1996 Issued Date: 21st April 1996 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A17SW (W)	834	2	518500 111600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
12	Discharge Consents Operator: Southern Water Services Limited. + Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Kingsbarn Lane Pumping Station, Kingsbarn Lane P.S., Steyning West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: A00290 Permit Version: 1 Effective Date: 1st April 1991 Issued Date: 1st April 1991 Revocation Date: 21st April 1996 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Saline Estuary Environment: Saline Estuary Receiving Water: Saline Estuary Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 100m	A17SW (W)	834	2	518500 111600
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 10 Effective Date: 4th December 2013 Issued Date: 4th December 2013 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Black Sewer Trib Of River Adur Receiving Water: Black Sewer Trib Of River Adur Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 10 Effective Date: 4th December 2013 Issued Date: 4th December 2013 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Black Sewer Trib Of River Adur Receiving Water: Black Sewer Trib Of River Adur Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 9 Effective Date: 31st March 2010 Issued Date: 31st March 2010 Revocation Date: 3rd December 2013 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Black Sewer Trib Of River Adur Receiving Water: Black Sewer Trib Of River Adur Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 9 Effective Date: 31st March 2010 Issued Date: 31st March 2010 Revocation Date: 3rd December 2013 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Black Sewer Trib Of River Adur Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 8 Effective Date: 1st April 2009 Issued Date: 14th October 2008 Revocation Date: 30th March 2010 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Black Sewer Trib Of River Adur Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 8 Effective Date: 1st April 2009 Issued Date: 14th October 2008 Revocation Date: 30th March 2010 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Black Sewer Trib Of River Adur Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 7 Effective Date: 17th October 2006 Issued Date: 17th October 2006 Revocation Date: 31st March 2009 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Black Sewer Trib Of River Adur Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 7 Effective Date: 17th October 2006 Issued Date: 17th October 2006 Revocation Date: 31st March 2009 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Black Sewer Trib Of River Adur Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 6 Effective Date: 19th December 2005 Issued Date: 19th December 2005 Revocation Date: 16th October 2006 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Black Sewer Trib Of River Adur Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 6 Effective Date: 19th December 2005 Issued Date: 19th December 2005 Revocation Date: 16th October 2006 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Black Sewer Trib Of River Adur Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 5 Effective Date: 6th December 2005 Issued Date: 30th March 2005 Revocation Date: 18th December 2005 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Black Sewer Trib Of River Adur Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 5 Effective Date: 6th December 2005 Issued Date: 30th March 2005 Revocation Date: 18th December 2005 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Black Sewer Trib Of River Adur Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 4 Effective Date: 1st April 2002 Issued Date: 20th December 2001 Revocation Date: 5th December 2005 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Black Sewer Trib Of River Adur Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 4 Effective Date: 1st April 2002 Issued Date: 20th December 2001 Revocation Date: 5th December 2005 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Black Sewer Trib Of River Adur Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 3 Effective Date: 2nd February 1983 Issued Date: 2nd February 1983 Revocation Date: 31st March 2002 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Black Sewer Trib To River Adur Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 3 Effective Date: 2nd February 1983 Issued Date: 2nd February 1983 Revocation Date: 31st March 2002 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Black Sewer Trib To River Adur Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A17NW (NW)	878	2	518650 111900
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 2 Effective Date: 24th October 1980 Issued Date: 24th October 1980 Revocation Date: 1st February 1983 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Black Sewer Trib Of River Adur Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 2 Effective Date: 24th October 1980 Issued Date: 24th October 1980 Revocation Date: 1st February 1983 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Black Sewer Trib Of River Adur Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, Bn44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 1 Effective Date: 14th January 1974 Issued Date: 14th January 1974 Revocation Date: 23rd October 1980 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Black Sewer Trib Of River Adur Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
13	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Steyning Wwtw Kings Barn Lane, Steyning, ., West Sussex, BN44 3yg Authority: Environment Agency, Southern Region Catchment Area: Adur Estuary & Freshwater Tributaries Reference: W00390 Permit Version: 1 Effective Date: 14th January 1974 Issued Date: 14th January 1974 Revocation Date: 23rd October 1980 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Black Sewer Trib Of River Adur Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	878	2	518650 111900
14	Local Authority Pollution Prevention and Controls Name: Boxtone Ltd Location: High Street, Upper Beeding, STEYNING, West Sussex, BN44 3TQ Authority: Horsham District Council, Environmental Health Department Permit Reference: Pss/6 Dated: 23rd November 1998 Process Type: Local Authority Air Pollution Control Description: PG1/14 Petrol filling station Status: Authorised Positional Accuracy: Automatically positioned to the address	A8SE (S)	749	3	519679 110413
	Nearest Surface Water Feature	A13NW (NW)	0	-	519283 111288
15	Pollution Incidents to Controlled Waters Property Type: Road (Road Traffic Accident) Location: 35 Priory Field, Upper Beeding Authority: Environment Agency, Southern Region Pollutant: Oils - Petrol Note: Petrol Spillage After Road Traffic Accident Incident Date: 7th September 1996 Incident Reference: 596261 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Road Traffic Accident Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A13SW (SW)	197	2	519200 111000
16	Pollution Incidents to Controlled Waters Property Type: Other Utilities Location: Ditch To River Adur At, UPPER BEEDING Authority: Environment Agency, Southern Region Pollutant: Crude Sewage Note: Burst Sewage Pipe Sewage Entering Stream Incident Date: 9th February 1992 Incident Reference: 284 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Plc Sewage Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A13SW (SW)	203	2	519150 111050
17	Pollution Incidents to Controlled Waters Property Type: Miscellaneous Premises: Unknown Location: Beeding Manor, UPPER BEEDING Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Dumper Truck Fell Into Ditch, Sm.Amount Doser Spill Incident Date: 2nd March 1997 Incident Reference: 597065 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NE (S)	455	2	519600 110700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
18	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Surface Water Outfall Location: Beeding Brook, UPPER BEEDING Authority: Environment Agency, Southern Region Pollutant: Surcharged Sewage Note: Sewage Entering Beeding Brook Via Surface Water Outfall Incident Date: 2nd June 1992 Incident Reference: 391 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Plc Sewage Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14SW (SE)	464	2	519900 110900
19	Pollution Incidents to Controlled Waters Property Type: Miscellaneous Premises: Unknown Location: Down Stream Sewage Treatment Works, STEYNING Authority: Environment Agency, Southern Region Pollutant: Miscellaneous - Natural Note: Oil On Wyckham Sewer Incident Date: 5th August 1997 Incident Reference: 2236 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A17SE (NW)	582	2	519000 111800
20	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Other Location: Black Ditch, STEYNING Authority: Environment Agency, Southern Region Pollutant: Crude Sewage Note: Sewage Discharge Kings Barn Lane Pumping Station; Water Company Sewage: Pumping Station Incident Date: 15th February 1995 Incident Reference: 1215 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Plc Sewage Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A17SW (NW)	794	2	518600 111700
21	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Pumping Station Location: Kings Barn Steyning Authority: Environment Agency, Southern Region Pollutant: Surcharged Sewage Note: Sewage Spill Incident Date: 1st February 1998 Incident Reference: 2401 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Sewage - Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A17SW (NW)	879	2	518500 111700
22	Pollution Incidents to Controlled Waters Property Type: Miscellaneous Premises: Other Location: Bramber Brooks Authority: Environment Agency, Southern Region Pollutant: Oils - Other Oil Note: Oil Leaking From Agency Plant Incident Date: 20th September 1997 Incident Reference: 597301 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19NW (N)	931	2	519800 112200
	River Quality Name: Not Supplied GQA Grade: Unclassified Tidal River Reach: Not Supplied Estimated Distance (km): Not Supplied Flow Rate: Not Supplied Flow Type: Not Supplied Year: 1995	A13SW (W)	187	2	519129 111119

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	River Quality Name: Black Sewer GQA Grade: River Quality B Reach: Tidal R. Adur Conf - Steyning Stw Estimated Distance 2 (km): Flow Rate: Flow less than 0.31 cumecs Flow Type: River Year: 2000	A12SE (W)	318	2	518951 111171
	River Quality Name: Black Sewer GQA Grade: River Quality B Reach: Steyning Stw - Lower Buddington Estimated Distance 1.4 (km): Flow Rate: Flow less than 0.31 cumecs Flow Type: River Year: 2000	A17SW (NW)	965	2	518495 111850
23	River Quality Biology Sampling Points Name: Black Sewer Reach: Tidal River Adur Confluence To Steyning Sewage Treatment Works Estimated Distance: 2.00 Positional Accuracy: Located by supplier to within 10m Year: 1990 GQA Grade: River Quality Biology GQA Grade Not Supplied Year: 1995 GQA Grade: River Quality Biology GQA Grade A - Very Good Year: 2000 GQA Grade: River Quality Biology GQA Grade C - Fairly Good Year: 2002 GQA Grade: River Quality Biology GQA Grade C - Fairly Good Year: 2003 GQA Grade: River Quality Biology GQA Grade C - Fairly Good Year: 2004 GQA Grade: River Quality Biology GQA Grade C - Fairly Good Year: 2005 GQA Grade: River Quality Biology GQA Grade C - Fairly Good Year: 2006 GQA Grade: River Quality Biology GQA Grade C - Fairly Good Year: 2007 GQA Grade: River Quality Biology GQA Grade C - Fairly Good Year: 2008 GQA Grade: River Quality Biology GQA Grade C - Fairly Good Year: 2009 GQA Grade: River Quality Biology GQA Grade C - Fairly Good	A17SW (NW)	962	2	518500 111850

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
24	River Quality Chemistry Sampling Points Name: Black Sewer Reach: Tidal River Adur Confluence To Steyning Sewage Treatment Works Estimated Distance: 2.00 Objective: Not Supplied Positional Accuracy: Located by supplier to within 10m Year: 1990 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 1993 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 1994 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 1995 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 1996 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 1997 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 1998 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 1999 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2000 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2001 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2002 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied Year: 2003 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2004 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2005 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2006 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2007 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2008 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2009 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied	A17SW (NW)	765	2	518730 111820
25	Substantiated Pollution Incident Register Authority: Environment Agency - Southern Region, Solent and South Downs Incident Date: 27th July 2009 Incident Reference: 701497 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Pollutant Not Identified: Not Identified	A13SW (SW)	116	2	519200 111133
26	Substantiated Pollution Incident Register Authority: Environment Agency - Southern Region, Solent and South Downs Incident Date: 13th February 2013 Incident Reference: 1086292 Water Impact: Category 3 - Minor Incident Air Impact: Category 4 - No Impact Land Impact: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Crude Sewage	A12NE (W)	313	2	518981 111400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
26	Substantiated Pollution Incident Register Authority: Environment Agency - Southern Region, Solent and South Downs Incident Date: 7th November 2012 Incident Reference: 1054198 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Crude Sewage	A12NE (W)	328	2	518953 111374
	Water Abstractions Operator: Viridor Waste Management Ltd Licence Number: 23/077 Permit Version: 2 Location: River Adur Tidal Authority: Environment Agency, Southern Region Abstraction: Other Industrial/Commercial/Public Services: General Use (High Loss) Abstraction Type: Water may be abstracted from a single point Source: Tidal Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 6th January 2012 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A24SE (NE)	1267	2	520110 112440
	Water Abstractions Operator: Viridor Waste Management Ltd Licence Number: 23/077 Permit Version: 2 Location: River Adur Tidal Authority: Environment Agency, Southern Region Abstraction: Other Industrial/Commercial/Public Services: General Use (High Loss) Abstraction Type: Water may be abstracted from a single point Source: Tidal Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 October Permit Start Date: 6th January 2012 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A24SE (NE)	1267	2	520110 112440
	Water Abstractions Operator: Viridor Waste Management Ltd Licence Number: 23/077 Permit Version: 2 Location: River Adur Tidal Authority: Environment Agency, Southern Region Abstraction: Other Industrial/Commercial/Public Services: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Tidal Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 6th January 2012 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A24SE (NE)	1267	2	520110 112440
	Water Abstractions Operator: Viridor Waste Management Ltd Licence Number: 23/077 Permit Version: 1 Location: River Adur Tidal Authority: Environment Agency, Southern Region Abstraction: Other Industrial/Commercial/Public Services: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Tidal Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 28th September 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A24SE (NE)	1267	2	520110 112440

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Viridor Waste Management Ltd Licence Number: 23/077 Permit Version: 1 Location: River Adur Tidal Authority: Environment Agency, Southern Region Abstraction: Other Industrial/Commercial/Public Services: General Use (High Loss) Abstraction Type: Water may be abstracted from a single point Source: Tidal Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 October Permit Start Date: 28th September 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A24SE (NE)	1267	2	520110 112440
	Water Abstractions Operator: Viridor Waste Management Ltd Licence Number: 23/077 Permit Version: 1 Location: River Adur Tidal Authority: Environment Agency, Southern Region Abstraction: Other Industrial/Commercial/Public Services: General Use (High Loss) Abstraction Type: Water may be abstracted from a single point Source: Tidal Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 28th September 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A24SE (NE)	1267	2	520110 112440
	Water Abstractions Operator: Southern Water Services Ltd Licence Number: 10/41/311008 Permit Version: 100 Location: Steyning P S Well 1 Authority: Environment Agency, Southern Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Steyning Groundwater Abs Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 8th June 2009 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A10SW (SE)	1402	2	520550 110220
	Water Abstractions Operator: Southern Water Services Ltd Licence Number: 10/41/311008 Permit Version: 100 Location: Steyning P S Well (With Boreholes) Authority: Environment Agency, Southern Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Steyning Groundwater Abs Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 8th June 2009 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A10SW (SE)	1402	2	520550 110220

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Southern Water Services Ltd Licence Number: 10/41/311008 Permit Version: 100 Location: Steyning P S Well 2 Authority: Environment Agency, Southern Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Steyning Groundwater Abs Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 8th June 2009 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A10SW (SE)	1402	2	520550 110220
	Water Abstractions Operator: Mr & Mrs Brooks-Bank Licence Number: 10/41/312002 Permit Version: 100 Location: Wyckham Farm Steyning Well No 2 Authority: Environment Agency, Southern Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land & Buildings At Wyckham Farm Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 11th January 1985 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	(N)	1746	2	519400 113060
	Water Abstractions Operator: Mr & Mrs Brooks-Bank Licence Number: 10/41/312002 Permit Version: 100 Location: Wyckham Farm Steyning Well No 1 Authority: Environment Agency, Southern Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): 5 Yearly Rate (m3): 709.2 Details: Land & Buildings At Wyckham Farm Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 11th January 1985 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	(N)	1781	2	518860 113030
	Water Abstractions Operator: Hales Waste Control Ltd Licence Number: 10/41/312009 Permit Version: 100 Location: River Adur At Small Dole Authority: Environment Agency, Southern Region Abstraction: Refuse And Recycling: Dust Suppression Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): 23 Yearly Rate (m3): 6364.4 Details: Small Dole Landfill Site. See Licence Map Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 22nd October 1996 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(NE)	1936	2	520220 113120

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Hales Waste Control Ltd Licence Number: 312009 Permit Version: Not Supplied Location: Small Dole, UPPER BEEDING Authority: Environment Agency, Southern Region Abstraction: General Industrial Abstraction Type: Not Supplied Source: Surface Daily Rate (m3): 23 Yearly Rate (m3): 6364 Details: River Adur Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	(NE)	1936	2	520220 113120
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: >90% Superficial Thickness: <3m Superficial Recharge: Medium	A13NE (NE)	0	4	519416 111230
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: >90% Superficial Thickness: <3m Superficial Recharge: Medium	A13NE (N)	0	4	519423 111275
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: >90% Superficial Thickness: <3m Superficial Recharge: Medium	A13SE (SE)	0	4	519502 111184

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial: >90% Patchiness: <3m Superficial Thickness: Medium Superficial Recharge:	A13NE (NE)	0	4	519461 111298
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial: >90% Patchiness: <3m Superficial Thickness: Medium Superficial Recharge:	A13NE (E)	0	4	519522 111269
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	A13NE (NE)	0	4	519416 111230
	Bedrock Aquifer Designations Aquifer Designation: Principal Aquifer	A13NE (NE)	0	4	519416 111230
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	A13NE (NE)	0	4	519461 111298
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	A13NE (N)	0	4	519423 111275
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A13NE (NE)	0	4	519416 111230
27	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone III (Total Catchment): The total area needed to support the discharge from the protected groundwater source.	A9NE (SE)	959	2	520344 110669
28	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone II (Outer Protection Zone): Either 25% of the source area or a 400 day travel time whichever is greater.	A9NE (SE)	959	2	520344 110671
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519535 111290
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	0	2	519530 111247
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	0	2	519344 111280

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519505 111290
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	0	2	519350 111280
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519525 111283
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519470 111288
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519460 111285
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	0	2	519430 111285
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519523 111285
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	0	2	519395 111273
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (W)	0	2	519288 111234
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (W)	0	2	519286 111250
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	0	2	519493 111218
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	0	2	519548 111265
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	0	2	519552 111270
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	0	2	519416 111274
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	0	2	519410 111274
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	0	2	519430 111284

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519436 111276
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519457 111285
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519524 111284
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	0	2	519430 111287
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	0	2	519440 111288
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519460 111290
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519480 111288
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519500 111288
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519553 111290
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	0	2	519330 111292
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	0	2	519380 111270
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519505 111294
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	0	2	519510 111175
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	0	2	519495 111210
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NW (W)	0	2	519280 111230
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	0	2	519500 111225

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	0	2	519520 111243
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	0	2	519550 111267
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	0	2	519500 111200
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NW (W)	0	2	519305 111250
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NW (W)	0	2	519299 111245
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	0	2	519545 111261
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NW (NW)	0	2	519395 111265
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NW (W)	0	2	519310 111270
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	0	2	519555 111280
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (N)	0	2	519431 111285
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NW (N)	0	2	519415 111270
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519440 111280
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519464 111285
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NW (NW)	0	2	519344 111285
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NW (NW)	0	2	519325 111290
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (N)	0	2	519431 111290

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519506 111290
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519485 111285
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	1	2	519518 111170
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (W)	14	2	519272 111220
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NW (W)	15	2	519270 111220
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	20	2	519540 111165
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	24	2	519545 111164
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (W)	31	2	519258 111210
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	33	2	519554 111160
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NW (W)	34	2	519255 111209
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	37	2	519555 111155
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	37	2	519560 111160
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	41	2	519560 111155
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	52	2	519566 111145
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	62	2	519575 111140
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	69	2	519585 111140

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SW (W)	76	2	519231 111165
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	80	2	519600 111140
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	89	2	519222 111150
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	90	2	519660 111265
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	99	2	519670 111263
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	99	2	519669 111265
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	99	2	519670 111255
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	99	2	519669 111264
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	100	2	519669 111275
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	105	2	519676 111255
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	110	2	519211 111125
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	110	2	519680 111250
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	112	2	519680 111285
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	115	2	519685 111245
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	115	2	519685 111275
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	118	2	519645 111140

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	120	2	519690 111270
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	121	2	519690 111240
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	125	2	519655 111145
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	125	2	519695 111270
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	128	2	519203 111105
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	135	2	519665 111143
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (W)	135	2	519160 111157
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	137	2	519197 111096
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	139	2	519709 111270
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	140	2	519700 111205
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	141	2	519670 111140
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	141	2	519702 111210
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	142	2	519710 111288
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	148	2	519708 111195
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	149	2	519710 111207
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	150	2	519709 111200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	150	2	519699 111180
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NW (NW)	152	2	519142 111358
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	154	2	519685 111140
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SW (W)	155	2	519131 111173
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	159	2	519710 111180
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	161	2	519714 111339
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	162	2	519715 111340
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	163	2	519187 111070
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	164	2	519715 111180
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	164	2	519710 111170
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	164	2	519715 111180
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	168	2	519705 111150
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	170	2	519720 111350
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	176	2	519717 111372
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	195	2	519170 111040
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	201	2	519167 111035

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	212	2	519162 111025
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	213	2	519160 111025
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NW (NW)	214	2	519131 111444
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	219	2	519161 111015
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	219	2	519158 111020
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	222	2	519160 111010
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	227	2	519155 111009
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A14NW (E)	238	2	519783 111375
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	238	2	519155 110990
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A14NW (E)	239	2	519785 111375
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	240	2	519155 110987
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A14NW (E)	241	2	519785 111379
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (S)	243	2	519288 110880
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	244	2	519136 111005
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A14NW (E)	247	2	519810 111325
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A14NW (E)	247	2	519792 111380

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	0	2	519493 111218
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519436 111276
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519457 111285
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519524 111284
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	0	2	519416 111274
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519480 111288
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519493 111290
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (N)	0	2	519431 111285
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519464 111285
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519444 111285
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	0	2	519530 111264
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519487 111290
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	0	2	519506 111290
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	0	2	519415 111285
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (W)	62	2	519240 111180
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	95	2	519665 111275

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	164	2	519715 111180
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	164	2	519715 111180
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	165	2	519715 111177
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	219	2	519161 111015
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	222	2	519160 111010
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	222	2	519160 111010
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (S)	243	2	519288 110880
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences Type: Flood Defences Reference: Not Supplied	A13SW (W)	144	2	519155 111151
	Flood Defences Type: Flood Defences Reference: Not Supplied	A13SW (W)	191	2	519112 111136
29	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 172.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13SE (E)	0	5	519538 111190
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NW (W)	0	5	519266 111252
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 46.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NW (NW)	2	5	519281 111289

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 301.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NW (W)	3	5	519260 111261
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 256.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NW (N)	5	5	519411 111306
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 243.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NW (NW)	8	5	519282 111300
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 63.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NW (NW)	8	5	519282 111300
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NE (NE)	40	5	519526 111340
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 40.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NE (NE)	52	5	519534 111351
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 160.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NE (NE)	52	5	519534 111351
39	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NW (NW)	62	5	519300 111367
40	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NW (NW)	62	5	519300 111367

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
41	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 380.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NW (NW)	64	5	519289 111363
42	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NE (NE)	90	5	519526 111390
43	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NE (NE)	96	5	519525 111395
44	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 184.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NE (NE)	107	5	519524 111406
45	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A13NE (NE)	107	5	519514 111408
46	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 477.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A13NE (N)	108	5	519472 111418
47	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 101.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NE (NE)	123	5	519663 111360
48	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 61.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NE (E)	131	5	519703 111244
49	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 80.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NE (E)	134	5	519703 111238

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
50	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 252.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A13NE (NE)	140	5	519672 111380
51	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NE (NE)	140	5	519672 111380
52	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 68.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NE (E)	145	5	519695 111346
53	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NE (NE)	147	5	519682 111376
54	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 110.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NE (NE)	155	5	519690 111378
55	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 80.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NE (NE)	155	5	519690 111378
56	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 153.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13SE (E)	169	5	519720 111178
57	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 615.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Adur Catchment Name: Adur and Teville Primacy: 1	A13SW (W)	170	5	519130 111148
58	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 269.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13NE (NE)	208	5	519685 111464

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
59	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 39.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13SW (SW)	236	5	519140 111012
60	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (E)	239	5	519795 111344
61	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (E)	242	5	519796 111351
62	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 32.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (E)	244	5	519796 111355
63	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13SW (S)	249	5	519274 110880
64	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 199.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A13SW (S)	250	5	519271 110880
65	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (E)	257	5	519799 111387
66	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 123.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SW (N)	259	5	519334 111574
67	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 238.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12SE (W)	267	5	519005 111182

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
68	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 282.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Adur Catchment Name: Adur and Teville Primacy: 1	A13SW (SW)	273	5	519104 110997
69	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A14NW (E)	274	5	519815 111393
70	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 126.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (E)	274	5	519815 111393
71	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A14NW (NE)	275	5	519813 111402
72	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 89.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A14NW (NE)	276	5	519812 111406
73	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 146.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SE (N)	289	5	519510 111590
74	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SE (N)	290	5	519510 111590
75	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 131.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SE (N)	293	5	519504 111593
76	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 166.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SE (N)	293	5	519507 111593

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
77	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A14NW (NE)	310	5	519798 111494
78	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 106.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A14NW (NE)	314	5	519796 111502
79	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (E)	314	5	519867 111155
80	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 221.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (E)	314	5	519867 111155
81	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 171.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12NE (NW)	314	5	519069 111521
82	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 568.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Adur Catchment Name: Adur and Teville Primacy: 1	A12NE (NW)	314	5	519069 111521
83	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (E)	320	5	519873 111154
84	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12NE (W)	321	5	518940 111285
85	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 159.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12NE (W)	321	5	518940 111284

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
86	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 103.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (E)	326	5	519878 111151
87	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 253.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12NE (NW)	327	5	518997 111460
88	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 23.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SE (NE)	333	5	519651 111621
89	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 91.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12SE (SW)	333	5	519061 110955
90	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SE (NE)	353	5	519669 111635
91	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SE (NE)	356	5	519672 111638
92	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 142.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SE (NE)	359	5	519682 111637
93	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SE (NE)	359	5	519682 111637
94	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 319.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SE (NE)	361	5	519675 111642

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
95	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 90.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17SE (NW)	368	5	519077 111597
96	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 58.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (E)	371	5	519929 111359
97	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 86.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (E)	371	5	519929 111359
98	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 70.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SE (NE)	372	5	519652 111660
99	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 138.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SW (NE)	379	5	519781 111607
100	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SE (N)	382	5	519427 111688
101	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 301.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SE (N)	392	5	519425 111698
102	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 133.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12SE (SW)	397	5	518973 110964
103	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12SE (SW)	397	5	518973 110964

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
104	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 132.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (NE)	398	5	519926 111449
105	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19SW (NE)	410	5	519822 111613
106	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 123.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SW (NE)	410	5	519822 111613
107	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 164.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (E)	413	5	519979 111329
108	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (E)	413	5	519979 111329
109	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 174.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	413	5	519059 110836
110	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19SW (NE)	418	5	519822 111623
111	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (E)	420	5	519985 111330
112	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A8NW (SW)	421	5	519185 110732

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
113	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 237.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19SW (NE)	422	5	519822 111629
114	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (E)	423	5	519988 111330
115	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (E)	424	5	519975 111134
116	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 96.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (E)	424	5	519980 111148
117	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 28.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (E)	430	5	519993 111345
118	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 119.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (E)	430	5	519994 111340
119	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 440.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A12NE (W)	434	5	518835 111344
120	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (E)	434	5	519992 111368
121	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 197.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (E)	435	5	519992 111373

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
122	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A8NW (SW)	436	5	519152 110735
123	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 19.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Adur Catchment Name: Adur and Teville Primacy: 1	A8NW (SW)	436	5	519152 110735
124	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SE (NE)	439	5	519688 111719
125	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 147.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Adur Catchment Name: Adur and Teville Primacy: 1	A8NW (SW)	442	5	519164 110720
126	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A8NW (SW)	453	5	519139 110723
127	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 88.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (SE)	454	5	519931 110961
128	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 318.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (SE)	456	5	519885 110895
129	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 64.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SW (NE)	458	5	519917 111582
130	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 174.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SE (NE)	459	5	519693 111739

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
131	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 350.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17SE (NW)	474	5	519005 111675
132	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 21.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A8NW (SW)	474	5	519127 110705
133	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 55.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12NE (W)	476	5	518784 111255
134	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A17SE (NW)	481	5	518955 111643
135	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 344.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17SE (NW)	481	5	518955 111643
136	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A17SE (NW)	484	5	518947 111641
137	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12SE (W)	484	5	518847 111006
138	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 253.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A12SE (W)	484	5	518845 111010
139	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SW (NE)	486	5	519944 111593

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
140	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19SW (NE)	486	5	519944 111593
141	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 162.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SW (N)	488	5	519403 111799
142	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19SW (NE)	491	5	519942 111604
143	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 32.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12SE (SW)	492	5	518849 110989
144	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SW (N)	493	5	519407 111804
145	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SW (NE)	494	5	519956 111590
146	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 235.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19SW (NE)	494	5	519941 111610
147	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 63.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A8NW (SW)	495	5	519118 110685
148	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 163.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SW (NE)	497	5	519960 111589

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
149	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 194.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SW (N)	497	5	519407 111808
150	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12SE (SW)	502	5	518855 110958
151	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19SW (NE)	503	5	519981 111570
152	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 57.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12SE (SW)	506	5	518852 110957
153	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 23.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (E)	507	5	520072 111185
154	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (E)	507	5	520073 111194
155	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (E)	507	5	520073 111196
156	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19SW (NE)	508	5	519987 111569
157	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 89.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (E)	510	5	520077 111202

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
158	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 53.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19SW (NE)	512	5	519992 111569
159	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (E)	512	5	520073 111164
160	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (E)	515	5	520074 111149
161	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 204.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A14SW (E)	515	5	520074 111149
162	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 138.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12SE (W)	516	5	518749 111188
163	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (E)	517	5	520073 111138
164	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 155.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (E)	518	5	520073 111136
165	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 186.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	520	5	518912 110841
166	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 188.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12NE (W)	521	5	518741 111221

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
167	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 112.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A7NE (SW)	523	5	519077 110679
168	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 48.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (SE)	526	5	520018 110974
169	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12SE (SW)	529	5	518857 110900
170	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 178.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A8NW (S)	532	5	519167 110617
171	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 75.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12SE (SW)	532	5	518858 110893
172	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (E)	535	5	520087 111404
173	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (E)	539	5	520090 111407
174	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 406.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Adur Catchment Name: Adur and Teville Primacy: 1	A8NW (S)	543	5	519213 110587
175	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 21.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A8NW (S)	543	5	519194 110594

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
176	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 155.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NW (E)	545	5	520077 111467
177	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A14NE (E)	546	5	520096 111411
178	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 189.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	547	5	520100 111398
179	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	548	5	520100 111403
180	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 78.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SW (NE)	552	5	520045 111558
181	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 40.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (E)	565	5	520066 110983
182	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 45.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	569	5	520120 111409
183	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 200.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	571	5	518864 110818
184	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 163.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17SE (NW)	578	5	518978 111782

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
185	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	583	5	518926 110729
186	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 97.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	593	5	520163 111225
187	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 59.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18SE (NE)	594	5	519728 111871
188	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 65.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SE (E)	603	5	520102 110971
189	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 11.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SE (E)	603	5	520102 110971
190	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 57.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	606	5	519030 110611
191	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 258.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	607	5	519032 110609
192	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 74.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	608	5	518986 110640
193	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	609	5	518930 110688

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
194	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SE (E)	610	5	520112 110975
195	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 118.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SE (E)	613	5	520119 110984
196	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 64.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	614	5	518932 110679
197	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 124.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	614	5	520163 111423
198	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 119.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	614	5	520163 111423
199	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SW (NE)	614	5	519785 111871
200	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 98.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SW (NE)	616	5	519803 111866
201	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 70.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SW (NE)	617	5	519779 111876
202	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	621	5	520127 111547

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
203	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	622	5	520120 111562
204	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19SE (NE)	622	5	520120 111562
205	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 380.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	623	5	520119 111567
206	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (NE)	631	5	520138 111545
207	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	633	5	520136 111555
208	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 52.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	636	5	520134 111567
209	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 44.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SW (NE)	640	5	519898 111842
210	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 105.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	653	5	518753 110834
211	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 98.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19SE (NE)	653	5	520126 111619

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
212	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 109.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	653	5	520126 111619
213	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19SW (NE)	653	5	519941 111829
214	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 114.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	654	5	518749 110837
215	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SE (SE)	655	5	520133 110916
216	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 160.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NE (N)	655	5	519538 111956
217	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 121.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NE (N)	655	5	519538 111956
218	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 456.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12SW (W)	657	5	518628 111081
219	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 144.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A18NW (N)	657	5	519225 111962
220	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17NE (NW)	659	5	519073 111920

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
221	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17NE (NW)	662	5	519069 111922
222	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 33.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17NE (NW)	663	5	519070 111923
223	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NE (N)	663	5	519698 111949
224	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 81.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NE (N)	663	5	519698 111949
225	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 192.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17NE (NW)	665	5	519063 111921
226	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19SW (NE)	665	5	519943 111841
227	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 188.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NE (N)	665	5	519697 111951
228	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	667	5	518869 110666
229	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 102.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19SW (NE)	668	5	519944 111845

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
230	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 94.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A18NW (N)	670	5	519191 111969
231	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A18NW (N)	670	5	519194 111969
232	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 194.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	671	5	518864 110665
233	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 11.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NW (N)	673	5	519331 111987
234	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 117.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Adur Catchment Name: Adur and Teville Primacy: 1	A18NW (N)	673	5	519331 111987
235	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NW (NW)	678	5	519091 111947
236	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 45.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NW (NW)	681	5	519089 111950
237	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A18NW (N)	683	5	519328 111998
238	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 99.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	684	5	518783 110740

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
239	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 35.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	684	5	520255 111257
240	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 56.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	684	5	520255 111257
241	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 83.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SE (E)	690	5	520258 111201
242	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 264.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	691	5	520108 111716
243	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	691	5	520108 111716
244	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 74.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NW (NE)	691	5	519808 111945
245	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 67.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NE (N)	691	5	519429 112001
246	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 163.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SE (E)	697	5	520252 111111
247	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A18NW (N)	699	5	519322 112014

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
248	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 247.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	702	5	520104 111738
249	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 82.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17SW (NW)	703	5	518737 111734
250	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 70.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	706	5	518753 110740
251	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 209.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NW (N)	706	5	519320 112021
252	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 53.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SE (E)	711	5	520247 111041
253	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NW (N)	714	5	519107 111991
254	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 128.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NW (N)	714	5	519107 111991
255	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	715	5	520285 111275
256	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 153.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	715	5	520285 111275

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
257	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NW (N)	717	5	519103 111993
258	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 114.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17SE (NW)	719	5	518872 111881
259	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 25.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	730	5	520282 111427
260	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 123.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NE (NE)	730	5	519745 112007
261	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 89.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NE (NE)	730	5	519745 112007
262	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NW (NW)	731	5	519089 112003
263	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 199.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NW (NW)	734	5	519087 112005
264	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 121.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SW (NE)	736	5	520084 111813
265	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 51.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	740	5	520310 111284

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
266	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	740	5	520310 111284
267	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 137.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	741	5	520310 111304
268	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 185.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19NW (NE)	748	5	519988 111912
269	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	754	5	520303 111441
270	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19NW (NE)	757	5	519966 111937
271	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	757	5	520234 111638
272	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 82.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	757	5	520234 111638
273	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 45.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SE (E)	759	5	520323 111160
274	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 175.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NW (NE)	760	5	519966 111941

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
275	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 121.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NW (NE)	760	5	519880 111995
276	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17SE (NW)	762	5	518744 111831
277	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 23.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17SW (NW)	763	5	518729 111816
278	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17SW (NW)	763	5	518729 111816
279	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 404.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Adur Catchment Name: Adur and Teville Primacy: 1	A18NW (N)	763	5	519393 112076
280	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 117.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NW (N)	763	5	519393 112076
281	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 198.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (E)	765	5	520281 111550
282	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NW (NE)	765	5	519840 112012
283	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 117.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19NW (NE)	765	5	519840 112012

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
284	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17SW (NW)	766	5	518739 111831
285	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 22.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NW (NE)	766	5	519848 112009
286	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 25.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	769	5	520310 111472
287	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	770	5	520239 111657
288	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 31.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	770	5	520318 111448
289	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 61.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NW (NE)	770	5	519869 112005
290	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 42.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A8SE (S)	773	5	519549 110346
291	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SE (E)	774	5	520342 111192
292	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 85.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SE (E)	774	5	520342 111197

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
293	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 73.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	777	5	518820 110561
294	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	777	5	518820 110561
295	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 140.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17SW (NW)	779	5	518706 111815
296	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 140.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	779	5	520349 111299
297	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	781	5	518826 110549
298	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 497.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17SW (NW)	783	5	518718 111833
299	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 68.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NE (SW)	786	5	518833 110537
300	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A14SE (E)	787	5	520350 111146
301	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 33.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	798	5	520348 111439

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
302	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 46.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NW (SW)	799	5	518678 110687
303	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17NE (NW)	802	5	518885 111988
304	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17NE (NW)	802	5	518885 111988
305	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 25.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A8SE (S)	808	5	519489 110301
306	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 23.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A8SE (S)	808	5	519509 110303
307	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A8SE (S)	808	5	519512 110303
308	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A8SE (S)	809	5	519517 110304
309	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 149.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A8SE (S)	811	5	519538 110305
310	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 340.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Adur Catchment Name: Adur and Teville Primacy: 1	A8SE (S)	812	5	519465 110294

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
311	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17NE (NW)	813	5	518892 112005
312	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 93.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17SW (NW)	814	5	518579 111703
313	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 49.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SE (E)	815	5	520382 111182
314	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 245.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NE (N)	816	5	519548 112120
315	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17NE (NW)	817	5	518893 112009
316	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 143.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	818	5	520387 111309
317	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17NE (NW)	821	5	518894 112014
318	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 134.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A18NW (N)	822	5	519137 112112
319	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 50.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NW (N)	822	5	519137 112112

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
320	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NE (N)	826	5	519515 112126
321	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 134.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17NE (NW)	827	5	518896 112022
322	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NE (N)	827	5	519510 112127
323	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 567.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NE (N)	828	5	519489 112131
324	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 51.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	830	5	520379 111451
325	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 83.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SE (E)	830	5	520393 111145
326	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NW (NE)	831	5	519889 112062
327	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 88.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	836	5	520315 111651
328	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 35.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NW (NE)	839	5	519894 112069

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
329	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19NE (NE)	844	5	520117 111930
330	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19NE (NE)	846	5	520123 111929
331	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 279.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A7SE (SW)	846	5	518755 110528
332	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 180.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7SE (SW)	846	5	518755 110528
333	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 148.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NE (NE)	848	5	520128 111927
334	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 128.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NW (N)	848	5	519175 112146
335	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NW (N)	849	5	519777 112122
336	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 31.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NW (N)	864	5	519782 112136
337	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 325.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NW (NE)	865	5	519812 112128

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
338	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 99.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NW (NE)	865	5	519812 112128
339	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 117.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NW (N)	868	5	519331 112183
340	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 79.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	873	5	520289 111775
341	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 182.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17SW (NW)	876	5	518567 111796
342	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15NW (E)	881	5	520428 111464
343	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (E)	881	5	520427 111470
344	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 109.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	892	5	520262 111845
345	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15NW (E)	896	5	520441 111476
346	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 79.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15NW (E)	896	5	520441 111476

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
347	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 163.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NW (NE)	896	5	519901 112128
348	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 51.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NW (NE)	896	5	519901 112128
349	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 179.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15NW (E)	907	5	520448 111492
350	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 349.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15NW (E)	907	5	520448 111492
351	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A8SE (S)	915	5	519642 110223
352	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 129.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A8SE (S)	915	5	519642 110223
353	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17NE (NW)	915	5	518936 112139
354	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17NE (NW)	915	5	518939 112141
355	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 60.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17NE (NW)	917	5	518945 112145

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
356	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	921	5	520402 111666
357	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	925	5	520407 111667
358	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 54.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19SE (NE)	932	5	520414 111668
359	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NW (NE)	934	5	520039 112100
360	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 167.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NE (NE)	934	5	520091 112067
361	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 78.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A17NE (NW)	940	5	518994 112190
362	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 70.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A23SW (N)	940	5	519089 112221
363	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 33.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A18NW (N)	941	5	519078 112219
364	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 215.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A23SW (N)	941	5	519248 112251

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
365	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NW (NE)	941	5	520040 112108
366	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A23SW (N)	941	5	519248 112251
367	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 217.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	947	5	520404 111721
368	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 54.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	947	5	520404 111721
369	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 250.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A23SW (N)	950	5	519253 112261
370	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 206.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	963	5	520394 111775
371	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 45.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	963	5	520394 111775
372	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 78.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A22SE (N)	970	5	519053 112242
373	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 197.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A19SE (NE)	978	5	520385 111819

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
374	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 46.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	978	5	520385 111819
375	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 355.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A3NW (S)	984	5	519165 110144
376	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 77.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19NE (NE)	986	5	520196 112050
377	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	989	5	520369 111862
378	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A2NE (S)	990	5	519008 110187
379	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A19SE (NE)	991	5	520372 111863
380	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 341.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A2NE (S)	995	5	519007 110183

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
381	Historical Landfill Sites Licence Holder: Not Supplied Location: Upper Beeding, Sussex Name: Pound Lane Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD20108 First Input Date: 31st December 1985 Last Input Date: 31st December 1985 Specified Waste: Deposited Waste included Inert, Industrial, Commercial and Household Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 3800/8064 BGS Ref: Not Supplied Other Ref: WD27/222	A13SE (E)	81	2	519630 111193
382	Historical Landfill Sites Licence Holder: Edburton Contractors Limited Location: Upper Beeding, Sussex Name: Newbrook Farm Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD19941 First Input Date: 12th July 1984 Last Input Date: 14th June 1985 Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 3800/8063 BGS Ref: Not Supplied Other Ref: WD13/90, WD27/221	A13NE (NE)	148	2	519697 111348
	Local Authority Landfill Coverage Name: Horsham District Council - Has supplied landfill data		0	3	519416 111230
	Local Authority Landfill Coverage Name: West Sussex County Council - Has supplied landfill data		0	6	519416 111230
383	Local Authority Recorded Landfill Sites Location: The Driftway, Pound Lane, Upper Beeding Reference: Not Supplied Authority: West Sussex County Council, Environment & Development Last Reported Status: Unknown Types of Waste: Not Supplied Date of Closure: Not Supplied Positional Accuracy: Located by supplier to within 100m Boundary Quality: Not Applicable	A13SE (E)	51	6	519600 111200
383	Local Authority Recorded Landfill Sites Location: The Driftway, Pound Lane, Upper Beeding Reference: 27/222 Authority: Horsham District Council, Environmental Health Department Last Reported Status: Not Supplied Types of Waste: Inert Date of Closure: Not Supplied Positional Accuracy: Located by supplier to within 100m Boundary Quality: Not Applicable	A13SE (E)	51	3	519600 111200
384	Local Authority Recorded Landfill Sites Location: Newbrook Farm, Pound Lane, Upper Beeding Reference: UB/18/84 Authority: West Sussex County Council, Environment & Development Last Reported Status: Unknown Types of Waste: Not Supplied Date of Closure: Not Supplied Positional Accuracy: Located by supplier to within 100m Boundary Quality: Not Applicable	A13NE (E)	135	6	519700 111300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
385	Local Authority Recorded Landfill Sites Location: Newbrook Farm, Upper Beeding Reference: 27/221 Authority: Horsham District Council, Environmental Health Department Last Reported Status: Not Supplied Types of Waste: Inert Date of Closure: Not Supplied Positional Accuracy: Located by supplier to within 100m Boundary Quality: Not Applicable	A14NW (NE)	263	3	519800 111400
386	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A13NW (W)	47	-	519217 111241
387	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A8SW (S)	687	-	519165 110452
388	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A7SE (SW)	728	-	519002 110484
389	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A8SW (S)	773	-	519281 110336
390	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A7SE (SW)	901	-	518969 110304
391	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A3NW (S)	910	-	519307 110195
392	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A8SW (S)	916	-	519098 110233
393	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A7SE (SW)	923	-	518904 110316
394	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A3NW (S)	979	-	519154 110150
395	Registered Landfill Sites Licence Holder: Edburton Contractors Licence Reference: 3/BG/83 Site Location: Newbrook Farm, Pound Lane, Upper Beeding, Steyning, West Sussex Licence Easting: 519750 Licence Northing: 111350 Operator Location: Truleigh Farm, Edburton, HENFIELD, West Sussex, BN5 9LN Authority: Environment Agency - Southern Region, Sussex Area Site Category: Landfill Max Input Rate: Undefined Waste Source: No known restriction on source of waste Restrictions: Status: Licence lapsed/cancelled/defunct/not applicable/surrenderedCancelled Dated: 12th July 1984 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Accuracy: Not Applicable Authorised Waste: Excavated Natural Materials \$ Prohibited Waste: Biodegradable/Putrescible Waste Paper/Cardboard Waste Poisonous, Noxious, Polluting Wastes Wood Waste/Timber	A13NE (E)	198	2	519750 111350

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Gault Formation And Upper Greensand Formation (Undifferentiated)	A13NE (NE)	0	1	519416 111230
	BGS 1:625,000 Solid Geology Description: Grey Chalk Subgroup	A13SW (S)	0	1	519381 111132
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NE (NE)	0	1	519416 111230
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NE (NE)	0	1	519461 111298
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NW (W)	3	1	519292 111209
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13SE (S)	153	1	519500 111000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13SW (SW)	204	1	519191 111000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A14NW (E)	429	1	520000 111230
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A14SW (SE)	439	1	519934 111000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: 100 - 200 mg/kg Nickel 15 - 30 mg/kg Concentration:	A18SE (N)	534	1	519552 111836
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: 100 - 200 mg/kg Nickel 15 - 30 mg/kg Concentration:	A18NW (N)	690	1	519339 112007
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: 100 - 200 mg/kg Nickel 15 - 30 mg/kg Concentration:	A18NE (N)	745	1	519448 112053
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: 100 - 200 mg/kg Nickel 15 - 30 mg/kg Concentration:	A12NW (W)	746	1	518565 111530

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A14NE (E)	804	1	520375 111254
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A19NW (NE)	828	1	520000 112000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A9NE (SE)	928	1	520243 110587
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: 100 - 200 mg/kg Nickel 15 - 30 mg/kg Concentration:	A15NW (E)	929	1	520500 111230
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: 100 - 200 mg/kg Nickel 15 - 30 mg/kg Concentration:	A15NW (E)	929	1	520500 111250
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: 100 - 200 mg/kg Nickel 15 - 30 mg/kg Concentration:	A15NW (E)	936	1	520500 111372

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: 100 - 200 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A19NW (N)	943	1	519802 112212
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: <15 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: 100 - 200 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A15NW (E)	944	1	520500 111430
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: <15 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: 100 - 200 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A23SE (N)	969	1	519733 112254
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain Risk: Unlikely Source: British Geological Survey, National Geoscience Information Service	A13NE (N)	0	1	519422 111253
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	0	1	519416 111230
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (N)	0	1	519423 111275
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	0	1	519416 111230
	Potential for Compressible Ground Stability Hazards Hazard Potential: High Source: British Geological Survey, National Geoscience Information Service	A13NE (N)	0	1	519423 111275
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (N)	0	1	519422 111253
	Potential for Ground Dissolution Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	0	1	519416 111230
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SW (SW)	0	1	519395 111179
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	0	1	519416 111230

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NW (W)	3	1	519292 111209
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	0	1	519416 111230
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13NE (N)	0	1	519423 111275
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NW (W)	3	1	519292 111209
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13SE (SE)	0	1	519502 111184
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13NE (N)	0	1	519423 111275
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	0	1	519461 111298
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	0	1	519416 111230
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (E)	179	1	519734 111335
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13NE (E)	181	1	519732 111351
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	0	1	519416 111230
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A13NE (N)	0	1	519416 111275
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	0	1	519416 111230
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A13NE (N)	0	1	519416 111275

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
396	Contemporary Trade Directory Entries Name: Carters Appliance Repairs Location: 28, The Driftway, Upper Beeding, Steyning, West Sussex, BN44 3JX Classification: Washing Machines - Servicing & Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	45	-	519550 111140
397	Contemporary Trade Directory Entries Name: A J F Hydraulic Services Ltd Location: 3, Pepperscombe Lane, Upper Beeding, Steyning, West Sussex, BN44 3HS Classification: Hydraulic Equipment & Accessories - Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (S)	106	-	519459 111026
398	Contemporary Trade Directory Entries Name: Matt Cowan Gardens Location: 15, Priors Close, Upper Beeding, Steyning, BN44 3HT Classification: Horticultural Equipment Maintenance & Repair Status: Active Positional Accuracy: Automatically positioned to the address	A13SE (S)	205	-	519472 110916
399	Contemporary Trade Directory Entries Name: D & P Autos Diesel Specialists Location: Unit C5 Pound Lane, Upper Beeding, Steyning, West Sussex, BN44 3JD Classification: Diesel Engine Equipment & Services Status: Active Positional Accuracy: Manually positioned to the address or location	A14NW (E)	211	-	519779 111227
399	Contemporary Trade Directory Entries Name: Trioflow Engineering Location: Unit C4, Newbrook Business Park, Pound Lane, Upper Beeding, BN44 3TJ Classification: Swimming Pool Contractors, Repairers & Service Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (E)	228	-	519795 111222
399	Contemporary Trade Directory Entries Name: D & P Autos Location: Unit 5, Pound Lane, Upper Beeding, Steyning, BN44 3JD Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (E)	238	-	519805 111219
399	Contemporary Trade Directory Entries Name: Eurocan Sales & Service Ltd Location: Unit B1, Pound Lane, Upper Beeding, STEYNING, West Sussex, BN44 3JD Classification: Plant & Machinery Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	A14NW (E)	241	-	519811 111252
400	Contemporary Trade Directory Entries Name: C L C Sussex Ltd Location: Unit C14, Newbrook Business Park, Pound Lane, Upper Beeding, Steyning, BN44 3JD Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A14NW (E)	216	-	519784 111295
401	Contemporary Trade Directory Entries Name: Victoria Commercial Cleaning Company Location: 4, Priory Field, Upper Beeding, Steyning, West Sussex, BN44 3HU Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SW (SW)	221	-	519258 110921
402	Contemporary Trade Directory Entries Name: Kerbed Location: 6, Deacons Way, Upper Beeding, Steyning, West Sussex, BN44 3HQ Classification: Alloys Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	236	-	519558 110935
403	Contemporary Trade Directory Entries Name: Medixray Construction Ltd Location: Emery Lodge, Pound Lane, Upper Beeding, Steyning, West Sussex, BN44 3JB Classification: X-Ray Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	253	-	519732 111028

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
404	Contemporary Trade Directory Entries Name: All Things Oil Location: 25, School Road, Upper Beeding, Steyning, BN44 3HY Classification: Boilers - Servicing, Replacements & Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (S)	321	-	519519 110810
404	Contemporary Trade Directory Entries Name: Southdown Joinery Location: 15, School Road, Upper Beeding, Steyning, West Sussex, BN44 3HY Classification: Joinery Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (S)	326	-	519482 110791
405	Contemporary Trade Directory Entries Name: Data Shredding Services Ltd Location: 38, Pound Lane, Upper Beeding, Steyning, West Sussex, BN44 3JD Classification: Recycling Centres Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (SE)	355	-	519706 110870
406	Contemporary Trade Directory Entries Name: We Mend Washing Machines Location: 14, Saltings Way, Upper Beeding, Steyning, West Sussex, BN44 3JH Classification: Washing Machines - Servicing & Repairs Status: Active Positional Accuracy: Automatically positioned to the address	A8NW (S)	430	-	519304 110680
406	Contemporary Trade Directory Entries Name: Washing Machine Services Location: 14, Saltings Way, Upper Beeding, Steyning, West Sussex, BN44 3JH Classification: Washing Machines - Servicing & Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	430	-	519304 110680
407	Contemporary Trade Directory Entries Name: G P Tyres Location: 36, Undermill Road, Upper Beeding, Steyning, BN44 3JG Classification: Tyre Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A9NW (SE)	450	-	519809 110829
408	Contemporary Trade Directory Entries Name: Benjies Feeds Location: 4, Pound Lane, Upper Beeding, Steyning, West Sussex, BN44 3JD Classification: Pet Foods & Animal Feeds Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (SE)	472	-	519686 110728
409	Contemporary Trade Directory Entries Name: M & S Grinyer Location: 13, Pound Lane, Upper Beeding, Steyning, West Sussex, BN44 3JF Classification: Swimming Pool Contractors, Repairers & Service Status: Active Positional Accuracy: Automatically positioned to the address	A8NE (SE)	473	-	519641 110703
410	Contemporary Trade Directory Entries Name: Swatchloft Location: 36, Truleigh Road, Upper Beeding, Steyning, BN44 3JR Classification: Pattern Makers - Industrial Status: Inactive Positional Accuracy: Automatically positioned to the address	A9NW (SE)	519	-	519803 110736
411	Contemporary Trade Directory Entries Name: Home Is Location: 3, Hyde Square, Upper Beeding, Steyning, West Sussex, BN44 3JE Classification: Hardware Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (SE)	532	-	519714 110675
411	Contemporary Trade Directory Entries Name: Kula Products Ltd Location: 5, Hyde Square, Upper Beeding, Steyning, West Sussex, BN44 3JE Classification: Water Coolers Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (SE)	534	-	519697 110666
412	Contemporary Trade Directory Entries Name: Zonic Domestic & Commercial Cleaning Services Ltd Location: 11, Towers Road, Upper Beeding, Steyning, West Sussex, BN44 3JQ Classification: Cleaning Services - Domestic Status: Active Positional Accuracy: Automatically positioned to the address	A9NW (SE)	571	-	519918 110764

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
413	Contemporary Trade Directory Entries Name: Ovenu Location: Brynben, Hyde Street, Upper Beeding, Steyning, West Sussex, BN44 3TG Classification: Oven cleaning Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (SE)	635	-	519709 110555
413	Contemporary Trade Directory Entries Name: Ovenu Location: Brynben, Hyde Street, Upper Beeding, Steyning, West Sussex, BN44 3TG Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (SE)	635	-	519709 110555
414	Contemporary Trade Directory Entries Name: County Engineering Solutions Ltd Location: 26, Kings Stone Avenue, Steyning, West Sussex, BN44 3FJ Classification: Heat Exchangers Status: Inactive Positional Accuracy: Automatically positioned to the address	A12NW (W)	651	-	518609 111276
415	Contemporary Trade Directory Entries Name: Sussex Communications Location: 2, Dawn Crescent, Upper Beeding, Steyning, West Sussex, BN44 3WH Classification: Radio Communication Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	A8SE (S)	709	-	519560 110415
415	Contemporary Trade Directory Entries Name: Adur Communications Location: 13, Dawn Crescent, Upper Beeding, Steyning, West Sussex, BN44 3WH Classification: Radio Communication Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	A8SE (S)	754	-	519564 110369
416	Contemporary Trade Directory Entries Name: Beeding Service Station Location: High Street, Upper Beeding, Steyning, West Sussex, BN44 3TQ Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A8SE (S)	711	-	519646 110440
416	Contemporary Trade Directory Entries Name: B P Service Station Location: High Street, Upper Beeding, Steyning, West Sussex, BN44 3TQ Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Automatically positioned to the address	A8SE (S)	736	-	519674 110424
416	Contemporary Trade Directory Entries Name: Esso Location: High Street, Upper Beeding, Steyning, West Sussex, BN44 3TQ Classification: Petrol Filling Stations Status: Active Positional Accuracy: Automatically positioned to the address	A8SE (S)	736	-	519674 110424
416	Contemporary Trade Directory Entries Name: Sullivan Bros Location: Beeding Garage, High Street, Upper Beeding, Steyning, West Sussex, BN44 3TQ Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Automatically positioned to the address	A8SE (S)	749	-	519679 110413
417	Contemporary Trade Directory Entries Name: Yestergear Location: Hobjoins, Hyde Street, Upper Beeding, Steyning, West Sussex, BN44 3TG Classification: Classic Car Specialists Status: Inactive Positional Accuracy: Automatically positioned to the address	A9SW (SE)	800	-	519807 110422
418	Contemporary Trade Directory Entries Name: Hometyre Sussex Location: Kings Barn La, Steyning, West Sussex, BN44 3YR Classification: Tyre Dealers Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A12NW (W)	810	-	518460 111380

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
419	Contemporary Trade Directory Entries Name: 4x4driving.Co.Uk Location: 64, Roman Road, Steyning, West Sussex, BN44 3FN Classification: Quad Bikes Status: Inactive Positional Accuracy: Automatically positioned to the address	A12SW (W)	864	-	518432 111014
419	Contemporary Trade Directory Entries Name: Morgan 4x4 Location: 64, Roman Road, Steyning, West Sussex, BN44 3FN Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A12SW (W)	864	-	518432 111014
419	Contemporary Trade Directory Entries Name: Primarius Location: 66, Roman Road, Steyning, West Sussex, BN44 3FN Classification: Pharmaceutical Manufacturers & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address	A12SW (W)	870	-	518435 110984
420	Contemporary Trade Directory Entries Name: Magic Carpet Cleaning Location: 18, Roman Road, Steyning, West Sussex, BN44 3FN Classification: Carpet, Curtain & Upholstery Cleaners Status: Inactive Positional Accuracy: Automatically positioned to the address	A11SE (W)	865	-	518402 111151
420	Contemporary Trade Directory Entries Name: Magic Carpet Cleaning Location: 18, Roman Road, Steyning, West Sussex, BN44 3FN Classification: Carpet, Curtain & Upholstery Cleaners Status: Inactive Positional Accuracy: Automatically positioned to the address	A11SE (W)	865	-	518402 111151
421	Contemporary Trade Directory Entries Name: World Aero Ltd Location: OLD MANOR, MANOR ROAD, UPPER BEEDING, BN44 3TJ Classification: Aviation Engineers Status: Active Positional Accuracy: Automatically positioned to the address	A9SW (SE)	968	-	519897 110279
422	Contemporary Trade Directory Entries Name: Riverside Brewery Location: Beeding Court, Shoreham Road, Upper Beeding, Steyning, West Sussex, BN44 3TN Classification: Brewers Status: Active Positional Accuracy: Automatically positioned to the address	A3NE (S)	977	-	519497 110131
423	Contemporary Trade Directory Entries Name: Adapt Mobility Location: New House Farm, Henfield Road, Upper Beeding, Steyning, West Sussex, BN44 3TF Classification: Stairlifts - Manufacturers & Installers Status: Active Positional Accuracy: Automatically positioned to the address	A9SW (S)	983	-	519803 110211
424	Fuel Station Entries Name: Mfg Upper Beeding Location: High Street Henfield Road, Upper Beeding, Steyning, West Sussex, BN44 3TQ Brand: Esso Premises Type: Petrol Station Status: Open Positional Accuracy: Automatically positioned to the address	A8SE (S)	749	-	519679 110413
425	Points of Interest - Commercial Services Name: D & P Autos Location: Unit C5 Pound Lane, Upper Beeding, Steyning, West Sussex, BN44 3JD Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A14NW (E)	211	7	519779 111227
425	Points of Interest - Commercial Services Name: C L C Sussex Ltd Location: Unit C14 Newbrook Business Park, Pound Lane, Upper Beeding, BN44 3JD Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A14NW (E)	216	7	519784 111295

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
426	Points of Interest - Commercial Services Name: Upper Beeding Service Station Location: Beeding Garage, High Street, Upper Beeding, Steyning, BN44 3TQ Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A8SE (S)	749	7	519678 110412
426	Points of Interest - Commercial Services Name: B P Car Wash Location: Beeding Garage, High Street, Upper Beeding, BN44 3TQ Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A8SE (S)	749	7	519678 110412
426	Points of Interest - Commercial Services Name: Car Wash Location: Beeding Garage, High Street, Upper Beeding, Steyning, BN44 3TQ Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A8SE (S)	749	7	519679 110413
427	Points of Interest - Commercial Services Name: John Morgan 4x4 Driving Location: 64 Roman Road, Steyning, BN44 3FN Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A12SW (W)	864	7	518432 111013
428	Points of Interest - Manufacturing and Production Name: Newbrook Business Park Location: BN44 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A13NE (E)	172	7	519742 111242
428	Points of Interest - Manufacturing and Production Name: B & S Natural Stone Ltd Location: Unit C6, Pound Lane, Upper Beeding, Steyning, BN44 3JD Category: Extractive Industries Class Code: Stone Quarrying and Preparation Positional Accuracy: Positioned to address or location	A14NW (E)	221	7	519789 111222
428	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A14NW (E)	222	7	519791 111290
429	Points of Interest - Manufacturing and Production Name: Saltworks Location: BN44 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13NW (NW)	203	7	519255 111501
430	Points of Interest - Public Infrastructure Name: Graveyard Location: Not Supplied Category: Infrastructure and Facilities Class Code: Cemeteries and Crematoria Positional Accuracy: Positioned to an adjacent address or location	A13SW (SW)	115	7	519255 111062
430	Points of Interest - Public Infrastructure Name: Grave Yard Location: BN44 Category: Infrastructure and Facilities Class Code: Cemeteries and Crematoria Positional Accuracy: Positioned to an adjacent address or location	A13SW (SW)	130	7	519238 111060
431	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A13SW (SW)	264	7	519110 111003
431	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A13SW (SW)	267	7	519103 111006

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
432	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A12NE (NW)	355	7	519018 111528
432	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A12NE (NW)	359	7	519010 111524
433	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A8NW (SW)	443	7	519157 110723
434	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A14SW (E)	510	7	520076 111188
434	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A14SW (E)	512	7	520080 111207
434	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A14SW (E)	520	7	520086 111191
434	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A14NW (E)	522	7	520090 111210
435	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A8NW (S)	545	7	519207 110587
435	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A8NW (S)	547	7	519203 110587
436	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A8SW (S)	617	7	519261 110498
436	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A8SW (S)	619	7	519263 110495
436	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A8SW (S)	639	7	519327 110466

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
436	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A8SW (S)	640	7	519330 110464
437	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A18NW (N)	700	7	519305 112014
437	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A18NW (N)	704	7	519308 112018
438	Points of Interest - Public Infrastructure Name: Beeding Service Station Location: Beeding Garage, High Street, Upper Beeding, Steyning, BN44 3TQ Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A8SE (S)	749	7	519679 110413
438	Points of Interest - Public Infrastructure Name: BP Service Station Location: High Street, Upper Beeding, Steyning, BN44 3TQ Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A8SE (S)	749	7	519678 110412
438	Points of Interest - Public Infrastructure Name: Esso Location: High Street, Upper Beeding, Steyning, BN44 3TQ Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A8SE (S)	749	7	519678 110412
438	Points of Interest - Public Infrastructure Name: Upper Beeding Service Station Location: Beeding Garage, High Street, Upper Beeding, Steyning, BN44 3TQ Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A8SE (S)	749	7	519679 110413
438	Points of Interest - Public Infrastructure Name: Upper Beeding Service Station Location: Beeding Garage, High Street, Upper Beeding, Steyning, BN44 3TQ Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A8SE (S)	749	7	519678 110412
439	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A18NW (N)	777	7	519415 112089
439	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A18NE (N)	780	7	519425 112091
440	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A8SE (S)	804	7	519481 110303
440	Points of Interest - Public Infrastructure Name: Sluice Location: BN44 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A8SE (S)	813	7	519494 110296

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
441	Points of Interest - Public Infrastructure Name: Outfall Location: BN44 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A17NW (NW)	878	7	518656 111906
441	Points of Interest - Public Infrastructure Name: Outfall Location: BN44 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A17NW (NW)	883	7	518651 111908
442	Points of Interest - Recreational and Environmental Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A8NE (S)	532	7	519455 110574
442	Points of Interest - Recreational and Environmental Name: Playground Location: High Street, BN44 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A8NE (S)	538	7	519461 110569
443	Points of Interest - Recreational and Environmental Name: Play Area Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A9SW (SE)	713	7	519777 110505

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
444	Environmentally Sensitive Areas Name: South Downs (decommissioned) Multiple Areas: N Total Area (m2): 690432994.81 Source: Natural England	A8NW (S)	531	8	519170 110616
445	National Parks Name: South Downs Multiple Area: N Area (m2): 1652679314.3 Source: Natural England Status: Fully Designated - designated as a National Park Designation Date: 2nd November 2009	A8NW (S)	526	8	519167 110624
446	Nitrate Vulnerable Zones Name: Black Sewer Nvz Description: Surface Water Source: Environment Agency, Head Office	A17SE (NW)	390	4	519010 111570
447	Nitrate Vulnerable Zones Name: Sussex Chalk Description: Groundwater Source: Environment Agency, Head Office	A7NE (SW)	535	4	519040 110690

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Adur District Council - Environmental Health Department Arun District Council - Environmental Health Department Horsham District Council - Environmental Health Department Environment Agency - Head Office Mid Sussex District Council - Environmental Services Section Brighton & Hove City Council - Environmental Health Department	December 2019 December 2019 February 2015 June 2020 October 2017 September 2017	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annually Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - Southern Region	April 2023	Quarterly
Enforcement and Prohibition Notices Environment Agency - Southern Region	March 2013	
Integrated Pollution Controls Environment Agency - Southern Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - South East Region - Solent & South Downs Area Environment Agency - Southern Region	January 2023 January 2023	Quarterly Quarterly
Local Authority Integrated Pollution Prevention And Control Brighton & Hove City Council - Environmental Health Department Arun District Council - Environmental Health Department Horsham District Council - Environmental Health Department Adur District Council - Environmental Health Department Mid Sussex District Council - Environmental Services Section	August 2015 December 2014 June 2015 November 2014 September 2014	Variable Variable Variable Variable Variable
Local Authority Pollution Prevention and Controls Brighton & Hove City Council - Environmental Health Department Arun District Council - Environmental Health Department Horsham District Council - Environmental Health Department Adur District Council - Environmental Health Department Mid Sussex District Council - Environmental Services Section	August 2015 December 2014 June 2015 November 2014 September 2014	Not Applicable Not Applicable Annual Rolling Update Not Applicable Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Brighton & Hove City Council - Environmental Health Department Arun District Council - Environmental Health Department Horsham District Council - Environmental Health Department Adur District Council - Environmental Health Department Mid Sussex District Council - Environmental Services Section	August 2015 December 2014 June 2015 November 2014 September 2014	Variable Variable Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	April 2023	
Pollution Incidents to Controlled Waters Environment Agency - Southern Region	December 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Southern Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Southern Region	March 2013	
Registered Radioactive Substances Environment Agency - Southern Region	June 2016	As notified
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	

Agency & Hydrological	Version	Update Cycle
Substantiated Pollution Incident Register Environment Agency - South East Region - Solent & South Downs Area Environment Agency - Southern Region - Kent and East Sussex Environment Agency - Southern Region - Solent and South Downs Environment Agency - Southern Region - Sussex Area	April 2023 April 2023 April 2023 April 2023	Quarterly Quarterly Quarterly Quarterly
Water Abstractions Environment Agency - Southern Region	April 2023	Quarterly
Water Industry Act Referrals Environment Agency - Southern Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	Annually
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	Annually
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	February 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	February 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	February 2023	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	April 2023	Quarterly
Surface Water 1 in 30 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	March 2023	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Southern Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - South East Region - Solent & South Downs Area Environment Agency - Southern Region - Kent and East Sussex Environment Agency - Southern Region - Solent and South Downs Environment Agency - Southern Region - Sussex Area	January 2023 January 2023 January 2023 January 2023	Quarterly Quarterly Quarterly Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - South East Region - Solent & South Downs Area Environment Agency - Southern Region - Kent and East Sussex Environment Agency - Southern Region - Solent and South Downs Environment Agency - Southern Region - Sussex Area	January 2023 January 2023 January 2023 January 2023	Quarterly Quarterly Quarterly Quarterly
Local Authority Landfill Coverage Adur District Council Arun District Council - Technical Support Unit Brighton & Hove City Council - Environmental Health Department Horsham District Council - Environmental Health Department Mid Sussex District Council - Environmental Services Section West Sussex County Council - Environment & Development	February 2003 February 2003 February 2003 February 2003 February 2003 February 2003	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites Adur District Council Arun District Council - Technical Support Unit Brighton & Hove City Council - Environmental Health Department Horsham District Council - Environmental Health Department Mid Sussex District Council - Environmental Services Section West Sussex County Council - Environment & Development	October 2018 October 2018 October 2018 October 2018 October 2018 October 2018	
Potentially Infilled Land (Non-Water) Landmark Information Group Limited	December 1999	
Potentially Infilled Land (Water) Landmark Information Group Limited	December 1999	
Registered Landfill Sites Environment Agency - Southern Region - Kent and East Sussex Environment Agency - Southern Region - Solent and South Downs Environment Agency - Southern Region - Sussex Area	March 2006 March 2006 March 2006	Not Applicable Not Applicable Not Applicable
Registered Waste Transfer Sites Environment Agency - Southern Region - Kent and East Sussex Environment Agency - Southern Region - Solent and South Downs Environment Agency - Southern Region - Sussex Area	April 2018 April 2018 April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Southern Region - Kent and East Sussex Environment Agency - Southern Region - Solent and South Downs Environment Agency - Southern Region - Sussex Area	June 2015 June 2015 June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements Horsham District Council - Planning Department Brighton & Hove City Council Mid Sussex District Council Adur District Council Arun District Council - Technical Support Unit West Sussex County Council - Environment & Development	August 2015 February 2016 January 2016 June 2023 March 2023 October 2006	Variable Variable Variable Variable Variable Annual Rolling Update
Planning Hazardous Substance Consents Horsham District Council - Planning Department Adur District Council Arun District Council - Technical Support Unit Brighton & Hove City Council Mid Sussex District Council West Sussex County Council - Environment & Development	August 2015 February 2016 February 2016 February 2016 January 2016 October 2006	Variable Variable Variable Variable Variable Annual Rolling Update

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	September 2022	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	September 2022	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	April 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	June 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Points of Interest - Commercial Services PointX	June 2023	Quarterly
Points of Interest - Education and Health PointX	June 2023	Quarterly
Points of Interest - Manufacturing and Production PointX	June 2023	Quarterly
Points of Interest - Public Infrastructure PointX	June 2023	Quarterly
Points of Interest - Recreational and Environmental PointX	June 2023	Quarterly
Underground Electrical Cables National Grid	February 2023	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	April 2023	Bi-Annually
Areas of Adopted Green Belt Adur District Council Arun District Council - Technical Support Unit Brighton & Hove City Council Horsham District Council - Planning Department Mid Sussex District Council South Downs National Park	July 2022 July 2022 July 2022 July 2022 July 2022 July 2022	Quarterly Quarterly Quarterly Quarterly Quarterly Quarterly
Areas of Unadopted Green Belt Adur District Council Arun District Council - Technical Support Unit Brighton & Hove City Council Horsham District Council - Planning Department Mid Sussex District Council South Downs National Park	July 2022 July 2022 July 2022 July 2022 July 2022 July 2022	Quarterly Quarterly Quarterly Quarterly Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	April 2023	Bi-Annually
Environmentally Sensitive Areas Natural England	January 2017	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	March 2023	Bi-Annually
Marine Nature Reserves Natural England	April 2023	Bi-Annually
National Nature Reserves Natural England	February 2023	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural England	March 2023	Bi-Annually
Sites of Special Scientific Interest Natural England	March 2023	Bi-Annually
Special Areas of Conservation Natural England	April 2023	Bi-Annually
Special Protection Areas Natural England	April 2023	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Horsham District Council - Environmental Health Department Park House, North Street, Horsham, Sussex, RH12 1RL	Telephone: 01403 215100 Fax: 01403 732790 Website: www.horsham.gov.uk
4	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
5	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
6	West Sussex County Council - Environment & Development County Hall, Tower hall, Chichester, West Sussex, PO19 1RH	Telephone: 01243 777100 Website: www.westsussex.gov.uk
7	PointX 7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
8	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location
- Pylon
- Overhead Transmission Line

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Prosecution Relating to Authorised Processes
- Prosecution Relating to Controlled Waters
- Registered Radioactive Substance
- River Network or Water Feature
- River Quality Sampling Point
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement


Geological

- BGS Recorded Mineral Site

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site

Site Sensitivity Map - Segment A13




Order Details

Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Plot Buffer (m): 100


Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF



- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
 - Several of Type at Location
- Agency and Hydrological**
- Contaminated Land Register Entry or Notice (Location)
 - Contaminated Land Register Entry or Notice
 - Discharge Consent
 - Enforcement or Prohibition Notice
 - Integrated Pollution Control
 - Integrated Pollution Prevention Control
 - Local Authority Integrated Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control Enforcement
 - Pollution Incident to Controlled Waters
 - Prosecution Relating to Authorised Processes
 - Prosecution Relating to Controlled Waters
 - Registered Radioactive Substance
 - River Network or Water Feature
 - River Quality Sampling Point
 - Substantiated Pollution Incident Register
 - Water Abstraction
 - Water Industry Act Referral
- Hazardous Substances**
- COMAH Site
 - Explosive Site
 - NIHHS Site
 - Planning Hazardous Substance Consent
 - Planning Hazardous Substance Enforcement
- Geological**
- BGS Recorded Mineral Site
- Waste**
- BGS Recorded Landfill Site (Location)
 - BGS Recorded Landfill Site
 - EA Historic Landfill (Buffered Point)
 - EA Historic Landfill (Polygon)
 - Integrated Pollution Control Registered Waste Site
 - Licensed Waste Management Facility (Landfill Boundary)
 - Licensed Waste Management Facility (Location)
 - Local Authority Recorded Landfill Site (Location)
 - Local Authority Recorded Landfill Site
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Registered Landfill Site (Location)
 - Registered Landfill Site (Point Buffered to 100m)
 - Registered Landfill Site (Point Buffered to 250m)
 - Registered Waste Transfer Site (Location)
 - Registered Waste Transfer Site
 - Registered Waste Treatment or Disposal Site (Location)
 - Registered Waste Treatment or Disposal Site

Site Sensitivity Map - Slice A



Order Details

Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF

Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Gas Pipeline
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice A



Order Details

Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000






Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF


General

-  Specified Site
-  Specified Buffer(s)
-  Discharge Reference Point

Agency and Hydrological (Flood)

-  Extreme Flooding from Rivers or Sea without Defences (Zone 2)
-  Flooding from Rivers or Sea without Defences (Zone 3)
-  Area Benefiting from Flood Defence
-  Flood Water Storage Areas
-  Flood Defence

Flood Map - Slice A




Order Details

Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF



General

- ✱ Specified Site
- Specified Buffer(s)
- ✕ Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice A




Order Details

Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF



General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point


OS Water Network Data

- | | |
|--------------|-------------------------|
| Canal | Drain |
| Reservoir | Other |
| Foreshore | Lake |
| Marsh | Transfer |
| Tidal River | Lock Or Flight Of Locks |
| Inland River | Sea |

Contours (height in meters)

- | | | | | | |
|------------------|-------|-----|----|-----|-----------------|
| Standard Contour | 105 | 100 | 95 | MLW | Mean Low Water |
| Master Contour | 105 | 100 | 95 | MHW | Mean High Water |
| Spot Height | 107.5 | | | | |

OS Water Network Map - Slice A



Order Details

Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Risk of Flooding from Surface Water

- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EANRW Suitability Map - Slice A




Order Details

Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF




General


Specified Site Specified Buffer(s) Beeding Retrieval Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg



Estimated Soil Chemistry Arsenic - Slice A



Order Details

Order Details: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details


Church Lane, Upper Beeding, Steyning, BN44 3HF

General


Specified Site Specified Buffer(s) Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg



Estimated Soil Chemistry Cadmium - Slice A



Order Details

Order Details: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details


Church Lane, Upper Beeding, Steyning, BN44 3HF

General


Specified Site Specified Buffer(s) Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg



Estimated Soil Chemistry Chromium - Slice A



Order Details

Order Details: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details


Church Lane, Upper Beeding, Steyning, BN44 3HF

General


Specified Site Specified Buffer(s) Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg



Estimated Soil Chemistry Lead - Slice A



Order Details

Order Details: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details


Church Lane, Upper Beeding, Steyning, BN44 3HF

General


Specified Site Specified Buffer(s) Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg



Estimated Soil Chemistry Nickel - Slice A




Order Details

Order Details: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details






Church Lane, Upper Beeding, Steyning, BN44 3HF



Envirocheck®













Groundwater Vulnerability

General













-  Specified Site
  Specified Buffer(s)
  Bearing Reference Point
-  Slice
  Map ID



Agency and Hydrological

Bedrock Aquifers

- | | | | |
|---|--|---|--|
|  | High Vulnerability, Principal Aqifer |  | High Vulnerability, Principal Aqifer |
|  | High Vulnerability, Secondary Aqifer |  | High Vulnerability, Secondary Aqifer |
|  | Medium Vulnerability, Principal Aqifer |  | Medium Vulnerability, Principal Aqifer |
|  | Medium Vulnerability, Secondary Aqifer |  | Medium Vulnerability, Secondary Aqifer |
|  | Low Vulnerability, Principal Aqifer |  | Low Vulnerability, Principal Aqifer |
|  | Low Vulnerability, Secondary Aqifer |  | Low Vulnerability, Secondary Aqifer |

Superficial Aquifers

- | | | | |
|---|--|---|--|
|  | High Vulnerability, Principal Aqifer |  | High Vulnerability, Principal Aqifer |
|  | High Vulnerability, Secondary Aqifer |  | High Vulnerability, Secondary Aqifer |
|  | Medium Vulnerability, Principal Aqifer |  | Medium Vulnerability, Principal Aqifer |
|  | Medium Vulnerability, Secondary Aqifer |  | Medium Vulnerability, Secondary Aqifer |
|  | Low Vulnerability, Principal Aqifer |  | Low Vulnerability, Principal Aqifer |
|  | Low Vulnerability, Secondary Aqifer |  | Low Vulnerability, Secondary Aqifer |

-  Unproductive Aquifer
 Soluble Rock

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Bedrock Aquifer Designation

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A




Order Details

Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF



Superficial Aquifer Designation

General

- ◇ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A




Order Details

Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF



Source Protection Zones


General

- ◊ Specified Site ○ Specified Buffer(s) X Bearing Reference Point
- Slice 8 Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- ▨ Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- ▨ Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- ▨ Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice A




Order Details

Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF



Sensitive Land Uses


General

- ◇ Specified Site ○ Specified Buffer(s) X Bearing Reference Point
- Slice 8 Map ID

Sensitive Land Uses

- | | |
|--|---|
| ■ Ancient Woodland | □ National Park |
| ■ Area of Adopted Green Belt | □ Nitrate Sensitive Area |
| ■ Area of Unadopted Green Belt | □ Nitrate Vulnerable Zone |
| ■ Area of Outstanding Natural Beauty | □ Ramsar Site |
| □ Environmentally Sensitive Area | ■ Site of Special Scientific Interest |
| □ Forest Park | □ Special Area of Conservation |
| □ Local Nature Reserve | □ Special Protection Area |
| □ Marine Nature Reserve | ■ World Heritage Sites |
| □ National Nature Reserve | |

Site Sensitivity Context Map - Slice A




Order Details

Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000




Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF

**Envirocheck[®]**

BGS Flood GFS Data

General

-  Google Docs
  Google Slides
  Google Sheets

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Coker
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Coker or Surface

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

	Gravel Pit		Sand Pit		Other Pits
	Quarry		Shingle		Orchard
	Osiers		Reeds		Marsh
	Mixed Wood		Deciduous		Brushwood
	Fir		Furze		Rough Pasture
	Arrow denotes flow of water		Trigonometrical Station		
	Site of Antiquities		Bench Mark		
	Pump, Guide Post, Signal Post		Well, Spring, Boundary Post		
	•285 Surface Level				
	Sketched Contour		Instrumental Contour		
	Main Roads		Minor Roads		
	Sunken Road		Raised Road		
	Road over Railway		Railway over River		
	Railway over Road		Level Crossing		
	Road over River or Canal		Road over Stream		
	Road over Stream				
	County Boundary (Geographical)				
	County & Civil Parish Boundary				
	Administrative County & Civil Parish Boundary				
	County Borough Boundary (England)				
	County Burgh Boundary (Scotland)				
	Rural District Boundary				
	Civil Parish Boundary				

Ordnance Survey Plan 1:10,000

	Chalk Pit, Clay Pit or Quarry		Gravel Pit
	Sand Pit		Disused Pit or Quarry
	Refuse or Slag Heap		Lake, Loch or Pond
	Dunes		Boulders
	Coniferous Trees		Non-Coniferous Trees
	Orchard		Scrub
	Bracken		Heath
	Marsh		Reeds
	Building		Glasshouse
	Sloping Masonry		Pylon
			Pole
	Cutting		Embankment
	Road Under		Road Over
	Level Crossing		Foot Bridge
	Standard Gauge Multiple Track		Standard Gauge Single Track
	Siding, Tramway or Mineral Line		Narrow Gauge
	Geographical County		
	Administrative County, County Borough or County of City		
	Municipal Borough, Urban or Rural District, Burgh or District Council		
	Borough, Burgh or County Constituency		
	Civil Parish		
	Shown alternately when coincidence of boundaries occurs		
	BP, BS Boundary Post or Stone		Pol Sta Police Station
	Ch Church		PO Post Office
	CH Club House		PC Public Convenience
	F E Sta Fire Engine Station		PH Public House
	FB Foot Bridge		SB Signal Box
	Fn Fountain		Spr Spring
	GP Guide Post		TCB Telephone Call Box
	MP Mile Post		TCP Telephone Call Post
	MS Mile Stone		W Well


1:10,000 Raster Mapping

	Gravel Pit		Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle		Mud
	Sand		Sand Pit
	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
	Area of wooded vegetation		Non-coniferous trees
	Non-coniferous trees (scattered)		Coniferous trees
	Coniferous trees (scattered)		Positioned tree
	Orchard		Coppice or Osiers
	Rough Grassland		Heath
	Scrub		Marsh, Salt Marsh or Reeds
	Water feature		Flow arrows
	MHW(S) Mean high water (springs)		MLW(S) Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
	Bench mark (where shown)		Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)		Pylon, flare stack or lighting tower
	Site of (antiquity)		Glasshouse
	General Building		Important Building

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Sussex	1:10,560	1879	3
Sussex	1:10,560	1898 - 1899	4
Sussex	1:10,560	1912 - 1914	5
Sussex	1:10,560	1914	6
Sussex	1:10,560	1914	7
Sussex	1:10,560	1932	8
Sussex	1:10,560	1947	9
Historical Aerial Photography	1:10,560	1947 - 1951	10
Historical Aerial Photography	1:10,560	1947	11
Ordnance Survey Plan	1:10,000	1961 - 1963	12
Ordnance Survey Plan	1:10,000	1968	13
Ordnance Survey Plan	1:10,000	1972 - 1977	14
Ordnance Survey Plan	1:10,000	1984	15
Ordnance Survey Plan	1:10,000	1990 - 1993	16
Brighton	1:10,000	1990	17
10K Raster Mapping	1:10,000	2000	18
10K Raster Mapping	1:10,000	2006	19
VectorMap Local	1:10,000	2023	20

Historical Map - Slice A



Order Details

Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF

Russian Military Mapping Legends

1:5,000 and 1:10,000 mapping

a. Not drawn to scale b. Drawn to scale

Government and Administrative Buildings Military and Industrial Buildings

Military and Communication Areas Subway Entrance

Fireproof Building Prominent Fireproof Building

Non-fireproof Building Non-fireproof Building (non-dwelling)

Factory, mill, and flour mill, with chimneys Factory, mill, and flour mill, without chimneys

Power Station, drawn to scale Hydroelectric Power Station

Radio Station, drawn to scale Telephone Station, drawn to scale

Abandoned Open-pit Mine or Quarry Open-pit Salt Mine

Pit Oil Deposit or Well Oil Seepage

Tailings Pile Fuel Storage Tanks Natural Gas Tank

Bench Mark Drill Hole Burial Mound Triangulation Point on Burial Mound

Single-track Railroad Small Bridge Double-track Railroad and Station Building

Coniferous Forest Deciduous Forest Mixed Forest

Lawns Citrus Orchard Wet Ground Scattered Vegetation

243.8 Values for prominent elevations

186.0 Numbers for spot elevations, depth soundings, contour lines, etc.

0.2 Velocity of the current, width of river bed, depth of river

180/12 Fractional terms: length and capacity of bridges; depth of fords and condition of the river bottom; height of forest and the diameter of trees

Russian Alphabet (For reference and phonetic interpretation of map text)

А а (A)	З з (Z)	П п (P)	Ч ч (CH)
Б б (B)	И и (I)	Р р (R)	Ш ш (SH)
В в (V)	Й й (Y)	С с (S)	Щ щ (SHCH)
Г г (G)	К к (K)	Т т (T)	Ъ (-)
Д д (D)	Л л (L)	У у (U)	Ы (Y)
Е е (E)	М м (M)	Ф ф (F)	Ь (')
Ё ё (YO)	Н н (N)	Х х (KH)	Э э (E)
Ж ж (ZH)	О о (O)	Ц ц (TS)	Ю ю (YU or IU)
			Я я (YA or IA)

1:25,000 mapping

a. Not drawn to scale b. Drawn to scale

Government and Administrative Buildings Military and Industrial Buildings

Military and Communication Areas Subway Entrance

Partly Demolished Buildings Demolished Buildings

Built-Up Area with Fireproof Buildings Predominant Built-Up Area with Non-Fireproof Buildings Predominant

Individual Fireproof Building Prominent Industrial Building

Individual Dwelling, Fireproof Ruins of an Individual Dwelling

Factory or Mill Chimney Factory or Mill with Chimney Factory or Mill without Chimney Mine or Open Pit Mine

Operating Shaft or Mine Non-Operating Shaft or Mine Salt Mine Tailings Pile

Pit Stone Quarry Gas Pump or Service Station Fuel Storage or Natural Gas Tank

Oil or Natural Gas Derrick Small Hydroelectric Power Station Power Station Transformer Station

Cemetery Burial Mound (height in metres) Triangulation Point on Burial Mound Triangulation Point

Bench Mark Bench Mark (monumented) Telegraph Office Telephone Station

Radio Station Radio Tower Airfield or Seaplane Base Landing Strip

Telegraph/Telephone Lines Main Highway Highway under Construction Improved Dirt Road (former truck road)

Double-track Railroad with First Class Station Dismantled Railroad Railroad Under Construction

Shore Embankment River or Ditch with Embankment Direction and velocity of current Water Gauge Water Level Mark

Well Water Reservoir or Rain Water Pit Spring Isobath with value

Heavy (Index) Contour Line Contour Line and Value Half Contour Line Spot Elevation Value


Coniferous Deciduous Mixed Scrub

Key to Numbers on Mapping

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Sussex	1:10,560	1879	3
Sussex	1:10,560	1898 - 1899	4
Sussex	1:10,560	1912 - 1914	5
Sussex	1:10,560	1914	6
Sussex	1:10,560	1914	7
Sussex	1:10,560	1932	8
Sussex	1:10,560	1947	9
Historical Aerial Photography	1:10,560	1947 - 1951	10
Historical Aerial Photography	1:10,560	1947	11
Ordnance Survey Plan	1:10,000	1961 - 1963	12
Ordnance Survey Plan	1:10,000	1968	13
Ordnance Survey Plan	1:10,000	1972 - 1977	14
Ordnance Survey Plan	1:10,000	1984	15
Ordnance Survey Plan	1:10,000	1990 - 1993	16
Brighton	1:10,000	1990	17
10K Raster Mapping	1:10,000	2000	18
10K Raster Mapping	1:10,000	2006	19
VectorMap Local	1:10,000	2023	20

Russian Map - Slice A




Order Details

Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.


Sussex

Published 1879


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF

Sussex

Published 1898 - 1899


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

051NE 1898 1:10,560	052NW 1899 1:10,560
051SE 1899 1:10,560	052SW 1899 1:10,560

Historical Map - Slice A





Order Details

Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF





© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

Sussex

Published 1912 - 1914


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

051NE 1914 1:10,560	052NW 1912 1:10,560
051SE 1914 1:10,560	052SW 1914 1:10,560

Historical Map - Slice A



Order Details

Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF


Sussex

Published 1914


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A





Order Details

Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF





Envirocheck[®]

LANDMARK INFORMATION GROUP[®]

Sussex

Published 1914

Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

052SW
1914
1:10,560

Historical Map - Slice A

N

Order Details

Order Number:	313621383_1_1
Customer Ref:	P23626
National Grid Reference:	519420, 111230
Slice:	A
Site Area (Ha):	3.76
Search Buffer (m):	1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF

Landmark[®]

INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

A Landmark Information Group Service v50.0 03-Jul-2023 Page 7 of 20


Sussex

Published 1932


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A





Order Details

Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF





© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.


Sussex

Published 1947


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF



Historical Aerial Photography

Published 1947 - 1951

Source map scale - 1:10,560


The Historical Aerial Photos were produced by the Ordnance Survey at a scale of 1:1,250 and 1:10,560 from Air Force photography. They were produced between 1944 and 1951 as an interim measure, pending preparation of conventional mapping, due to post war resource shortages. New security measures in the 1950's meant that every photograph was re-checked for potentially unsafe information with security sites replaced by fake fields or clouds. The original editions were withdrawn and only later made available after a period of fifty years although due to the accuracy of the editing, without viewing both revisions it is not easy to spot the edits. Where available Landmark have included both revisions.

© Landmark Information Group and/or Data Suppliers 2010.

Map Name(s) and Date(s)

TQ11SE 1947 1:10,560	TQ21SW 1951 1:10,560
TQ10NE 1947 1:10,560	TQ20NW 1947 1:10,560

Historical Aerial Photography - Slice A




Order Details

Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF



Historical Aerial Photography

Published 1947

Source map scale - 1:10,560

The Historical Aerial Photos were produced by the Ordnance Survey at a scale of 1:1,250 and 1:10,560 from Air Force photography. They were produced between 1944 and 1951 as an interim measure, pending preparation of conventional mapping, due to post war resource shortages. New security measures in the 1950's meant that every photograph was re-checked for potentially unsafe information with security sites replaced by fake fields or clouds. The original editions were withdrawn and only later made available after a period of fifty years although due to the accuracy of the editing, without viewing both revisions it is not easy to spot the edits. Where available Landmark have included both revisions.

© Landmark Information Group and/or Data Suppliers 2010.

Map Name(s) and Date(s)

TQ21SW
1947
1:10,560

TQ20NW
1947
1:10,560

Historical Aerial Photography - Slice A

LIBRARY
HSILIRB

Order Details

Order Number:	313621383_1_1
Customer Ref:	P23626
National Grid Reference:	519420, 111230
Slice:	A
Site Area (Ha):	3.76
Search Buffer (m):	1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF

Ordnance Survey Plan

Published 1961 - 1963


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

TQ11SE	TQ21SW
1961	1962
1:10,560	1:10,560
TQ10NE	TQ20NW
1961	1963
1:10,560	1:10,560

Historical Map - Slice A




Order Details

Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF





© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.


Ordnance Survey Plan

Published 1968


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 313621383_1_1

Customer Ref: P23626

National Grid Reference: 519420, 111230

Slice: A

Site Area (Ha): 3.76

Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF

Ordnance Survey Plan

Published 1972 - 1977


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

TQ11SE	TQ21SW
1977	1976
1:10,000	1:10,000
TQ10NE	TQ20NW
1975	1972
1:10,000	1:10,000

Historical Map - Slice A





Order Details

Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF





© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.


Ordnance Survey Plan

Published 1984


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number:

313621383_1_1

Customer Ref:

P23626

National Grid Reference:

519420, 111230

Slice:

A

Site Area (Ha):

3.76

Search Buffer (m):

1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF

Ordnance Survey Plan

Published 1990 - 1993


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

TQ11SE	1993	1:10,000
TQ10NE	1990	1:10,000

Historical Map - Slice A





Order Details

Order Number:	313621383_1_1
Customer Ref:	P23626
National Grid Reference:	519420, 111230
Slice:	A
Site Area (Ha):	3.76
Search Buffer (m):	1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF






Brighton
Published 1990
Source map scale - 1:10,000

These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use. They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)

TQ11SE 1990 1:10,000	TQ21SW 1990 1:10,000
TQ10NE 1990 1:10,000	TQ20NW 1990 1:10,000

Russian Map - Slice A



Order Details

Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF

10k Raster Mapping

Published 2000


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

TQ11SE 2000 1:10,000	TQ21SW 2000 1:10,000
TQ10NE 2000 1:10,000	TQ20NW 2000 1:10,000

Historical Map - Slice A




Order Details

Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF



10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

TQ11SE 2006 1:10,000	TQ21SW 2006 1:10,000
TQ10NE 2006 1:10,000	TQ20NW 2006 1:10,000

Historical Map - Slice A




Order Details

Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF





VectorMap Local

Published 2023


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities), 1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)

TQ11SE	TQ21SW
2023	2023
Variable	Variable
TQ10NE	TQ20NW
2023	2023
Variable	Variable

Historical Map - Slice A



Order Details


Order Number: 313621383_1_1
 Customer Ref: P23626
 National Grid Reference: 519420, 111230
 Slice: A
 Site Area (Ha): 3.76
 Search Buffer (m): 1000

Site Details


Church Lane, Upper Beeding, Steyning, BN44 3HF

Historical Mapping Legends


Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250




Large-Scale National Grid Data 1:2,500 and 1:1,250



Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Sussex	1:2,500	1873 - 1876	2
Sussex	1:2,500	1897 - 1898	3
Sussex	1:2,500	1911	4
Sussex	1:2,500	1932 - 1937	5
Ordnance Survey Plan	1:2,500	1971	6
Supply of Unpublished Survey Information	1:2,500	1975 - 1976	7
Ordnance Survey Plan	1:2,500	1979	8
Additional SIMs	1:2,500	1981 - 1983	9
Additional SIMs	1:2,500	1989 - 1992	10
Large-Scale National Grid Data	1:2,500	1993	11
Historical Aerial Photography	1:2,500	1999	12

Historical Map - Segment A13




Order Details

Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 100

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF




Sussex

Published 1873 - 1876


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 100

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF



Envirocheck[®]
LANDMARK INFORMATION GROUP[®]


Sussex

Published 1897 - 1898


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 100

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.


Sussex

Published 1911


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 100

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.


Sussex

Published 1932 - 1937


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 100

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF



Envirocheck®
LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1971


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 100

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF

Landmark[®]
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Supply of Unpublished Survey Information

Published 1975 - 1976


Source map scale - 1:2,500

SUSI maps (Supply of Unpublished Survey Information) were produced between 1972 and 1977, mainly for internal use at Ordnance Survey. These were more of a 'work-in-progress' plan as they showed updates of individual areas on a map. These maps were unpublished, and they do not represent a single moment in time. They were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

TQ1911	1976
1:2,500	
TQ1910	1975
1:2,500	

Historical Map - Segment A13




Order Details

Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 100

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.


Ordnance Survey Plan

Published 1979


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details

Order Number: 313621383_1_1

Customer Ref: P23626

National Grid Reference: 519420, 111230

Slice: A

Site Area (Ha): 3.76

Search Buffer (m): 100

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF



Additional SIMs

Published 1981 - 1983


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

TQ1911	1983
1:2,500	
TQ1910	1981
1:2,500	

Historical Map - Segment A13




Order Details

Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 100

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

Additional SIMs

Published 1989 - 1992


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

TQ1911	1992
1:2,500	
TQ1910	1989
1:2,500	

Historical Map - Segment A13



Order Details

Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 100

Site Details


Church Lane, Upper Beeding, Steyning, BN44 3HF

Historical Aerial Photography

Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A13



Order Details

Order Number: 313621383_1_1
Customer Ref: P23626
National Grid Reference: 519420, 111230
Slice: A
Site Area (Ha): 3.76
Search Buffer (m): 100

Site Details

Church Lane, Upper Beeding, Steyning, BN44 3HF

Risk classification methodology

The method of risk evaluation adopted in this document is consistent with CIRIA C552 (2001). Hence, risk is considered to be a function of both the probability (likelihood) of contamination occurring at the study site and also the potential severity (consequence) of the environmental impacts associated with this contamination.

The classification system used to define contaminant probability, consequence and risk is described in the following tables.

Table A: Classification of probability

Classification	Definition
High Likelihood	There is a contaminant linkage and an event that appears either very likely in the short term and almost inevitable over the long term, or there is evidence at the receptor of harm or pollution.
Likely	There is a contaminant linkage and all the elements are present and in the right place, which means that it is probably that an event will occur. Circumstances are such that an event is not inevitable, but possible in the short term, and likely over the long term.
Low Likelihood	There is a contaminant linkage and circumstances are possible under which an event could occur. However, it is by no means certain that even over a longer period such event would take place, and is less likely in the shorter term.
Unlikely	There is contaminant linkage but circumstances are such that it is improbable that an event would occur even in the long term.

Table B: Classification of consequence

Classification	Receptor	Definition	Examples
Severe	Humans	Short-term (acute) risk to human health likely to result in "significant harm" as defined in the CTL Statutory Guidance	High concentrations of cyanide on the surface of an informal recreation area
	Controlled waters	Short-term risk of pollution (note: Water Resources Act contains no scope for considering significance of pollution) of sensitive water resource	Major spillage of contaminants from site into controlled water
	Property	Catastrophic damage to buildings/property	Explosion, causing building collapse (can also equate to an acute human health risk if buildings are occupied)
	Ecology	A short-term risk to a particular ecosystem, or organism forming part of such eco-system	Potentially long term derogation of a designated site or protected species
Medium	Humans	Chronic damage to human health ("significant harm" as defined in the CTL Statutory Guidance)	Concentrations of a contaminant from a residential site exceed the site-specific assessment criteria
	Controlled waters	Pollution of sensitive water resources (note: Water Resources Act contains no scope for considering significance of pollution)	Leaching of contaminants from a site to a principal or secondary aquifer
	Property	Significant damage to crops, buildings, structures and services	Damage to building rendering it unsafe to occupy (e.g. foundation damage resulting in instability).

Classification	Receptor	Definition	Examples
	Ecology	A significant change in a particular ecosystem	Death of a species within a designated nature reserve
Mild	Humans	Contamination present although unlikely to constitute a significant chronic health risk	Concentrations of a contaminant from a public access site moderately exceed the generic assessment criteria
	Controlled waters	Pollution of non-water resources	Pollution of non-classified groundwater
	Property	Damage to sensitive buildings/structures/services	Aggressive ground conditions leading to potential for long term degradation of buried concrete
	Ecology	Damage to the environment	Localised damage to aquatic habitat causing temporary relocation of certain species
Minor	Humans	Non-permanent health effects to human health (easily prevented by means such as personal protective clothing etc.)	The presence of contaminants at such concentrations that protective equipment is required during site works.
	Controlled waters	Potential minor release of contamination to local water features	Short term or low volume release of potentially polluting material to a secondary surface water course of low existing quality
	Property	Easily reparable effects of damage to buildings, structures and services. Harm which may result in a financial loss, or expenditure to resolve.	The loss of plants in a landscaping scheme. Discolouration of concrete
	Ecology	Short term, localised damage may occur; consequences are spatially and temporally limited	Short term or localised disruption to in situ flora or fauna; no lasting effects

Table C: Risk classification (comparison of consequence and probability)

Probability (likelihood)		Consequence (severity)			
		<i>Severe</i>	<i>Medium</i>	<i>Mild</i>	<i>Minor</i>
	<i>High likelihood</i>	Very high risk	High risk	Moderate risk	Low risk
	<i>Likely</i>	High risk	Moderate risk	Moderate/low risk	Low risk
	<i>Low likelihood</i>	Moderate risk	Moderate/low risk	Low risk	Very low risk
	<i>Unlikely</i>	Moderate/low risk	Low risk	Very low risk	Very low risk