

Sheet 1

Sheet 2

Sheet 3

Sheet 4

Tree Survey Key

- Extent of Tree Canopy
 - Theoretical Root Protection Area (BS5837)
 - BS 5837 Category (See Below)
 - Tree Survey Number
 - Tree Name
- BS 5837 Category
- (See Tree Survey for further details)

Category U Red Stem Disc
Those in such a condition that any existing value would be lost within 10 years and which should in the current context, be removed for reasons of sound arboricultural management.

Category A Green Stem Disc
Those of high quality and value - in such a condition as to be able to make a substantial contribution (a minimum of 40 years is suggested).


Category B Blue Stem Disc
Those of moderate quality and value - those in such a condition as to make a significant contribution (a minimum of 20 years is suggested)

Category C Grey Stem Disc
Those of low quality and value - currently in adequate condition to remain until new planting could be established (a minimum of 10 years is suggested), or young trees with a stem diameter below 150 mm.

- Shaded Light Blue Area shows Root Protection Area as recommended by Natural England Standing Advice for individual Ancient and Veteran Trees and Ancient Woodland trees x 15 stem diameter uncapped. The BS5837 theoretical Root Protection Area is shown as magenta dotted lines x 12 stem diameter capped at 15m radius.
- Tree to be removed
- Group/hedge to be removed
- Proposed Landscaping
See Fabrik Landscape Plans

Land North-West of Southwater Farm, Southwater

Sheet 4 of 4
Tree Removal Plan
For Berkeley Strategic Land Limited



RUSKINS
TREE CONSULTANCY
0333 4440050
info@ruskins-tree-consultancy.co.uk
www.ruskins-tree-consultancy.co.uk

Scale	1:1000 @ A0	Drawn by	PWL/B
Date	February 2026	Checked by	PW
Project No.	0126-100951		
Dwg. No.	TRP Rev 1		

