

#### WATER & DRAINAGE LEGEND

	Water supply from borehole filtration plantroom
	Water supply from borehole filtration plantroom
	Foul water drainage
	100mm dia. Perforated drainage pipe
	Kingspan Klargester package sewage treatment plant located more than 10m from dwelling and existing stream
	Water supply stopcock in kitchen
	Rainwater inspection chamber
	Rainwater downpipe from guttering with "Celtic Sustainables" 3P filter collector
	Foul water inspection chamber


NOTE: "SuDS Chart 26.2 indicates a domestic roof has a very low risk of pollution: Total Suspended Solids: 0.2  
Metals: 0.2  
Hydrocarbons: 0.05

This is a temporary dwelling to be erected on "Groundscrews" because of the sloping land contours, so bio-retention planters cannot be fitted. Filter collectors are, however, fitted on each rainwater down-pipe and clearance of these and checking of the rainwater inspection chamber can be added to the maintenance regime for the whole of the Limekiln Farm site as set out for approved scheme DC/23/1325.

#### WATER/DRAINAGE PLAN : LIMEKILN FARM TEMPORARY EQUINE WORKERS' DWELLING

Scale 1 : 200 @ A2

Scale 1 to 200 @ A2  
0 5 10 20



PROJECT: LIMEKILN FARM  
BROADWATER LANE  
COPSCALE RH13 9QW  
DESCRIPTION: WATER/DRAINAGE PLAN  
DATE: MAY 2025  
DRAWING No: 082/04

**WATER/DRAINAGE  
PLAN**