



Kate Turner  
Horsham District Council  
Parkside  
Chart Way  
Horsham  
West Sussex  
RH12 1RL

25<sup>th</sup> November 2025

Dear Kate Turner,

Reserved matters application for appearance, landscaping and scale pursuant to application DC/18/2744 ((PINS Ref: APP/Z3825/W/20/3246901) Outline application for the demolition of existing dwelling and erection of six residential dwellings with detached garages. All matters reserved except for access and layout.)

Greenacres Hurston Lane Storrington West Sussex

to be carried out in accordance with Application No. DC/22/2141 submitted to the Council on 15/11/2022 and subject to compliance with the plans/documents and conditions specified hereunder.

We wish to submit the following information for the removal of conditions, 2, 4, 5 & 11 relating to Water Neutrality as set out below.

Condition No.2

**Pre-Commencement (Slab-Level):** No development above ground floor slab level of the dwellings hereby permitted shall take place until a mitigation scheme has been submitted to and been approved in writing by the Local Planning Authority that demonstrates how the water from the borehole(s) will be treated to meet the requirements of Schedule 1 of the Private Water Supplies (England) Regulations 2016 (or subsequent superseding equivalent). The mitigation scheme shall then be implemented in full prior to first occupation of any dwelling and shall be retained and maintained at all times thereafter.

Reason: To ensure the development is water neutral to avoid an adverse impact on the Arun Valley SACSPA and Ramsar sites in accordance with Policy 31 of the Horsham District Planning Framework (2015), Paragraphs 179 and 180 of the National Planning Policy Framework (2021), its duties under the Conservation of Habitats and Species Regulations 2017 (as amended), and s40 of the NERC Act 2006 (Priority habitats & species).

Condition No.4

**Pre-Occupation Condition:** No dwelling shall be first occupied until evidence has been submitted to and been approved in writing by the Local Planning Authority that water taken from the tap within the dwelling(s) been a) sampled by a person who has undertaken the DWI certification of persons scheme for sampling private water supplies; b) has been analysed by a

**SIMON PATIENCE ( NEW HOMES ) LTD**

19 HUNTELYS PARK, TUNBRIDGE WELLS, KENT, TN4 9TD

TEL: 0845 262 2662 FAX : 0845 262 6226 EMAIL: SALES@SIMONPATIENCENEWHOMES.COM WEB: WWW.SIMONPATIENCENEWHOMES.COM



REGISTERED OFFICE: 19 HUNTELYS PARK, TUNBRIDGE WELLS, KENT, TN4 9TD REG NO. 03240284 VAT NO 681 6332 29 NHBC REG NO 75940



laboratory that is accredited to the ISO 17025 Drinking Water Testing Specification; and, c) meets the requirements of Schedule 1 'Prescribed concentrations or values' of the Private Water Supplies (England) Regulations 2016 (or subsequent superseding equivalent).

Reason: To ensure the development is water neutral to avoid an adverse impact on the Arun Valley SACSPA and Ramsar sites in accordance with Policy 31 of the Horsham District Planning Framework (2015), Paragraphs 179 and 180 of the National Planning Policy Framework (2021), its duties under the Conservation of Habitats and Species Regulations 2017 (as amended), and s40 of the NERC Act 2006 (Priority habitats & species).

#### Condition No. 5

**Pre-Occupation Condition:** The development hereby approved shall not be occupied/brought into use until a Private Water Supply Management Plan (PWSMP) has been submitted to and approved in writing by the Local Planning Authority. The PWSMP shall include, but not necessarily be limited to, the following information:

- i. A Regulation 6 risk assessment risk assessment (or subsequent superseding equivalent), undertaken by a suitably competent and experienced person in accordance with relevant guidance and statutory requirements, before the private water supply is brought into use; and at least once every five years thereafter.
- ii. Details of the review of the risk assessment, undertaken in accordance with relevant guidance and statutory requirements, at least every 5 years or such other shorter period as determined by the risk assessment or required by regulation.
- iii. Detail on the sampling and testing regime, undertake in accordance with Private Water Supplies (England) Regulations 2016 (or subsequent superseding equivalent), and taking into account the outcome of the above-mentioned risk-assessment along with detail on how any failure of any samples will be investigated and managed.
- iv. Detail on what type of treatment has been installed on the supply with information clearly indicating that it is appropriate for the amount of water being used and the likely contaminants.
- v. Detail on the maintenance, servicing and cleaning of the pump, pumphouse, water treatment equipment, tanks, all pipework etc for the lifetime of the development along with regularity of servicing/maintenance and clarification what steps will be taken in the event of equipment failure. This should include any re-activation of the system after it has been out of use due to lack of rainfall/use.
- vi. Details, including a plan or schematic, showing the supply - storage tanks, treatment etc, and means to record the total water consumption of each unit
- vii. Arrangements for keeping written records of all sampling, results of analysis, inspection, cleaning, and maintenance.
- viii. A named person for residents to contact (24/7) in an event of a failure or issue with the private water supply;

The management plan shall be implemented as approved and maintained for the lifetime of the development. The management plan shall be reviewed annually and any revisions shall be submitted to and approved in writing by the local planning authority.

Reason: To ensure the development is water neutral to avoid an adverse impact on the Arun Valley SACSPA and Ramsar sites in accordance with Policy 31 of the Horsham District Planning Framework (2015), Paragraphs 179 and 180 of the National Planning Policy Framework (2021), its duties under the Conservation of Habitats and Species Regulations 2017 (as amended), and s40 of the NERC Act 2006 (Priority habitats & species).

**SIMON PATIENCE ( NEW HOMES ) LTD**

19 HUNTELYS PARK, TUNBRIDGE WELLS, KENT, TN4 9TD

TEL: 0845 262 2662 FAX : 0845 262 6226 EMAIL: SALES@SIMONPATIENCENEWHOMES.COM WEB: WWW.SIMONPATIENCENEWHOMES.COM



REGISTERED OFFICE: 19 HUNTELYS PARK, TUNBRIDGE WELLS, KENT, TN4 9TD REG NO. 03240284 VAT NO 681 6332 29 NHBC REG NO 75940



Condition No. 11

**Regulatory Condition:** No dwelling hereby permitted shall be connected to or draw supply from the mains water supply except for emergency purposes in the event of a temporary failure of the borehole. Where a temporary failure has occurred, the occupiers shall immediately undertake the contingency measures set out in the Private Water Supply Management Plan (PWSMP) agreed under condition 2 until such time as the system is fully operational. The occupiers of each unit shall keep an ongoing record of all water taken from the mains supply and hold written evidence to explain why it was necessary as an exceptional measure to take water from the mains supply.

Reason: To ensure the development is water neutral to avoid an adverse impact on the Arun Valley SACSPA and Ramsar sites in accordance with Policy 31 of the Horsham District Planning Framework (2015), Paragraphs 179 and 180 of the National Planning Policy Framework (2021), its duties under the Conservation of Habitats and Species Regulations 2017 (as amended), and s40 of the NERC Act 2006 (Priority habitats & species).

Please find attached the following information confirming that Water Neutrality has been withdrawn.

1. Confirmation by the government in the press release on the 8<sup>th</sup> October 2025, that an agreement between government, regulators and industry had been reached to avoid an adverse impact and enable development to go ahead.
2. Natural England issued a withdrawal statement on the 31<sup>st</sup> October 2025 confirming that its water neutrality position statement of September 2021 has been withdrawn. This means that development within the Sussex North Water supply zone will no longer be required to demonstrate that it is water neutral due to a reduction in the license cap on water abstraction and a package of ecological resilience measures.

The Water Neutrality conditions 2, 4, 5 & 11 should now be removed.

If you require any further information, please do not hesitate to contact us.

Yours sincerely

A solid black rectangular box used to redact a signature.

Simon Patience

**SIMON PATIENCE ( NEW HOMES ) LTD**

19 HUNTELYS PARK, TUNBRIDGE WELLS, KENT, TN4 9TD

TEL: 0845 262 2662 FAX : 0845 262 6226 EMAIL: [SALES@SIMONPATIENCENEWHOMES.COM](mailto:SALES@SIMONPATIENCENEWHOMES.COM) WEB: [WWW.SIMONPATIENCENEWHOMES.COM](http://WWW.SIMONPATIENCENEWHOMES.COM)



REGISTERED OFFICE: 19 HUNTELYS PARK, TUNBRIDGE WELLS, KENT, TN4 9TD REG NO. 03240284 VAT NO 681 6332 29 NHBC REG NO 75940