

## WEST SUSSEX COUNTY COUNCIL CONSULTATION

<b>TO:</b>	Horsham District Council
<b>FROM:</b>	WSCC - Minerals and Waste Safeguarding
<b>DATE:</b>	10 June 2025
<b>LOCATION:</b>	Land North of East Street Rusper West Sussex
<b>SUBJECT:</b>	DC/25/0523 Erection of 18no. 2, 3 and 4 bedroom dwellings, (including 6no. affordable housing units), together with access from East Street, vehicle and cycle parking, landscaping and open space, and sustainable drainage.
<b>DATE OF SITE VISIT:</b>	n/a
<b>RECOMMENDATION:</b>	Advice

Thank you for consulting West Sussex County Council, Waste and Minerals on the above application.

The application site in question **does not** meet the criteria for consulting West Sussex County Council as set out in the [Minerals and Waste Safeguarding Guidance](#) therefore, the minerals and waste authority would offer a **no comment** to the proposed development. A summary of these thresholds is attached to this email and a short video (approx. 20 mins) explaining minerals and waste safeguarding and when the County Council should be consulted is available by clicking this link: <http://www2.westsussex.gov.uk/ssr/mwsfgrdngprsntn.ppsx>. To hear the audio, view the slides as a 'slide show'.

The decision maker should be satisfied that the proposals minimise waste generation, maximise opportunities for re-using and recycling waste, and where necessary include waste management facilities of an appropriate type and scale (Policy W23 of the West Sussex Waste Local Plan, 2014).

**Minerals and Waste**  
**West Sussex County Council – Planning Services**