

HARD LANDSCAPE SCHEDULE


Blakers Yard **Dial Post, Horsham, West Sussex**

Horsham District Council

Reference	LLD2064-LAN-SCH-100
Prepared by	LF
Approved by	RM
Date	17.07.26
Revision	03
Status	Planning Issue

Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.

KERBS AND EDGINGS								
REF	ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	IMAGE
K1	Kerb Edge	Vehicular and Pedestrian footpaths	'Clifton Kerb'	915 x 255 x 125 mm; Laid with 115mm upstand	Textured Finish/ Natural Granite	Stowell Concrete Ltd	https://www.stowellconcrete.co.uk Phone 01934834000 Email: sales@stowellconcrete.co.uk	
K2		Parking Areas		915 x 150 x 125 mm				
K3		External Building Areas		915 x 150 x 50 mm; Laid flush				
K4	Timber Edging	To the public right of way	Contractor Choice	WSCC specification	Natural Timber	Contractor Choice	Contractor Choice	


BOUNDARIES AND RETAINING STRUCTURES								
REF	ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	IMAGE
F1	Featherboard fence and gate	Back Gardens	'Traditional Featherboard Fencing'	1.8m height	Jakcure® treated softwood	Jacksons Fencing	www.jacksons-fencing.co.uk Tel: 01233 750 393 sales@jacksons-fencing.co.uk	
G1				1.8m height; 1m wide				

Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.

BOUNDARIES AND RETAINING STRUCTURES								
REF	ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	IMAGE
F2	Acoustic Fence	North/ East / South site boundary	'Jakoustic Reflective Acoustic Fencing'	2.5m height				
F3	Post and Rail Fence	Internal site enclosures	'Post and Rail Fencing'	1.2m height	Jakcure® treated softwood	Jacksons Fencing	www.jacksons-fencing.co.uk Tel: 01233 750 393 sales@jacksons-fencing.co.uk	

SURFACING								
REF	ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	IMAGE
-	Asphalt Surface Treatment	Site Entrance	To Engineer's Design and Specifications					
-	Gravel Surface Treatment	Within Site Area	20mm Angular Cotswold Chippings	10-20mm laid on geotextile membrane	To Contractor's Design and Specifications			
PV1	Permeable Block Paving	Pedestrian Areas	'Woburn Infilta'	200x134x60mm, 134x134x60mm and 100x134x60mm; Pattern: Broken bond.	Brindle	Holcim - Charcon	https://www.holcim.co.uk/ Phone: 01335 372222 Email: info@holcimfoundation.org	
	Edge Course and banding			200x134x60mm; Pattern: Single Stretcher				

Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.

SURFACING								
REF	ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	IMAGE
PV2	Permeable Block Paving	Vehicular Areas		200x134x80mm, 134x134x80mm and 100x134x80mm; Pattern: Broken bond.	Graphite (Raised Table)			
PV2a								
	Edge Course and banding			200x134x80mm; Pattern: Single 200mm and double 400mm Soldier course	Brindle			
PV3	Flag Paving	Garden/ Parking Access Paths	'Moordale Textured Flag Paving'	400x400x50mm; Pattern: Stack bond	Buff	Holcim - Charcon	https://www.holcim.co.uk/ Phone: 01335 372222 Email: info@holcimfoundation.org	
PV4	Block Paving	Garden/ Parking Access Paths	'Tegula Permeable Paving'	240x160x80mm; Pattern: Single stretcher	Pennant Grey	Marshalls	https://www.marshalls.co.uk/ Phone: 0333 220 2737 Email: Online using the official website	
-	Type 1 Limestone Surface Treatment	To Contractor's Design and Specifications						

Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.

SURFACING								
REF	ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	IMAGE
GS	Granite Setts	To demarcate highway boundary setts	'Granite Setts'	100x100x100mm; Pattern: Stack bond, laid with 6mm upstand to channel highway land surface water drainage to new highway gully.	Silver Grey	Granite Setts UK	https://granitesettsuk.co.uk/ Phone: 0800 246 1212 Email: sales@granitesettsuk.co.uk	

FURNITURE / STRUCTURE / SUB-STRUCTURE								
REF	ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	IMAGE
B	Bollards	Parking and limited path illumination	'Landmark Eye 93002 - TBL 270010k'	Height: 900mm	Oak	Timber Lab	https://www.timberlab.co.uk/ Tel: 08081293773 Email: enquiries@hornbeckgroup.com	
L	Wall-Mounted Light Fitting	Adjacent to Buildings and Garages	'Corston Richmond Medium Wall Light'	Mounting Height: 2.3m	Metal	Corston	https://www.corston.com/ Tel: 01249 549332 Email: hi@corston.com	

Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.



LIZARD

Landscape Design and Ecology

The Old Bank, 34 South Street, Tarring, Worthing, West Sussex, BN14 7LH
T. 01903 216033 E. office@lizardlandscape.co.uk W. lizardlandscapeecology.com