

HARD LANDSCAPE SCHEDULE

Blakers Yard **Dial Post, Horsham, West Sussex**

Horsham District Council

Reference	LLD2064-LAN-SCH-100
Prepared by	LF
Approved by	RM
Date	11.05.26
Revision	02
Status	Planning Issue


Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.

KERBS AND EDGINGS								
REF	ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	IMAGE
K1	Kerb Edge	Vehicular and Pedestrian footpaths	'Clifton Kerb'	915 x 255 x 125 mm; Laid with 115mm upstand	Textured Finish/ Natural Granite	Stowell Concrete Ltd	https://www.stowellconcrete.co.uk Phone 01934834000 Email: sales@stowellconcrete.co.uk	
K2		Parking Areas		915 x 150 x 125 mm				
K3		External Building Areas		915 x 150 x 50 mm; Laid flush				

BOUNDARIES AND RETAINING STRUCTURES								
REF	ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	IMAGE
F1	Featherboard fence and gate	Back Gardens	'Traditional Featherboard Fencing'	1.8m height	Jakcure® treated softwood	Jacksons Fencing	www.jacksons-fencing.co.uk Tel: 01233 750 393 sales@jacksons-fencing.co.uk	
G1				1.8m height; 1m wide				
F2	Acoustic Fence	North/ East / South site boundary	'Jakoustic Reflective Acoustic Fencing'	2.5m height				

Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.

BOUNDARIES AND RETAINING STRUCTURES								
REF	ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	IMAGE
F3	Post and Rail Fence	Internal site enclosures	'Post and Rail Fencing'	1.2m height	Jakcure® treated softwood	Jacksons Fencing	www.jacksons-fencing.co.uk Tel: 01233 750 393 sales@jacksons-fencing.co.uk	

SURFACING									
REF	ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	IMAGE	
-	Asphalt Surface Treatment	Site Entrance	To Engineer's Design and Specifications						
-	Gravel Surface Treatment	Within Site Area	20mm Angular Cotswold Chippings	10-20mm laid on geotextile membrane	To Contractor's Design and Specifications				
PV1	Permeable Block Paving	Pedestrian Areas	'Woburn Infilta'	200x134x60mm, 134x134x60mm and 100x134x60mm; Pattern: Broken bond.	Brindle		https://www.holcim.co.uk/ Phone: 01335 372222 Email: info@holcimfoundation.org		
	Edge Course and banding			200x134x60mm; Pattern: Single Stretcher					
PV2	Permeable Block Paving	Vehicular Areas		200x134x80mm, 134x134x80mm and 100x134x80mm; Pattern: Broken bond.	Graphite (Raised Table)				
PV2a									
	Edge Course and banding				200x134x80mm; Pattern: Single 200mm and double 400mm Soldier course				

Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.

SURFACING								
REF	ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	IMAGE
PV3	Flag Paving	Garden/ Parking Access Paths	'Moordale Textured Flag Paving'	400x400x50mm; Pattern: Stack bond	Buff	Holcim - Charcon	https://www.holcim.co.uk/ Phone: 01335 372222 Email: info@holcimfoundation.org	
PV4	Block Paving	Garden/ Parking Access Paths	'Tegula Permeable Paving'	240x160x80mm; Pattern: Single stretcher	Pennant Grey	Marshalls	https://www.marshalls.co.uk/ Phone: 0333 220 2737 Email: Online using the official website	
-	Hoggin Surface Treatment	To Contractor's Design and Specifications						
GS	Granite Setts	To demarcate highway boundary setts	'Granite Setts'	100x100x100mm; Pattern: Stack bond, laid with 6mm upstand to channel highway land surface water drainage to new highway gully.	Silver Grey	Granite Setts UK	https://granitesettsuk.co.uk/ Phone: 0800 246 1212 Email: sales@granitesettsuk.co.uk	

Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.

FURNITURE / STRUCTURE / SUB-STRUCTURE								
REF	ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	IMAGE
B	Bollards	Parking and limited path illumination	'Landmark Eye 93002 - TBL 270010k'	Height: 900mm	Oak	Timber Lab	https://www.timberlab.co.uk/ Tel: 08081293773 Email: enquiries@hornbeckgroup.com	
L	Wall-Mounted Light Fitting	Adjacent to Buildings and Garages	'Corston Richmond Medium Wall Light'	Mounting Height: 2.3m	Metal	Corston	https://www.corston.com/ Tel: 01249 549332 Email: hi@corston.com	



LIZARD

Landscape Design and Ecology

The Old Bank, 34 South Street, Tarring, Worthing, West Sussex, BN14 7LH
T. 01903 216033 E. office@lizardlandscape.co.uk W. lizardlandscapeecology.com