

Condition Sheet: GRASSLAND Habitat Type (low distinctiveness)			
UK Habitat Classification (UKHab) Habitat Type			
Grassland - Modified grassland			
On-site or off-site, site name and location	Eastlands Lane, Cowfold. (Grassland on the eastern side of Eastlands Lane).	Survey date and Surveyor name	11.11.2025 Lucy Monday
Limitations (if applicable)		Survey reference (if relating to a wider survey)	
Grid reference		Habitat parcel reference	
Habitat Description			
Area of modified grassland habitat (paddock) situated on the east side of Eastland Lane. The grass is of a short sward with an area of bare ground towards the centre of the paddock. Common species include, but are not limited to, creeping buttercup, white clover, and silverweed, yarrow and greater plantain			
ukhab – UK Habitat Classification			
Condition Assessment Criteria		Criterion passed (Yes or No)	Notes (such as justification)
A	There are 6-8 vascular plant species per m ² present, including at least 2 forbs (these may include those listed in Footnote 1). Note - this criterion is essential for achieving Moderate or Good condition. Where the vascular plant species present are characteristic of medium, high or very high distinctiveness grassland, or there are 9 or more of these characteristic species per m ² (excluding those listed in Footnote 1), please review the full UKHab description to assess whether the grassland should instead be classified as a higher distinctiveness grassland. Where a grassland is classed as medium, high, or very high distinctiveness, please use the relevant condition sheet.	yes	Criterion passed. At least two forbs species present including creeping buttercup (<i>Ranunculus repens</i>) and greater plantain (<i>Plantago major</i>).
B	Sward height is varied (at least 20% of the sward is less than 7 cm and at least 20% is more than 7 cm) creating microclimates which provide opportunities for vertebrates and invertebrates to live and breed.	No	Sward height short throughout the grassland.
C	Any scrub present accounts for less than 20% of the total grassland area. (Some scattered scrub such as bramble <i>Rubus fruticosus</i> agg. may be present). Note - patches of scrub with continuous (more than 90%) cover should be classified as the relevant scrub habitat type.	yes	Isolated areas of scrub around the boundary of the site.
D	Physical damage is evident in less than 5% of total grassland area. Examples of physical damage include excessive poaching, damage from machinery use or storage, erosion caused by high levels of access, or any other damaging management activities.	yes	Bare ground 12 x 12 meters. Site 3443.91 m2. Thus, bare ground accounting for 4 % of total area.
E	Cover of bare ground is between 1% and 10%, including localised areas (for example, a concentration of rabbit warrens) ² .	yes	cover of bare ground accounts for approx 4 % of the total area of the site.
F	Cover of bracken <i>Pteridium aquilinum</i> is less than 20%.	yes	No bracken was observed during the site visit

G	There is an absence of invasive non-native plant species ³ (as listed on Schedule 9 of WCA ⁴).	yes	No non-native species were observed at the time of the site visit.
Essential criterion achieved (Yes or No)			Yes
Number of criteria passed			6
Condition Assessment Result (out of 7 criteria)	Condition Assessment Score	Score Achieved *//	
Passes 6 or 7 criteria including passing essential criterion A	Good (3)	Yes (6)	
Passes 4 or 5 criteria including passing essential criterion A	Moderate (2)		
Passes 3 or fewer criteria; OR Passes 4 - 6 criteria (excluding criterion A)	Poor (1)		
Suggested enhancement interventions to improve condition score			
Footnotes			
Footnote 1 – Creeping thistle <i>Cirsium arvense</i> , spear thistle <i>Cirsium vulgare</i> , curled dock <i>Rumex crispus</i> , broad-leaved dock <i>Rumex obtusifolius</i> , common nettle <i>Urtica dioica</i> , creeping buttercup <i>Ranunculus repens</i> , greater plantain <i>Plantago major</i> , white clover <i>Trifolium repens</i> and cow parsley <i>Anthriscus sylvestris</i> . Footnote 2 – For example, this could include small, scattered areas of bare ground allowing establishment of new species, or localised patches where not exceeding 10% cover. Footnote 3 – Assess this for each distinct habitat parcel. If the distribution of invasive non-native species varies across the habitat, split into parcels accordingly, applying a buffer zone around the invasive non-native species with a size relative to its risk of spread into adjacent habitat, using professional judgement. Footnote 4 – Wildlife and Countryside Act 1981 (as amended).			