From: Luke Honeywill <luke@cgscivils.co.uk>
Sent: 30 January 2024 10:30
To: Halima.Chowdhury; NIk Antoniou
Subject: RE: FW: HRA/23/0023, Clayfield Farm, Valewood Lane, Barns Green, Horsham,

Follow Up Flag: Follow up
Flag Status: Flagged

Hi Halima,

Is this a request to confirm where the treatment system is within the harvesting tanks?
The treatment will be located within/immediately downstream of the harvesting tank itself. The only exception would be the reverse osmosis unit which will be at the drinking water point for the kitchen taps.

Thanks,

Luke Honeywill **|** Senior Engineering Technician
CGS Civils Ltd

T: 01243 933253
E: luke@cgscivils.co.uk
W: www.cgscivils.co.uk

In Office hours: Monday – Thursday 8:30-6:00

Drainage Design | SuDS | Flood Risk Assessments | Highways | External Works

Richard Cobden House |Lion Street | Chichester | West Sussex | PO19 1LW
This e-mail and any attachment is intended for the named addressee(s) only, or person authorised to receive it on their behalf. The content should be treated as confidential and the recipient may not disclose this message or any attachment to anyone else without authorisation. Unauthorised use, copying or disclosure may be unlawful. If this transmission is received in error please notify the sender immediately and delete this message from your e-mail system. Any view expressed by the sender of this message or any attachment may be personal and may not represent the view held by the Company. All electronic transmissions to and from the Company are recorded and may be monitored. CGS Civils Ltd, Registered in England No. 8546902, VAT Registration No. 169950851.

From: Halima.Chowdhury <Halima.Chowdhury@horsham.gov.uk>
Sent: 29 January 2024 13:56
To: NIk Antoniou <njaltd@gmail.com>
Cc: Luke Honeywill <luke@cgscivils.co.uk>
Subject: RE: FW: HRA/23/0023, Clayfield Farm, Valewood Lane, Barns Green, Horsham,

Dear Mr N Antoniou

HRA/23/0023,
Clayfield Farm, Valewood Lane, Barns Green, Horsham,

Regulation 77 of the Conservation of Habitats and Species Regulations in respect of Prior Approval consent DC/21/1998.

I refer to your email below.

Please kindly provide an update.

Kind regards

Halima Chowdhury
Planning Officer

Telephone: 01403 215059
Email: Halima.Chowdhury@horsham.gov.uk

Horsham District Council

Horsham District Council, Parkside, Chart Way, Horsham, West Sussex RH12 1RL
Telephone: 01403 215100 (calls may be recorded) www.horsham.gov.uk Chief Executive: Jane Eaton

From: NIk Antoniou <njaltd@gmail.com>
Sent: 14 December 2023 17:10
To: Halima.Chowdhury <Halima.Chowdhury@horsham.gov.uk>
Cc: Luke Honeywill <luke@cgscivils.co.uk>
Subject: Re: FW: HRA/23/0023, Clayfield Farm, Valewood Lane, Barns Green, Horsham,

Hi Halima

Thank you for your email.

Luke please could you indicate what if any other plant needs to be stored,

Kind regards

Nikolas Antoniou
BSc HONS DIPTP MRTPI
Chartered Town Planner
For and on behalf of NJA Town Planning Limited
01403 252231

www.njatownplanningltd.co.uk

n.j.a town planning Ltd

This e-mail is for the intended addressee(s) only. The information it contains may be privileged and/or confidential. The un-authorised use, disclosure or copying of this e-mail, or any information it contains is prohibited and could, in certain circumstances be a criminal offence. If you are not the intended recipient please notify the sender immediately and delete the message from your system. NJA Town Planning Limited does not accept responsibility

for any errors or problems that may arise through the use of internet communication and all risks connected with sending sensitive personal information are borne by you.

On Thu, 14 Dec 2023 at 17:07, Halima.Chowdhury <Halima.Chowdhury@horsham.gov.uk> wrote:

> Dear Mr N Antoniou
>
> **HRA/23/0023,**
>
> **Clayfield Farm, Valewood Lane, Barns Green, Horsham,**
>
> **Regulation 77 of the Conservation of Habitats and Species Regulations in respect of Prior Approval consent DC/21/1998.**
>
> Thank you for your email and the attached plan.
>
> Please kindly confirm where rest of the treatment system would be located i.e. on the properties?
>
> I await to receive your reply soon.
>
> Kind regards
>
> **Halima Chowdhury**
> Planning Officer
>
> **Telephone:** 01403 215059
> **Email:** Halima.Chowdhury@horsham.gov.uk
>
> Horsham District Council
>
> **Horsham District Council, Parkside, Chart Way, Horsham, West Sussex RH12 1RL**
> Telephone: 01403 215100 (calls may be recorded) www.horsham.gov.uk Chief Executive: Jane Eaton
>
> **From:** NIk Antoniou <njaltd@gmail.com>
> **Sent:** 12 December 2023 16:15
> **To:** Halima.Chowdhury <Halima.Chowdhury@horsham.gov.uk>
> **Subject:** Re: HRA/23/0023, Clayfield Farm, Valewood Lane, Barns Green, Horsham,
>
> Hi Halima

Please see attached the revised plan showing the tanks underground within the red-edge

Kind regards

Nikolas Antoniou

BSc HONS DIPTP MRTPI

Chartered Town Planner

For and on behalf of NJA Town Planning Limited

01403 252231

www.njatownplanningltd.co.uk

This e-mail is for the intended addressee(s) only. The information it contains may be privileged and/or confidential. The un-authorised use, disclosure or copying of this e-mail, or any information it contains is prohibited and could, in certain circumstances be a criminal offence. If you are not the intended recipient please notify the sender immediately and delete the message from your system. NJA Town Planning Limited does not accept responsibility for any errors or problems that may arise through the use of internet communication and all risks connected with sending sensitive personal information are borne by you.

On Tue, 12 Dec 2023 at 13:23, Halima.Chowdhury <Halima.Chowdhury@horsham.gov.uk> wrote:

> Dear Mr N Antoniou
>
> **HRA/23/0023,**
>
> **Clayfield Farm, Valewood Lane, Barns Green, Horsham,**

Regulation 77 of the Conservation of Habitats and Species Regulations in respect of Prior Approval consent DC/21/1998.

I refer to my email below and I await to receive the metrically scaled plan showing the location of the 2 no. storage tanks soon.

Kind regards

Halima Chowdhury
Planning Officer

Telephone: 01403 215059
Email: Halima.Chowdhury@horsham.gov.uk



Horsham District Council

Horsham District Council, Parkside, Chart Way, Horsham, West Sussex RH12 1RL
Telephone: 01403 215100 (calls may be recorded) www.horsham.gov.uk Chief Executive: Jane Eaton

From: Halima.Chowdhury
Sent: 08 December 2023 13:17
To: njaltd@gmail.com
Subject: HRA/23/0023, Clayfield Farm, Valewood Lane, Barns Green, Horsham,

Dear Mr N Antoniou

HRA/23/0023,

Clayfield Farm, Valewood Lane, Barns Green, Horsham,

Regulation 77 of the Conservation of Habitats and Species Regulations in respect of Prior Approval consent DC/21/1998.

Thank you for your recent email with the revised water neutrality statement attached.

Having liaised with the Council's Environmental Health Officer, please kindly provide metrically scaled plan showing the location of the 2 no. storage tanks.

I would appreciate if the additional plan could be provided by 15th December 2023.

Kind regards

Halima Chowdhury
Planning Officer

Telephone: 01403 215059
Email: Halima.Chowdhury@horsham.gov.uk



Horsham District Council

Horsham District Council, Parkside, Chart Way, Horsham, West Sussex RH12 1RL
Telephone: 01403 215100 (calls may be recorded) www.horsham.gov.uk Chief Executive: Jane Eaton

Disclaimer

IMPORTANT NOTICE This e-mail might contain privileged and/or confidential information. If you have received this e-mail in error, please notify the sender and delete the e-mail immediately; you may not use or pass it to anyone else. Whilst every care has been taken to check this outgoing e-mail for viruses, it is your responsibility to carry out checks upon receipt. Horsham District Council does not accept liability for any damage caused. E-mail transmission cannot guarantee to be secure or error free. This e-mail does not create any legal relations, contractual or otherwise. Any views or opinions expressed are personal to the author and do not necessarily represent those of Horsham District Council. This Council does not accept liability for any unauthorised/unlawful statement made by an employee. Information in this e mail may be subject to public disclosure in accordance with the law. Horsham District Council cannot guarantee that it will not provide this e mail to a third party. The Council reserves the right to monitor e-mails in accordance with the law. If this e-mail message or any attachments are incomplete or unreadable, please telephone 01403 215100 or e-mail contact@horsham.gov.uk. Any reference to "e-mail" in this disclaimer includes any attachments.

This email has been scanned for viruses and malware, and may have been automatically archived by **Mimecast Ltd**.