


Existing Tree Schedule

Mill Farm



Tree No.	Species	Diameter @1.5m	Height (approx.)	Spread (approx.)	Age	Condition/Preliminary Recommendations	Category	Status
T 01	Mixed Species Native Hedgerow: (1.5m Radius of nominal circle; RPA 7m²)	110 mm Average	8.0 m Clear Stem Height 0.0 m	N: 3.0 m E: 3.0 m S: 3.0 m W: 2.0 m	Semi-Mature Estimated Remaining Contribution 10 + Years	The end of a larger hedgerow, partly damaged by a recent large tree failure. The hedge is formed of overstood multistems, and the hedge screens the buildings.	C 2	Remove
T 02	<i>Fraxinus excelsior</i> (Ash); (5.7m Radius of nominal circle; RPA 102m²)	465 mm Average	13.0 m Clear Stem Height 4.0 m	N: 4.0 m E: 5.0 m S: 5.0 m W: 3.0 m	Semi-Mature Estimated Remaining Contribution 10 + Years	Trees of varied forms within the hedgerow. T1 is a sparse multistem, T2 is of good form with minor dieback, T3 is suppressed and displays dieback, and T4 arches east with some dieback. Provide screening but likely to ultimately succumb to Ash Dieback and not of overly-good form.	C 2	Remove
T 03	<i>Quercus robur</i> (Pedunculate Oak); (8.4m Radius of nominal circle; RPA 222m²)	700 mm	20.0 m Clear Stem Height 4.0 m	N: 8.0 m E: 8.0 m S: 8.0 m W: 8.0 m	Mature Estimated Remaining Contribution 40 + Years	A line of trees of good form, several very close together. Display typical deadwood.	A 2	Retain
T 04	<i>Fraxinus excelsior</i> (Ash); (2.4m Radius of nominal circle; RPA 18m²)	200 mm	10.0 m Clear Stem Height 4.0 m	N: 4.0 m E: 1.0 m S: 1.0 m W: 3.0 m	Over-Mature Estimated Remaining Contribution <10 Years	A dead, cankered ash.	U	Retain

Tree No.	Species	Diameter @1.5m	Height (approx.)	Spread (approx.)	Age	Condition/Preliminary Recommendations	Category	Status
T 05	<i>Fraxinus excelsior</i> (Ash) (2.7m Radius of nominal circle; RPA 23m²)	220 mm	13.0 m Clear Stem Height 4.0 m	N: 6.0 m E: 4.0 m S: 3.0 m W: 4.0 m	Semi-Mature Estimated Remaining Contribution 10 + Years	Codominant at 2.0m height. Rubbing limbs noted, tree biased to the north with some dieback.	C 1	Retain
T 06	<i>Quercus robur</i> (Pedunculate Oak); (3.3m Radius of nominal circle; RPA 34m²)	255 mm	12.0 m Clear Stem Height 4.0 m	N: 4.0 m E: 6.0 m S: 4.0 m W: 6.0 m	Semi-Mature Estimated Remaining Contribution 10 + Years	Part of the woodland. Major rubbing damage to the main stems. Deadwood stubs.	C 2	Retain
T 07	<i>Acer campestre</i> (Field Maple); (2.7m Radius of nominal circle; RPA 23m²)	210 mm	8.0 m Clear Stem Height 0.0 m	N: 5.0 m E: 4.0 m S: 3.0 m W: 1.0 m	Semi-Mature Estimated Remaining Contribution 10 + Years	In the wood, leans east away from To8. Scrubby.	C 2	Retain
T 08	<i>Fraxinus excelsior</i> (Ash); (3.3m Radius of nominal circle; RPA 34m²)	272 mm CSD	14.0 m Clear Stem Height 4.0 m	N: 5.0 m E: 3.5 m S: 1.0 m W: 2.0 m	Semi-Mature Estimated Remaining Contribution <10 Years	Dominant and subordinate stems from 1m height.	U	Retain

<i>Tree No.</i>	<i>Species</i>	<i>Diameter @1.5m</i>	<i>Height (approx.)</i>	<i>Spread (approx.)</i>	<i>Age</i>	<i>Condition/Preliminary Recommendations</i>	<i>Category</i>	<i>Status</i>
T 09	<i>Quercus robur</i> (Pedunculate Oak) (7.8m Radius of nominal circle; RPA 191m²)	650 mm Average	22.0 m Clear Stem Height 6.0 m	N: 10.0 m E: 9.0 m S: 9.0 m W: 9.0 m	Mature Estimated Remaining Contribution 40 + Years	Part of the woodland, trees of fair form, with typical dieback. Westernmost tree is in obvious decline.	A 2	Retain