From: Lee.Money <Lee.Money@horsham.gov.uk>
Sent: 17 January 2025 17:04:08 UTC+00:00
To: "Robert.Hermitage" <Robert.Hermitage@horsham.gov.uk>
Subject: FW: Planning Application Consultation - DISC/25/0011 Land at 1 Quarry Way Southwater
Attachments: ufm3_Environmental_Health_Consultation_Sheet.pdf

Hi Rob

Hope you are well

To discharge condition 8 – EV charging please can they confirm the specification of the EV charger they are installing . All the site plan shows is EV marked next to the garage.

Thanks

Lee

Lee Money

Team Leader Environmental Protection

Telephone: 01403 215410 | 07879 481032
Email: Lee.Money@horsham.gov.uk





From: Planning <planning@horsham.gov.uk>
Sent: Monday, January 13, 2025 2:51 PM
To: eh.planningconsultation <eh.planningconsultation@horsham.gov.uk>; Gareth.Jones <Gareth.Jones@horsham.gov.uk>
Subject: Planning Application Consultation - DISC/25/0011

Please see the attached consultation letter from Horsham District Council Re:DISC/25/0011

Telephone:
Email: planning@horsham.gov.uk





Horsham District Council, Parkside, Chart Way, Horsham, West Sussex RH12 1RL
Telephone: 01403 215100 (calls may be recorded) www.horsham.gov.uk Chief Executive: Jane Eaton