Tree Inventory Report

WSCC Survey - Slinfold CofE Primary School - May 2024

02 May 2024

Report created by Marie Farrow

County Tree Surgeons Ltd

Unique ID: 0VDL
West Sussex County Council
Tilia cordata
W3W: exposing.acute.sharpened

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	300-450mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	PLANTER

Species	
Count	1
Vegetation Type	Broadleaf
Species	Tilia cordata

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VDM
West Sussex County Council
Tilia cordata
W3W: thrilled.alarm.outnumber

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	450-600mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	PLANTER

Species	
Count	1
Vegetation Type	Broadleaf
Species	Tilia cordata

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VDN
West Sussex County Council
Tilia cordata
W3W: rebel.void.slant

Overview Photos





Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Early Mature
Condition	Declining
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	300-450mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	PLANTER

Species	
Count	1
Vegetation Type	Broadleaf
Species	Tilia cordata

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	Monitor Condition
Requirement Option	
Requirement Info	

Considerations	
Consideration	Exudate

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	declining canopy and stem bleeds noted

Unique ID: 0VDP
West Sussex County Council
Tilia cordata
W3W: concerned.ideals.readjust

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	450-600mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	PLANTER

Species	
Count	1
Vegetation Type	Broadleaf
Species	Tilia cordata

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VED
West Sussex County Council
Quercus robur
W3W: reclined.models.quail

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	>750mm
Spread	10 to 15m
Height	15-20m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VEE
West Sussex County Council
Aesculus hippocastanum
W3W: professed.beyond.noise

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	600-750mm
Spread	05 to 10m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Aesculus hippocastanum

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of

Unique ID: 0VEF
West Sussex County Council
Quercus robur
W3W: pull.fight.seemingly

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	>750mm
Spread	10 to 15m
Height	15-20m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VD8
West Sussex County Council
Pinus sylvestris
W3W: tightrope.terribly.diagram

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	>750mm
Spread	05 to 10m
Height	15-20m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Conifers
Species	Pinus sylvestris

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VDA
West Sussex County Council
Quercus robur
W3W: skinning.shaped.goat

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	300-450mm
Spread	05 to 10m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VDK
West Sussex County Council
Tilia cordata
W3W: tripled.prove.satellite

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	300-450mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	PLANTER

Species	
Count	1
Vegetation Type	Broadleaf
Species	Tilia cordata

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VDB
West Sussex County Council
Ilex aquifolium
W3W: torches.motivate.detective

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	450-600mm
Spread	05 to 10m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Ilex aquifolium

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VDC
West Sussex County Council
Acer campestre
W3W: vesting.papers.flashing

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Young
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	0-5m
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Acer campestre

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VDD
West Sussex County Council
Carpinus betulus
W3W: pipes.crunching.permit

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	HEDGEROW

Species	
Count	1
Vegetation Type	Broadleaf
Species	Carpinus betulus

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VDE
West Sussex County Council
Crataegus monogyna
W3W: factually.tonight.churn

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Crataegus monogyna

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VDF
West Sussex County Council
Eucalyptus sp.
W3W: boast.bottled.heartened

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Eucalyptus sp.

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VE7
West Sussex County Council
Acer pseudoplatanus
W3W: quiz.kiosk.widely

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Twin
Age	Early Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	300-450mm
Spread	05 to 10m
Height	15-20m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Acer pseudoplatanus

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VE8
West Sussex County Council
Betula pendula
W3W: likes.upset.compelled

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Betula pendula

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VD7
West Sussex County Council
Betula pendula
W3W: crackled.commuting.albums

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Betula pendula

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VD9
West Sussex County Council
Taxus baccata
W3W: pickles.singled.household

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	600-750mm
Spread	05 to 10m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Conifers
Species	Taxus baccata

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VDG
West Sussex County Council
Crataegus monogyna
W3W: dentistry.draining.pays

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	150-300mm
Spread	05 to 10m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Crataegus monogyna

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VEB
West Sussex County Council
Malus sp.
W3W: waking.decent.hiked

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Young
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	SHRUB BED

Species	
Count	1
Vegetation Type	Broadleaf
Species	Malus sp.

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VEC
West Sussex County Council
Taxus baccata
W3W: recital.bookshop.parading

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Young
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	SHRUB BED

Species	
Count	1
Vegetation Type	Conifers
Species	Taxus baccata

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VEG
West Sussex County Council
Quercus robur
W3W: rugs.apron.mush

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	>750mm
Spread	10 to 15m
Height	15-20m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VDY
West Sussex County Council
Fraxinus excelsior
W3W: rumbles.curls.shared

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Multi
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Category	
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Fraxinus excelsior

Species	
Count	1
Vegetation Type	Conifers
Species	Taxus baccata

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	Outdoor learning area of approximately 70 tree with insignificant defects noted at time of inspection. Minor scattered deadwood noted throughout area but not presenting a health and safety issue

Unique ID: 0VEJ
West Sussex County Council
Mixed Species
W3W: emeralds.eventful.cropping

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Woodland
Age	Early Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	300-450mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	WOODLAND

Species	
Count	1
Vegetation Type	Broadleaf
Species	Mixed Species

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A small woodland area with approximately 30 trees with insignificant defects noted at time of inspection

Unique ID: 0VDZ
West Sussex County Council
Fraxinus excelsior
W3W: wreck.saga.vanished

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Multi
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Fraxinus excelsior

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VDR
West Sussex County Council
Prunus sp.
W3W: outlooks.quits.wounds

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Prunus sp.

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VDS
West Sussex County Council
Tilia cordata
W3W: diets.crouches.elders

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	300-450mm
Spread	05 to 10m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Tilia cordata

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VDQ
West Sussex County Council
Fraxinus excelsior
W3W: soon.zones.hence

Overview Photos



Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Early Mature
Condition	Declining
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	300-450mm
Spread	05 to 10m
Height	9-15m
Risk	MODERATE
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Fraxinus excelsior

Requirements	
Date Added	02-May-2024
Date Required	02-Nov-2024
Priority	2 - Within 6 Months
Requirement Type	Fell
Requirement Option	
Requirement Info	

Considerations	
Consideration	Irreversible decline

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	Displaying advanced symptoms of Ash dieback disease

Unique ID: 0VDX
West Sussex County Council
Fraxinus excelsior
W3W: emporium.many.sneezing

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Fraxinus excelsior

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VDT
West Sussex County Council
Prunus sp.
W3W: colder.tanked.pollution

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Prunus sp.

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VDU
West Sussex County Council
Acer pseudoplatanus
W3W: eternally.retina.scale

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	300-450mm
Spread	05 to 10m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Acer pseudoplatanus

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of

Unique ID: 0VDV
West Sussex County Council
Prunus sp.
W3W: qualified.everybody.prom

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Prunus sp.

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VDW
West Sussex County Council
Quercus robur
W3W: workbench.skins.upon

Overview Photos



Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	>750mm
Spread	10 to 15m
Height	15-20m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Requirements	
Date Added	02-May-2024
Date Required	02-Nov-2027
Priority	
Requirement Type	Reduce Crown
Requirement Option	by 3m
Requirement Info	

Considerations	
Consideration	Included bark

Considerations	
Consideration	Codominant stem

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	codominant stem at approximately 3m from ground level

Unique ID: 0VDJ
West Sussex County Council
Taxus baccata
W3W: able.contained.taxed

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	450-600mm
Spread	05 to 10m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	WOODLAND

Species	
Count	1
Vegetation Type	Conifers
Species	Taxus baccata

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VE2
West Sussex County Council
Prunus avium
W3W: cheesy.ending.euphoric

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Prunus avium

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VE4
West Sussex County Council
Betula pendula
W3W: chess.like.polished

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Betula pendula

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VE0
West Sussex County Council
Prunus avium
W3W: reflector.business.shimmered

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Twin
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Prunus avium

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VE1
West Sussex County Council
Prunus avium
W3W: umbrella.decorator.sounding

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Prunus avium

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VDH
West Sussex County Council
Taxus baccata
W3W: stealing.ruled.tiredness

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	450-600mm
Spread	05 to 10m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	WOODLAND

Species	
Count	1
Vegetation Type	Conifers
Species	Taxus baccata

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VE3
West Sussex County Council
Prunus avium
W3W: probable.fanfare.rectangular

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Prunus avium

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VE5
West Sussex County Council
Betula pendula
W3W: star.regulates.squabbles

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Betula pendula

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VEA
West Sussex County Council
Betula pendula
W3W: convinced.library.interview

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Betula pendula

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VEH
West Sussex County Council
Quercus robur
W3W: frost.overheard.sample

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	>750mm
Spread	10 to 15m
Height	15-20m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VE6
West Sussex County Council
Aesculus hippocastanum
W3W: skinning.scans.fleet

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	600-750mm
Spread	05 to 10m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Aesculus hippocastanum

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0VE9
West Sussex County Council
Betula pendula
W3W: mealtime.harmonica.promotes

Inventory	
Surveyor	Glen Poole
Inspection Date	02-May-2024
Next Inspection	02-May-2025
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	Slinfold Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	GRASS

Species	
Count	1
Vegetation Type	Broadleaf
Species	Betula pendula

Requirements	
Date Added	02-May-2024
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	02-May-2024
Comment	A tree with insignificant defects noted at time of inspection