

BH3 DW PORTRAIT Post Mounted - Double Sided Sign




Specification;


Tray panel from 2.5mm aluminium finished blue RAL 5011 semi-gloss, complete with 2.5mm flat aluminium panel fixed to rear.
All finished RAL blue 5011 semi-gloss

Graphics applied to face of front tray panel and wrapped around returns and flange by way of UV digitally printed self-adhesive vinyl. Graphics applied to rear flat panel and wrapped around edges by way of UV digitally printed self-adhesive vinyl.

Front tray panel mounted to 2No. 2 metre 76.2mm aluminium SHS posts fixed through returns, post finished RAL blue 5011 semi-gloss, with x2 76mm x 76mm black PVC end caps.
Dug into ground and secured with post fix concrete.



Side Elevation ~ Scale - 1/30@A3
all dimensions in mm



BH10 FLAGS

3no. total;
2no. Bellway Blue, 1no. Bellway Orange,

Flag pole specification;

Pole from 76mm diameter 3mm aluminium tube bottom
section, 64mm diameter 3mm aluminium tube
upper section complete with ground sleeve,
bob weight and rotating swivel top arm

Flag specification;

Printed polyester with stitched sleeve and eyelets

Flag maximum letter height: 265

BH3 Post Mounted
- Double Sided Sign



Specification;
Tray panel from 2.5mm aluminium finished blue RAL 5011 semi-gloss, complete with 2.5mm flat aluminium panel fixed to rear.
All finished RAL blue 5011 semi-gloss

Graphics applied to face of front tray panel and wrapped around returns and flange by way of UV digitally printed self-adhesive vinyl. Graphics applied to rear flat panel and wrapped around edges by way of UV digitally printed self-adhesive vinyl.

Front tray panel mounted to 2No. 2 metre 76.2mm aluminium SHS posts fixed through returns, post finished RAL blue 5011 semi-gloss, with x2 76mm x 76mm black PVC end caps.
Dug into ground and secured with post fix concrete.



Colours used
Bellway Blue
CMYK 93:78:4:87
Bellway Orange
CMYK 0:70:100:0



Front Elevation elevation~ Scale ~ 1/10@A3
all dimensions in mm

Specification;
Front panel cut from 3mm ACM with UV printed graphics direct to face with stencil cut and pushed through acrylic text.
ACM panel then folded with 25x25x3mm aluminium angle bonded to inside and fixed to rear ACM back tray.
In a lightbox with 050 5mm face S0+ laid @ 130x130mm would output approx 285cd/m²

Maximum letter height: 155




Side Elevation elevation~ Scale ~ 1/10@A3
all dimensions in mm


Colours used

Bellway Blue
CMYK 93:78:4:87

Bellway Orange
CMYK 0:70:100:0




Large dishpan with fret cuts (Subject to survey)




Specification;
Front panel cut from 3mm ACM with UV printed graphics direct to face then folded with 50x50x3mm aluminium angle bonded inside.
Fret cut text cut from acrylic and brushed silver ACM then bonded to face of dishpan with double sided tape.


Maximum letter height: TBC



Colours used
Bellway Blue
CMYK 93:78:4:87
Bellway Orange
CMYK 0:70:100:0

Front Elevation elevation~ Scale ~ 1/25@A3
all dimensions in mm







Specification;
Opening Times, logos and waves cut and weeded
from frosted self adhesive vinyl and applied to windows.

Self adhesive vinyl labels and applied to window

Maximum letter height: 84



Magnetic Lectern

Specification;

Front panel cut from 3mm Magnetic ACM with UV printed graphics direct to face then folded.

Front tray panel mounted to 75mm x 1.5mm SHS post finished RAL blue 5011 semi-gloss and dug into ground and secured with post fix concrete.

Maximum letter height: 53



Colours used

- Bellway Blue**
CMYK 93:78:4:87
- Bellway Orange**
CMYK 0:70:100:0




**BH3 Post Mounted
- Double Sided Sign**



Specification;
Tray panel from 2.5mm aluminium finished blue RAL 5011 semi-gloss, complete with 2.5mm flat aluminium panel fixed to rear.
All finished RAL blue 5011 semi-gloss

Graphics applied to face of front tray panel and wrapped around returns and flange by way of UV digitally printed self-adhesive vinyl. Graphics applied to rear flat panel and wrapped around edges by way of UV digitally printed self-adhesive vinyl.

Front tray panel mounted to 2No. 2 metre 76.2mm aluminium SHS posts fixed through returns, post finished RAL blue 5011 semi-gloss, with x2 76mm x 76mm black PVC end caps.
Dug into ground and secured with post fix concrete.




BH3 Post Mounted - Double Sided Sign

Specification;

Tray panel from 2.5mm aluminium finished blue RAL 5011 semi-gloss, complete with 2.5mm flat aluminium panel fixed to rear.
All finished RAL blue 5011 semi-gloss

Graphics applied to face of front tray panel and wrapped around returns and flange by way of UV digitally printed self-adhesive vinyl. Graphics applied to rear flat panel and wrapped around edges by way of UV digitally printed self-adhesive vinyl.

Front tray panel mounted to 2No. 2 metre 76.2mm aluminium SHS posts fixed through returns, post finished RAL blue 5011 semi-gloss, with x2 76mm x 76mm black PVC end caps.
Dug into ground and secured with post fix concrete.




BH3 Post Mounted - Double Sided Sign

Specification;

Tray panel from 2.5mm aluminium finished blue RAL 5011 semi-gloss, complete with 2.5mm flat aluminium panel fixed to rear.
All finished RAL blue 5011 semi-gloss

Graphics applied to face of front tray panel and wrapped around returns and flange by way of UV digitally printed self-adhesive vinyl. Graphics applied to rear flat panel and wrapped around edges by way of UV digitally printed self-adhesive vinyl.

Front tray panel mounted to 2No. 2 metre 76.2mm aluminium SHS posts fixed through returns, post finished RAL blue 5011 semi-gloss, with x2 76mm x 76mm black PVC end caps. Dug into ground and secured with post fix concrete.





BH3 Post Mounted - Double Sided Sign



Specification;
Tray panel from 2.5mm aluminium finished blue RAL 5011 semi-gloss, complete with 2.5mm flat aluminium panel fixed to rear.
All finished RAL blue 5011 semi-gloss

Graphics applied to face of front tray panel and wrapped around returns and flange by way of UV digitally printed self-adhesive vinyl. Graphics applied to rear flat panel and wrapped around edges by way of UV digitally printed self-adhesive vinyl.

Front tray panel mounted to 2No. 2 metre 76.2mm aluminium SHS posts fixed through returns, post finished RAL blue 5011 semi-gloss, with x2 76mm x 76mm black PVC end caps.
Dug into ground and secured with post fix concrete.




BH3 Post Mounted
- Double Sided Sign



Specification;
Tray panel from 2.5mm aluminium finished blue RAL 5011 semi-gloss, complete with 2.5mm flat aluminium panel fixed to rear.
All finished RAL blue 5011 semi-gloss

Graphics applied to face of front tray panel and wrapped around returns and flange by way of UV digitally printed self-adhesive vinyl. Graphics applied to rear flat panel and wrapped around edges by way of UV digitally printed self-adhesive vinyl.

Front tray panel mounted to 2No. 2 metre 76.2mm aluminium SHS posts fixed through returns, post finished RAL blue 5011 semi-gloss, with x2 76mm x 76mm black PVC end caps.
Dug into ground and secured with post fix concrete.



BH3 Post Mounted
- Double Sided Sign



Specification;
Tray panel from 2.5mm aluminium finished blue RAL 5011 semi-gloss, complete with 2.5mm flat aluminium panel fixed to rear.
All finished RAL blue 5011 semi-gloss

Graphics applied to face of front tray panel and wrapped around returns and flange by way of UV digitally printed self-adhesive vinyl. Graphics applied to rear flat panel and wrapped around edges by way of UV digitally printed self-adhesive vinyl.


Front tray panel mounted to 2No. 2 metre 76.2mm aluminium SHS posts fixed through returns, post finished RAL blue 5011 semi-gloss, with x2 76mm x 76mm black PVC end caps.
Dug into ground and secured with post fix concrete.



Colours used
Bellway Blue
CMYK 93:78:4:87
Bellway Orange
CMYK 0:70:100:0



Elevation - Scale - 1/40@A3



x1 Post Mounted Sign

Specification;
Graphics UV printed direct to ACM panels sealed
with a matt laminate with signfix channel applied to rear
fitted to 2No. 114mm dia. x 8.834m posts finished blue RAL 5011 dug
into foundation groundworks and filled with post fix concrete

Maximum letter height: 190



ground level

- A** CABIN
 - B** BH1 D/W PORTRAIT MONOLITH SIGN
 - C** BH10 FLAGS
 - D** BH3 VISITOR PARKING
 - E** ILLUMINATED DISHPAN FASCIA
 - F** LARGE DISHPAN WITH FRET CUTS
 - G** FROSTED WINDOW VINYL
 - H** MAGNETIC LECTERN
 - i** BH3 - SHOWHOME DIRECTIONAL LEFT
 - J** BH3 - PART EXCHANGE
 - K** BH3 - SHOWHOME DIRECTIONAL UP
 - L** BH3 - EXPRESS MOVER
 - M** BH3 - SHOWHOME DIRECTIONAL RIGHT
 - N** BH3 - SHOWHOME
 - O** PMS13 - COMING SOON
-
- CLOSEBOARD FENCING
 - TRELLIS WITH FOLIAGE

