PROTECTIVE FENCING EXCLUSION ZONE EXTENDED







Indicative

KEY:

- Shade patterns for key surveyed trees
- BS rooting area is shown uniform but may be modified to account for site features
- BS rooting area has been modified to account for site features
- A Grade
- B Grade
- C Grade
- U Grade
- Trees in G6 to be removed
- TPF — Position of fixed barrier fencing
- Position of new trees planted at 2.4m spacing
- Notes — Challice Consulting Ltd. annotation

Notes:

Tree protection barrier to be erected and installed before machinery or materials are brought onto site, before any demolition or development of land and before soil stripping.

Tree protection measures should be implemented following any necessary pre-development tree work.

Barriers must not be removed or altered except with prior recommendation by project arboriculturist and where necessary, approval from the Local Planning Authority.

Setting out to be confirmed by project arboriculturist prior to commencement of other operations.

PROPOSED TREE SPECIES FOR PLANTING WITHIN AREA G11

All to be planted as 20-40cm high whips in groups of 3 or 5 as specified in diagram below

| Numbers | Common Name | Botanical Name | Height | Root Preparation |
|---|---|---|---|---|
| 20 | Hazel | Corulus avellana | 20cm - 40cm | Bare root |
| 20 | Field Maple | Acer campestre | 20cm - 40cm | Bare root |
| 20 | Wild Service | Sorbus torminalis | 20cm - 40cm | Bare root |
| 20 | Common Oak | Quercus robur | 20cm - 40cm | Bare root |
| 20 | Hawthorn | Crataegus monogyna | 20cm - 40cm | Bare root |
| 20 | Common Beech | Fagus sylvatica | 20cm - 40cm | Bare root |
| 20 | Sweet Chestnut | Castanea sativa | 20cm - 40cm | Bare root |
| 140 | Total | | | |




Planting Specification:

- Trees are to be planted beween November 2025 and February 2026
- All planting stock shall comply with the Horticultural Trade Association National Plant Specification and BS3936:1991 Part 1
- Plants shall be prepared, handled, planted and maintained in accordance with the CPSE Code of Practice for the Handling & Establishment of Plants
- All trees and shrubs shall be planted in accordance with BS8545:2014
- All topsoil shall comply with BS3882:2007 unless otherwise specified
- Trees are to be watered heavily weekly from bud burst to leaf fall for two years folllowing planting
- All topsoil shall comply with BS3882:2007 unless otherwise specified
- Woodchip mulch is to be locally sourced and composted for 12 months before application and applied to flat areas to improve soil aeration and water retention

Plan to be printed in colour and to scale

DRAWING TITLE

Tree Planting/Protection Plan

PROJECT

Woodlands Farm, Broadwater Lane, Copsale, West Sussex RH13 6QW

| SCALE | DATE | DRAWN BY |
|---|---|---|
| 1:250 @ A1 | 24.11.2025 | D.C. |

| DRAWING NUMBER | REV |
|---|---|
| TPPP-AR5876 | 0 |

Challice Consulting Ltd.
Holmwood Farm Grange
Horsham Road
North Holmwood
Dorking
Surrey
RH5 4JR
Tel: 01306 743374
Email: info@challiceconsulting.co.uk
Web: www.challiceconsulting.co.uk

THIS PLAN TO BE USED FOR SETTING OUT OF TREE PROTECTION MEASURES ONLY; DO NOT SCALE FROM THIS PLAN UNLESS IT IS PRINTED AT A1. DO NOT USE UNLESS PRINTED IN COLOUR

UPDATED RED & BLUE LINE STE PLAN

PLANNING NO PRR 3A.

19/11/26