



**PRELIMINARY GROUND
CONTAMINATION RISK
ASSESSMENT REPORT**

**BATTS BARN
SCHOOL LANE
ASHURST
WEST SUSSEX**

PROJECT REFERENCE: P17700

REPORT REFERENCE: R17151

Report Beneficiary: Byrne Property Limited

Document Control			
Issue No.	Status	Issue Date	Notes
1	Final	14 th April 2026	
Report Section		Prepared By	Approved By
Preliminary Ground Contamination Risk Assessment		Adam Cormack HNC FGS	Steven McSwiney BA Mod. Geol. MSc FGS

Limitations

This report was prepared specifically for the Client's project and may not be appropriate to alternative schemes. The copyright for the report and licence for its use shall remain vested in Ashdown Site Investigation Limited (the Company) who disclaim all responsibility or liability (whether at common law or under the express or implied terms of the Contract between the Company and the Client) for any loss or damage of whatever nature in the event that this report is relied on by a third party, or is issued in circumstances or for projects for which it was not originally commissioned.

This report is not intended to be either an ecological, archaeological or flood risk assessment. An appropriate specialist should be consulted about any concerns that may arise in this regard.

Head Office:

Unit 3
The Old Grain Store
Ditchling Common Business Park
Ditchling
East Sussex
BN6 8SG

Telephone:

01273 483119

Email:

contact@ashdownsi.co.uk

Company Registration No.
242 6786



EXECUTIVE SUMMARY

The following presents a summary of the main findings of the report. It is emphasised that no reliance should be placed on any individual point until the whole of the report has been read as other sections of the report may put into context the information contained herein.

It is proposed to convert an existing barn into a three-bedroom dwelling. Whilst no landscaping plans were available at the time of preparing this report, it is understood that some degree of soft landscaping will be included as part of the redevelopment scheme.

The site currently comprises a square shaped plot of land with a barn in the southern extent and areas of soft landscaping. The outline of a former building is present to the immediate east of the barn, with areas used for scaffold storage around the barn and in the north-west of the site. Mounds are present in the north-west and to the south and south-east of the barn.

The site comprised open agricultural land at the time of the earliest inspected historical map, dated 1875, before becoming incorporated into the western extent of a residential garden associated with *Batts Bungalow*. In the late 1990s the site appeared to have been separated from the bungalow, with the barn present in the southern extent of the site shown on mapping from that time.

Reference to geological datasets indicates that the site is expected to be underlain by the Lower Greensand Group.

The Lower Greensand Group is classed as a Principal Aquifer.

The site does not lie within a groundwater SPZ.

The preliminary contamination risk assessment identified potential pollutant linkages relating to proposed end users of the site, albeit a low risk.

An intrusive ground investigation is recommended in order to allow a quantitative risk assessment of the potential contamination sources that have been identified to be made.

TABLE OF CONTENTS

1.	INTRODUCTION	1
2.	SITE CONTEXT	2
2.1	Walkover Survey	2
2.2	Geological Data Review	3
2.3	Hydrogeological and Hydrological Data	6
3.	GEO-ENVIRONMENTAL DATA	8
3.1	Historical Industrial Sites	8
3.2	Landfill and Other Waste Sites	8
3.3	Current Industrial Land Use	9
3.4	Sensitive Land Use	9
3.5	Railway Infrastructure and Projects	9
4.	HISTORICAL MAP AND IMAGERY REVIEW	10
5.	PRELIMINARY CONTAMINATION RISK ASSESSMENT	11
5.1	Introduction	11
5.2	Contaminant Pathways Identified	11
5.3	Potential Contamination Sources Identified	11
5.4	Preliminary Conceptual Model	12
5.5	Recommendations	12

FIGURES AND APPENDICES

FIGURES

Figure 1 Site Location Plan

APPENDIX A

Proposed Development Layout

APPENDIX B

Classification of Probability, Consequence and Risk

APPENDIX C

Preliminary Conceptual Model

APPENDIX D

Groundsure Enviro+Geo Insight Report
Historical Maps

1. INTRODUCTION

It is proposed to convert an existing agricultural building, Batts Barn, at School Lane, Ashurst, West Sussex into a three-bedroom dwelling. Whilst no details regarding proposed landscaping has been provided at the time of preparing this report, it is understood that some degree of soft landscaping will be included as part of the redevelopment works. A copy of the proposed development layout is presented in Appendix A.

Ashdown Site Investigation Ltd was requested to prepare a preliminary ground contamination risk assessment to support a future planning application.

The scope of the works covered by this report, and the terms and conditions under which they were undertaken, were set out within the offer letter Q16213, dated 9th February 2026. The instruction to proceed was received from Wilbury Planning Limited on behalf of the client, Bryne Property Limited.

The specific objectives of the works were to:

- a) Establish the expected geology, hydrogeology and hydrology at the site;
- b) Ascertain the development history and current site use; and
- c) Develop a preliminary conceptual model of the site identifying potential pollutant linkages relating to end users of the proposed development works, to controlled waters beneath and in the vicinity of the site, or to other off-site sensitive receptors, if identified.

Copies of the historical maps and geo-environmental data referred to in this report are presented within Appendix D.

2. SITE CONTEXT

2.1 Walkover Survey

The site is located at School Lane, Ashurst, West Sussex, and is centred on the approximate Ordnance Survey national grid reference 517789, 116054. A site location plan is presented as Figure 1.

Access to the site was via a set of wooden gates from School Lane, with a driveway leading south towards a barn. Soft landscaping was present on either side of the driveway, with scaffold equipment stored in the area of soft landscaping to the west of the drive, and mounds present in an area of grass to the east of the drive.



The barn was a steel framed, timber clad building with a concrete floor and corrugated cement board roofing. The barn was being used for storage of miscellaneous household items, building materials, and equestrian equipment; a ride-on lawn mower and motorbike were also present. Various scaffold equipment was stored immediately to the north of the barn.



Evidence of a demolished building is present to the immediate east of the barn; given the brick surround, it suggests this feature may have once been a greenhouse. Mounds of soil are present to the south and south-east of the barn; the mound to the south-east appeared to be manure.



2.2 Geological Data Review

2.2.1 Expected Geology and Aquifer Designation

The stratigraphic unit that may be expected to underlie the site has been established by reference to British Geological Survey (BGS) mapping and the BGS Lexicon of Named Rock Units. The expected stratigraphy is presented in the following table.

Table 1. Expected Strata and Aquifer Designation

Type	Stratum	Aquifer Designation
Bedrock	Lower Greensand Group	Principal Aquifer
Bedrock	Weald Clay Formation	Unproductive Aquifer

The Lower Greensand Group is of Aptian to Albion age (100.5 to 126.3 million years old; Early Cretaceous). In Sussex, Kent and Surrey the Folkestone Formation comprises medium and coarse-grained, well-sorted cross-bedded sands and weakly cemented sandstones. Elsewhere the formation also includes calcareous sandstones. There are no formal divisions in the Weald, but equivalent beds in the west are termed the Child Okeford Sand Member and the Bedchester Sands Member. The formation is recorded by the BGS to range in thickness up to 80m.

The Weald Clay Formation is present in the local area and is mapped 38m to the north of the site according to BGS mapping. The Weald Clay Formation forms part of the Wealden Group. The formation is of Hauterivian to Barremian age (126.3 to 133.9 million years old; Early Cretaceous). The Weald Clay Formation comprises dark grey thinly-bedded mudstones (shales) and mudstones with subordinate siltstones, fine to medium grained sandstones, including calcareous sandstone (e.g. Horsham Stone

Member), shelly limestones (the so called "Paludina Limestones") and clay ironstones. The formation is recorded by the BGS to range in thickness up to 460m.

2.2.2 Natural Ground Subsidence

Table 2. Natural Ground Subsidence from Groundsure Data

Section	Groundsure Hazard Rating	Details
Shrink Swell Clays	Negligible	Ground conditions predominantly non-plastic.
Running Sands	Very Low	Running sand conditions are unlikely. No identified constraints on land use due to running conditions unless water table rises rapidly
Compressible Deposits	Negligible	Compressible strata are not thought to occur.
Collapsible Deposits	Very Low	Deposits with potential to collapse when loaded and saturated are unlikely to be present.
Landslides	Very low	Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.
Ground Dissolution of Soluble Rocks	Negligible	Soluble rocks are either not thought to be present within the ground, or not prone to dissolution. Dissolution features are unlikely to be present.

2.2.3 Ground Cavities and Sinkholes

Table 3. Ground Cavities and Sinkholes from Groundsure Data

Section	Groundsure Comment
Natural Cavities	No records are identified within 500m of the site.
Mining Cavities	No records are identified within 500m of the site.
Reported Recent Incidents	No records are identified within 500m of the site.
Historical Incidents	No records are identified within 500m of the site.

2.2.4 Mining and Ground Workings

Table 4. Mining and Ground Workings from Groundsure Data

Section	Groundsure Comment
BritPits	No BritPits are identified within 500m of the site.
Surface Ground Workings	Cuttings are shown 166m to the south-east of the site.
Underground Workings	No underground workings are identified within 1km of the site.
Underground Mining Extents	No records are identified within 500m of the site.
Historical Mineral Planning Areas	No records are identified within 500m of the site.

Section	Groundsure Comment
Non-Coal Mining	The site is identified to be in an area where underground mine workings for sand are uncommon. Land 38m to the north of the site, within the Weald Clay Formation, is shown within an area where underground mines may have occurred in the past, but are at a level where they need not be considered.
JPB Mining Areas	No records are identified on the site.
The Coal Authority – Non-Coal Mining	No records are identified within 500m of the site.
Researched Mining	No records are identified within 500m of the site.
Mining Record Office Plans	No records are identified within 500m of the site.
BGS Mine Plans	No records are identified within 500m of the site.
Coal Mining	No records are identified on the site.
Brine Areas	No records are identified on the site.
Gypsum Areas	No records are identified on the site.
Tin Mining	No records are identified on the site.
Clay Mining	No records are identified on the site.

The geological units of the Wealden Group, including the Weald Clay Formation, were locally mined for iron during the early Roman period, the Medieval period and significantly between the 15th and 18th centuries. The mining activities were associated with hammer and furnace ponds, and forges. The locations of many of the workings are unknown, the works mostly having been dismantled and sites overgrown with woodland. Many of the old ponds in the Weald may be representative of old hammer or furnace ponds.

The historical extraction was mostly from open pits excavated from surface, but during the Medieval period, extraction in the eastern Weald was increasingly from mine pits. These mine pits were typically five metres in diameter and up to twelve metres deep. The pits were worked in sequence with spoil from one pit used to in-fill the one before. In the western part of the Weald, the principal method of extracting iron ore was also the mine pit but smaller in scale; the pits consisted of a vertical shaft up to 2.5 metres in diameter and the base of the shaft would have been widened out.

The British Geological Survey GeoIndex Onshore viewer does not record any mines or quarries within 1km of the site. A search of the Wealden Iron Research Group database (www.wirgdata.org) revealed no records of iron workings within 1km of the site. The risk posed to the development is considered to be negligible to very low.

Further assessment of the natural ground and mining hazards can be undertaken, if required, to provide more detailed comment specific to the site.

2.2.5 Radon

Table 5. Radon

Section	Groundsure Comment
Radon Affected Areas	The site is reported to be within an area where less than 1% of properties are at or above the action level requiring radon gas protection measures to be installed in new buildings.
Radon Protection Measures	No radon protection measures are reported by the British Geological Survey to be necessary in the construction of new dwellings or extensions.

2.2.6 Soil Chemistry

Table 6. BGS Estimated Background Soil Chemistry

Contaminant	Estimated Value (mg/kg)
Arsenic	15 – 25
Bioaccessible Arsenic	No data
Lead	100
Bioaccessible Lead	60
Cadmium	1.8
Chromium	60 – 90
Nickel	15 - 30

2.3 Hydrogeological and Hydrological Data

2.3.1 Groundwater Abstractions

No current groundwater abstraction licences are indicated within 2km of the site.

2.3.2 Surface Water Abstractions

The closest current surface water abstraction licence is recorded to lie 1880m to the north-west of the site. The abstraction is used for spray irrigation.

2.3.3 Potable Abstractions

No potable abstraction licences are indicated within 2km of the site.

2.3.4 Groundwater Vulnerability

The level of groundwater vulnerability, as reported within the Groundsure data, is High.

2.3.5 Groundwater Source Protection Zones (SPZ)

The Environment Agency defines SPZs as those areas where groundwater supplies are at risk from potentially polluting activities and accidental releases of pollutants. SPZs are primarily a policy tool used to control activities close to water supplies intended for human consumption.

The site does not lie within a SPZ.

2.3.6 Surface Water Features

No significant surface water features are recorded within 200m of the site.

2.3.7 Flood Risk

The table below summarises the flood risk data provided by the Groundsure report. It is noted that this does not constitute a flood risk assessment.

Table 7. Flood Risk

Section	On Site	Within 50m of the Site
Risk of Flooding from Rivers and Seas (RoFRaS)	None Identified	None Identified
Historical Flood Events	None Identified	None Identified
Flood Defences	None Identified	None Identified
Areas Benefitting from Flood Defences	None Identified	None Identified
Flood Storage Areas	None Identified	None Identified
Environment Agency Flood Zone 2	None Identified	None Identified
Environment Agency Flood Zone 3	None Identified	None Identified
Surface Water Flooding	Highest Risk: Negligible	Highest Risk: 1 in 250 year, 0.1-0.3m
Groundwater Flooding	Highest Risk: Moderate	Highest Risk: Moderate

3. GEO-ENVIRONMENTAL DATA

3.1 Historical Industrial Sites

The following table summarises past land uses of the site and the surrounding area extracted by Groundsure from historical maps.

Table 8. Historical Industrial Sites

Section	Remarks
Historical Industrial Land Uses	A Smithy is recorded on site from 1896. Further assessment of the historical mapping shows the smithy approximately 105m to the east of the site. An extract from the 1897 OS Map (1:2,500 scale) is shown below showing the approximate location of the Smithy, outlined in green. 
Historical Tank Database	No historical tanks are identified within 100m of the site.
Historical Energy Features	No energy features are identified within 100m of the site.
Historical Petrol Stations	No historical petrol stations are identified within 100m of the site.
Historical Garages	No historical garages are identified within 100m of the site.
Historical Military Sites	No historical military sites are identified within 100m of the site.

3.2 Landfill and Other Waste Sites

The following table summarises the location of waste sites either on the site or within the surrounding area (within 250m of the site).

Table 9. Landfill and Other Waste Sites

Section	Groundsure Comments
Active or Recent Landfills	No active or recent landfills are identified within 250m of the site.
Historical Landfill (BGS Records/LA/Mapping Records EA Records)	No historical landfills are identified within 250m of the site.
Historical Waste Sites	No historical waste sites are identified within 250m of the site.

Section	Groundsure Comments
Licensed Waste Sites	No licensed waste sites are identified within 250m of the site.
Waste Exemptions	No waste exemptions are identified within 250m of the site.

3.3 Current Industrial Land Use

The relevant current industrial land uses are discussed in the table below.

Table 10. Current Industrial Land Uses

Section	Groundsure Comments
Recent Industrial Land Use	No recent industrial land uses are identified within 100m of the site.
Current or Recent Petrol stations	No current or recent petrol stations are identified within 100m of the site.
Electricity Cables / Gas Pipelines	No underground high voltage cables or high-pressure pipes are identified within 100m of the site.
Sites determined as Contaminated Land	No sites determined as contaminated land are identified within 100m of the site.
Control of Major Accident Hazards (COMAH) Sites	No COMAH sites are identified within 100m of the site.
Regulated Explosive Sites	No regulated explosive sites are identified within 100m of the site.
Hazardous Substance Storage/Usage	No consents have been granted for hazardous substance storage/usage within 100m of the site.
Historical Licensed Industrial Activities (IPC)	No records are identified within 100m of the site.
Licensed Industrial Activities (Part A(1))	No records are identified within 100m of the site.
Licensed Pollutant Release (Part A(2)/B)	No records are identified within 100m of the site.
Radioactive Substance Authorisations	No records are identified within 100m of the site.
Licensed Discharges to Controlled Waters	Two records are shown 66m and 79m to the east of the site for final/treated effluent.
Pollutant Release to Surface Water / Public Sewer	No records are identified within 100m of the site.
List 1 / List 2 Dangerous Substances	No records are identified within 100m of the site.
Pollution Incidents (EA/NRW)	No pollution incidents are identified within 100m of the site.
Pollution Inventory Substances / Waste Transfers / Radioactive Waste	No records are identified within 100m of the site.

3.4 Sensitive Land Use

The data identified the site to be located within a greenbelt.

No sensitive land uses at risk from contamination are identified within 1km of the site.

3.5 Railway Infrastructure and Projects

No current railway or associated features are identified within 250m of the site.

4. HISTORICAL MAP AND IMAGERY REVIEW

Historical Ordnance Survey maps and imagery covering the area of the site have been reviewed and are summarised in the following table.

It is noted that maps and images present information applicable at the time of production of the maps or image captures, that maps are subject to surveying and cartographic errors and images to atmospheric conditions at the time of their capture. It is possible that significant developments may have taken place on or within the vicinity of the site that are not shown on the inspected maps and images.

'In the Vicinity of the Site' generally refers to features of relevance within approximately 250m of the site boundary but may also include more distant features if considered to be pertinent to the assessment of the development history.

Table 11. Summary of Significant Features Identified on Historical Maps and Images

Map/Image Details	On-Site	In the Vicinity of the Site
1875 1:2,500	The site comprises parts of an open field.	A <i>Smithy</i> is shown some 105m to the east of the site.
1974 1:2,500	The site forms the western extent of a residential garden associated with <i>Batts Bungalow</i>. A small building is shown in the south-east of the site. A glazed roof structure is present on the eastern boundary, which extends off-site to the east.	Residential development has taken place to the north, west and east of the site. The <i>Smithy</i> is no longer present.
1999 Aerial Photograph	The site appears to have been separated from <i>Batts Bungalow</i>. The building on the eastern boundary is only shown on the adjoining site (or has been replaced by the off-site building). Whilst the clarity of the photograph is unclear, it is thought the present day barn is shown in the southern extent of the site.	
2003 1:1,250	The barn is clearly shown in the southern extent of the site. The small building in the south-east of the site is still shown (likely to be the demolished brick structure observed during the site walk over).	

5. PRELIMINARY CONTAMINATION RISK ASSESSMENT

5.1 Introduction

The risk assessment considers the potential sources of contamination identified, the receptors that may be present in view of the development proposals and the contaminant pathways by which these may be linked. A complete pollutant linkage is only deemed to exist where all three are present and a site is considered suitable for use where no complete pollutant linkages are identified.

Where a complete pollutant linkage is deemed to be present, an assessment of the level of risk associated with the pollutant linkage has been carried out in line with current guidance¹.

The level of risk is determined using the risk matrix presented in the following table. Classifications of probability, consequence and risk are presented in Appendix B.

Table 12. Risk Assessment Matrix

		Probability			
		Very Low	Low	Moderate	High
Consequence	Very Minor	Negligible	Very Low	Low	Low/Moderate
	Minor	Very Low	Low	Low/Moderate	Moderate
	Moderate	Low	Low/Moderate	Moderate	High
	Severe	Low/Moderate	Moderate	High	Very High

5.2 Contaminant Pathways Identified

The development is to comprise new residential buildings together with areas of private garden.

Pathways associated with gas and vapour intrusion into new buildings are considered to be valid, along with direct contact and dust related pathways, and pathways associated with the consumption of home grown produce.

The site is expected to be underlain by the Lower Greensand Group which is classed as a Principal Aquifer. Although the site is not located within a SPZ, and is located within an urban area, pathways relating to controlled waters may be reasonably considered to be present.

Should the proposed development plans be altered, a revised risk assessment may be required.

5.3 Potential Contamination Sources Identified

The following potential sources of contamination have been identified by the preliminary contamination risk assessment:

- Made Ground beneath demolished structures and those to be removed.
- Soil mounds in the north-east of the site and to the south of the barn.

¹ Contaminated Land Risk Assessment: A guide to good practice, CIRIA C552, 2001.

The potential contaminants associated with these sources are set out in the conceptual model.

It is noted that an asbestos survey of existing structures and infrastructure² was beyond the brief of this report. The risk assessment assumes that, should asbestos be identified within buildings or infrastructure, any such materials will be managed in accordance with current legislation and guidance, to ensure this does not represent an ongoing risk to end users and, specifically, to ensure that asbestos materials are not introduced into the underlying soils.

5.4 Preliminary Conceptual Model

The preliminary conceptual model for the proposed development is presented in Appendix C.

5.5 Recommendations

Potential pollutant linkages are considered to be present. It is therefore recommended that an intrusive ground investigation should be undertaken to allow a quantitative assessment. It is recommended that a series of shallow boreholes and/or trial pits are undertaken within the soil mounds and in areas of former structures/structures to be removed. Samples should be obtained and tested for the list of contaminants identified in the conceptual model to enable a quantitative risk assessment to be undertaken.

² As defined under Section 5(a) of the Control of Asbestos Regulations, 2012.

FIGURES

Figure 1 Site Location Plan



Unit 3
The Old Grain Store
Ditchling Common Business Park
Ditchling
East Sussex
BN6 8SG
contact@ashdownsi.co.uk

Batts Barn
School Lane
Ashurst
West Sussex

P17700

1


Site Location Plan

Not To Scale


APPENDIX A

Proposed Development Layout


NOTES:
Dimensions to be checked on site before commencing work. any discrepancies shall be reported to Curtis Leeves Technical Ltd. immediately.
Do not scale from these drawings except for planning purposes.
Use figured dimensions only.
Where applicable this drawing is to be read in conjunction with other consultants' drawings.
This drawing is the copyright of Curtis Leeves Technical Ltd. and may not be copied, altered or reproduced in any way, or passed to a third party, without written authority.




PROPOSED GROUND FLOOR PLAN




PROPOSED FIRST FLOOR PLAN




PROPOSED SIDE (EAST) ELEVATION




PROPOSED FRONT (NORTH) ELEVATION




PROPOSED SIDE (WEST) ELEVATION




PROPOSED REAR (SOUTH) ELEVATION




EXISTING FLOOR PLAN




EXISTING SIDE (EAST) ELEVATION



EXISTING FRONT (NORTH) ELEVATION



EXISTING SIDE (WEST) ELEVATION



EXISTING REAR (SOUTH) ELEVATION

rev	description	date
status	PLANNING	



CURTIS LEEVES TECHNICAL LTD
01243 378070 | mail@cltechnical.co.uk

client	Mr Kevin Byrne OBE		
project	Batts Barn School Lane Ashurst		
title	Existing & Proposed Floor Plans & Elevations		
date	scale @ A1	drawn	chkd
Aug 2025	1:100	KWF	MRL
project no.	drawing no.		rev
2502	001		-

APPENDIX B

Classification of Probability, Consequence and Risk

Probability Of Risk Being Realised	
Classification	Definition
High	There is a pollution linkage and an event that either appears very likely in the short term and almost inevitable over the long term or there is evidence at the receptor of harm or pollution.
Moderate	There is a pollution linkage and all the elements are present and in the right place, which means that it is probable that an event will occur. Circumstances are such that an event is not inevitable, but possible in the short term and likely over the long term.
Low	There is a pollution linkage and circumstances are possible under which an event could occur. However, it is by no means certain that even over a longer period such event would take place and is less likely in the shorter term.
Very Low	There is a pollution linkage but circumstances are such that it is improbable that an event would occur even in the very long term.

Consequence Of Risk Being Realised		
Classification	Category	Definition
Severe	Human Health	Short term (acute) risk to human health likely to result in "significant harm" as defined by the Environment Protection Act 1990, Part IIA.
	Controlled Waters	Short term risk of pollution (note: Water Resources Act contains no scope for considering significance of pollution) of sensitive water resource.
	Property	Catastrophic damage to buildings/property.
	Ecological Systems	A short term risk to a particular ecosystem or organisation forming part of such ecosystem.
Moderate	Human Health	Chronic damage to Human Health.
	Controlled Waters	Pollution of sensitive water resources (note: Water Resources Act contains no scope for considering significance of pollution).
	Ecological System	A significant change in a particular ecosystem or organism forming part of such ecosystem.
Minor	Controlled Waters	Pollution of non-sensitive water resources.
	Property	Significant damage to crops, buildings, structures and services.
	Ecological Systems	Damage to sensitive buildings/structures/services or the environment.
Very Minor	Human Health	Non-permanent health effects to human health (easily prevented by means such as personal protective clothing, etc).
	Property	Easily repairable effects of damage to buildings, structures and services.
	Project	Harm, although not necessarily significant harm, which may result in a financial loss or expenditure to resolve.

Risk Classification Definitions	
Very High	There is a high probability that severe harm could arise to a designated receptor from an identified hazard, OR, there is evidence that severe harm to a designated receptor is currently happening. This risk, if realised, is likely to result in a substantial liability. Urgent investigation (if not undertaken already) and remediation are likely to be required.
High	Harm is likely to arise to a designated receptor from an identified hazard. Realisation of the risk is likely to present a substantial liability. Urgent investigation (if not undertaken already) is required and remedial works may be necessary in the short term and are likely over the long term.
Moderate	It is possible that harm could arise to a designated receptor from an identified hazard. However, it is relatively unlikely that any such harm would be severe, or if any harm were to occur it is more likely that the harm would be relatively mild. Investigation (if not already undertaken) is normally required to clarify the risk and to determine the potential liability. Some remedial works may be required in the longer term.
Low	It is possible that harm could arise to a designated receptor from an identified hazard, but there is a low likelihood of this hazard occurring and if realised, harm would at worst normally be mild.
Very Low	There is a low possibility that harm could arise to a receptor. In the event of such harm being realised, it is not likely to be severe.

APPENDIX C

Preliminary Conceptual Model

Site: Batts Farm, School Lane, Ashurst, West Sussex

Project Ref: P17700

Potential Source	Potential Receptor	Potential Contaminants	Potential Pathway	Complete Linkage Present?	Probability	Consequence	Risk
Made Ground beneath demolished structures and those to be removed.	End Users	Asbestos, Heavy Metals and PAH Compounds	Dermal contact with soil and dust (indoor & outdoor)	Yes	P2: Low	C2: Minor	Low
			Ingestion of soil and indoor dust	Yes	P2: Low	C2: Minor	Low
			Consumption of home-grown produce and attached soil	Yes	P2: Low	C2: Minor	Low
			Inhalation of soil dust (indoor and outdoor)	Yes	P2: Low	C2: Minor	Low
			Inhalation of soil vapours	Identified contaminants do not pose a risk via this pathway			N/A
			Inhalation of soil gases/ Risk of explosion	No potential gas source identified			N/A
	End Users (via Water Supply Pipework)		Contamination of incoming services	Identified contaminants do not pose a risk via this pathway			N/A
	Groundwater	Heavy Metals and PAH Compounds	Migration to groundwater	Yes	P1: Very Low	C1: Very Minor	Negligible
Soil mounds in the north-east of the site and tot the south of the barn.	End Users	Asbestos, Heavy Metals and PAH Compounds	Dermal contact with soil and dust (indoor & outdoor)	Yes	P2: Low	C2: Minor	Low
			Ingestion of soil and indoor dust	Yes	P2: Low	C2: Minor	Low
			Consumption of home-grown produce and attached soil	Yes	P2: Low	C2: Minor	Low
			Inhalation of soil dust (indoor and outdoor)	Yes	P2: Low	C2: Minor	Low
			Inhalation of soil vapours	Identified contaminants do not pose a risk via this pathway			N/A
			Inhalation of soil gases/ Risk of explosion	No potential gas source identified			N/A
	End Users (via Water Supply Pipework)		Contamination of incoming services	Identified contaminants do not pose a risk via this pathway			N/A
	Groundwater	Heavy Metals and PAH Compounds	Migration to groundwater	Yes	P1: Very Low	C1: Very Minor	Negligible

APPENDIX D

Groundsure Enviro+Geo Insight Report

Historical Maps

BATTS COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY

Order Details

Date: 31/03/2026
Your ref: P17700
Our Ref: GS-3Z8-COY-L2J-5GX

Site Details

Location: 517789 116054
Area: 0.23 ha
Authority: [Horsham District Council](#) ↗

Site plan



Quick Links

[Summary of findings](#) [p. 2](#) >
[OS MasterMap site plan](#) [p.14](#) >
[Aerial image](#) [p. 9](#) >


[Insight User Guide](#) ↗

Open this site in Explorer!

Access the data now in our interactive workspace.

- Map and interpret 130+ datasets across 170 years
- Generate insights and visuals quickly
- Revisit and collaborate with your team

Access to Groundsure Explorer requires an Insights account.
12 months access begins at purchase.



Summary of findings

Page	Section	Past land use >	On site	0-50m	50-250m	250-500m	500-2000m
15 >	1.1 >	Historical industrial land uses >	2	0	8	1	-
16 >	1.2 >	Historical tanks >	0	0	2	0	-
16	1.3	Historical energy features	0	0	0	0	-
17	1.4	Historical petrol stations	0	0	0	0	-
17	1.5	Historical garages	0	0	0	0	-
17	1.6	Historical military land	0	0	0	0	-
Page	Section	Past land use - un-grouped >	On site	0-50m	50-250m	250-500m	500-2000m
18 >	2.1 >	Historical industrial land uses >	2	0	9	1	-
19 >	2.2 >	Historical tanks >	0	0	2	0	-
19	2.3	Historical energy features	0	0	0	0	-
20	2.4	Historical petrol stations	0	0	0	0	-
20	2.5	Historical garages	0	0	0	0	-
Page	Section	Waste and landfill >	On site	0-50m	50-250m	250-500m	500-2000m
21	3.1	Active or recent landfill	0	0	0	0	-
21	3.2	Historical landfill (BGS records)	0	0	0	0	-
22	3.3	Historical landfill (LA/mapping records)	0	0	0	0	-
22	3.4	Historical landfill (EA/NRW records)	0	0	0	0	-
22	3.5	Historical waste sites	0	0	0	0	-
22	3.6	Licensed waste sites	0	0	0	0	-
22 >	3.7 >	Waste exemptions >	0	0	0	1	-
Page	Section	Current industrial land use >	On site	0-50m	50-250m	250-500m	500-2000m
24 >	4.1 >	Recent industrial land uses >	0	0	1	-	-
25	4.2	National Geographic Database (NGD) - Current or recent tanks	0	0	0	-	-
25	4.3	Current or recent petrol stations	0	0	0	0	-
25	4.4	Electricity cables	0	0	0	0	-
25	4.5	Gas pipelines	0	0	0	0	-



25	4.6	Sites determined as Contaminated Land	0	0	0	0	-
25	4.7	Control of Major Accident Hazards (COMAH)	0	0	0	0	-
26	4.8	Regulated explosive sites	0	0	0	0	-
26	4.9	Hazardous substance storage/usage	0	0	0	0	-
26	4.10	Historical licensed industrial activities (IPC)	0	0	0	0	-
26	4.11	Licensed industrial activities (Part A(1))	0	0	0	0	-
26	4.12	Licensed pollutant release (Part A(2)/B)	0	0	0	0	-
27	4.13	Radioactive Substance Authorisations	0	0	0	0	-
27 >	4.14 >	<u>Licensed Discharges to controlled waters</u> >	0	0	5	1	-
28	4.15	Pollutant release to surface waters (Red List)	0	0	0	0	-
28	4.16	Pollutant release to public sewer	0	0	0	0	-
28	4.17	List 1 Dangerous Substances	0	0	0	0	-
29	4.18	List 2 Dangerous Substances	0	0	0	0	-
29 >	4.19 >	<u>Pollution Incidents (EA/NRW)</u> >	0	0	0	1	-
29	4.20	Pollution inventory substances	0	0	0	0	-
29	4.21	Pollution inventory waste transfers	0	0	0	0	-
30	4.22	Pollution inventory radioactive waste	0	0	0	0	-
Page	Section	<u>Hydrogeology</u> >	On site	0-50m	50-250m	250-500m	500-2000m
31 >	5.1 >	<u>Superficial aquifer</u> >	Identified (within 500m)				
33 >	5.2 >	<u>Bedrock aquifer</u> >	Identified (within 500m)				
35 >	5.3 >	<u>Groundwater vulnerability</u> >	Identified (within 50m)				
36	5.4	Groundwater vulnerability- soluble rock risk	None (within 0m)				
36	5.5	Groundwater vulnerability- local information	None (within 0m)				
37 >	5.6 >	<u>Groundwater abstractions</u> >	0	0	0	0	1
38 >	5.7 >	<u>Surface water abstractions</u> >	0	0	0	0	6
40	5.8	Potable abstractions	0	0	0	0	0
40	5.9	Source Protection Zones	0	0	0	0	-
40	5.10	Source Protection Zones (confined aquifer)	0	0	0	0	-
Page	Section	<u>Hydrology</u> >	On site	0-50m	50-250m	250-500m	500-2000m



41 >	6.1 >	Water Network (OS MasterMap) >	0	0	1	-	-
42 >	6.2 >	Surface water features >	0	0	1	-	-
42 >	6.3 >	WFD Surface water body catchments >	2	-	-	-	-
42 >	6.4 >	WFD Surface water bodies >	0	0	0	-	-
43 >	6.5 >	WFD Groundwater bodies >	1	-	-	-	-
Page	Section	River and coastal flooding	On site	0-50m	50-250m	250-500m	500-2000m
44	7.1	Risk of flooding from rivers and the sea	None (within 50m)				
44	7.2	Historical Flood Events	0	0	0	-	-
44	7.3	Flood Defences	0	0	0	-	-
45	7.4	Areas Benefiting from Flood Defences	0	0	0	-	-
45	7.5	Flood Storage Areas	0	0	0	-	-
46	7.6	Flood Zone 2	None (within 50m)				
46	7.7	Flood Zone 3	None (within 50m)				
Page	Section	Surface water flooding >					
47 >	8.1 >	Surface water flooding >	1 in 250 year, 0.1m - 0.3m (within 50m)				
Page	Section	Groundwater flooding >					
49 >	9.1 >	Groundwater flooding >	Moderate (within 50m)				
Page	Section	Environmental designations >	On site	0-50m	50-250m	250-500m	500-2000m
50	10.1	Sites of Special Scientific Interest (SSSI)	0	0	0	0	0
51	10.2	Conserved wetland sites (Ramsar sites)	0	0	0	0	0
51	10.3	Special Areas of Conservation (SAC)	0	0	0	0	0
51	10.4	Special Protection Areas (SPA)	0	0	0	0	0
51	10.5	National Nature Reserves (NNR)	0	0	0	0	0
52	10.6	Local Nature Reserves (LNR)	0	0	0	0	0
52 >	10.7 >	Designated Ancient Woodland >	0	0	0	0	20
53	10.8	Biosphere Reserves	0	0	0	0	0
53	10.9	Forest Parks	0	0	0	0	0
53	10.10	Marine Conservation Zones	0	0	0	0	0
53	10.11	Green Belt	0	0	0	0	0



54	10.12	Proposed Ramsar sites	0	0	0	0	0
54	10.13	Possible Special Areas of Conservation (pSAC)	0	0	0	0	0
54	10.14	Potential Special Protection Areas (pSPA)	0	0	0	0	0
54	10.15	Nitrate Sensitive Areas	0	0	0	0	0
55 >	10.16 >	Nitrate Vulnerable Zones >	0	0	0	0	1
56 >	10.17 >	SSSI Impact Risk Zones >	2	-	-	-	-
57	10.18	SSSI Units	0	0	0	0	0
Page	Section	Visual and cultural designations >	On site	0-50m	50-250m	250-500m	500-2000m
58	11.1	World Heritage Sites	0	0	0	-	-
59	11.2	Area of Outstanding Natural Beauty	0	0	0	-	-
59	11.3	National Parks	0	0	0	-	-
59 >	11.4 >	Listed Buildings >	0	0	4	-	-
60	11.5	Conservation Areas	0	0	0	-	-
60	11.6	Scheduled Ancient Monuments	0	0	0	-	-
60	11.7	Registered Parks and Gardens	0	0	0	-	-
Page	Section	Agricultural designations >	On site	0-50m	50-250m	250-500m	500-2000m
61 >	12.1 >	Agricultural Land Classification >	Grade 3 (within 250m)				
62 >	12.2 >	Open Access Land >	0	0	1	-	-
62	12.3	Tree Felling Licences	0	0	0	-	-
62 >	12.4 >	Environmental Stewardship Schemes >	0	0	1	-	-
63 >	12.5 >	Countryside Stewardship Schemes >	0	0	1	-	-
Page	Section	Habitat designations >	On site	0-50m	50-250m	250-500m	500-2000m
64 >	13.1 >	Priority Habitat Inventory >	0	0	7	-	-
65	13.2	Habitat Networks	0	0	0	-	-
65	13.3	Open Mosaic Habitat	0	0	0	-	-
65	13.4	Limestone Pavement Orders	0	0	0	-	-
Page	Section	Geology 1:10,000 scale >	On site	0-50m	50-250m	250-500m	500-2000m
66 >	14.1 >	10k Availability >	Identified (within 500m)				
67	14.2	Artificial and made ground (10k)	0	0	0	0	-



68 >	14.3 >	Superficial geology (10k) >	0	0	2	4	-
69	14.4	Landslip (10k)	0	0	0	0	-
70 >	14.5 >	Bedrock geology (10k) >	1	0	1	1	-
71 >	14.6 >	Bedrock faults and other linear features (10k) >	0	0	0	1	-
Page	Section	Geology 1:50,000 scale >	On site	0-50m	50-250m	250-500m	500-2000m
72 >	15.1 >	50k Availability >	Identified (within 500m)				
73	15.2	Artificial and made ground (50k)	0	0	0	0	-
73	15.3	Artificial ground permeability (50k)	0	0	-	-	-
74 >	15.4 >	Superficial geology (50k) >	0	0	1	5	-
75	15.5	Superficial permeability (50k)	None (within 50m)				
75	15.6	Landslip (50k)	0	0	0	0	-
75	15.7	Landslip permeability (50k)	None (within 50m)				
76 >	15.8 >	Bedrock geology (50k) >	1	1	0	1	-
77 >	15.9 >	Bedrock permeability (50k) >	Identified (within 50m)				
77 >	15.10 >	Bedrock faults and other linear features (50k) >	1	0	1	0	-
Page	Section	Boreholes	On site	0-50m	50-250m	250-500m	500-2000m
78	16.1	BGS Boreholes	0	0	0	-	-
Page	Section	Natural ground subsidence >					
79 >	17.1 >	Shrink swell clays >	Low (within 50m)				
80 >	17.2 >	Running sands >	Very low (within 50m)				
82 >	17.3 >	Compressible deposits >	Negligible (within 50m)				
83 >	17.4 >	Collapsible deposits >	Very low (within 50m)				
84 >	17.5 >	Landslides >	Very low (within 50m)				
85 >	17.6 >	Ground dissolution of soluble rocks >	Negligible (within 50m)				
Page	Section	Mining and ground workings >	On site	0-50m	50-250m	250-500m	500-2000m
87	18.1	BritPits	0	0	0	0	-
88 >	18.2 >	Surface ground workings >	0	0	3	-	-
88	18.3	Underground workings	0	0	0	0	0
88	18.4	Underground mining extents	0	0	0	0	-



88	18.5	Historical Mineral Planning Areas	0	0	0	0	-
89 >	18.6 >	Non-coal mining >	1	1	0	0	0
89	18.7	JPB mining areas	None (within 0m)				
89	18.8	The Coal Authority non-coal mining	0	0	0	0	-
90	18.9	Researched mining	0	0	0	0	-
90	18.10	Mining record office plans	0	0	0	0	-
90	18.11	BGS mine plans	0	0	0	0	-
90	18.12	Coal mining	None (within 0m)				
90	18.13	Brine areas	None (within 0m)				
91	18.14	Gypsum areas	None (within 0m)				
91	18.15	Tin mining	None (within 0m)				
91	18.16	Clay mining	None (within 0m)				
Page	Section	Ground cavities and sinkholes	On site	0-50m	50-250m	250-500m	500-2000m
92	19.1	Natural cavities	0	0	0	0	-
92	19.2	Mining cavities	0	0	0	0	0
92	19.3	Reported recent incidents	0	0	0	0	-
92	19.4	Historical incidents	0	0	0	0	-
Page	Section	Radon >					
94 >	20.1 >	Radon >	Less than 1% (within 0m)				
Page	Section	Soil chemistry >	On site	0-50m	50-250m	250-500m	500-2000m
96 >	21.1 >	BGS Estimated Background Soil Chemistry >	1	3	-	-	-
96	21.2	BGS Estimated Urban Soil Chemistry	0	0	-	-	-
97	21.3	BGS Measured Urban Soil Chemistry	0	0	-	-	-
Page	Section	Railway infrastructure and projects	On site	0-50m	50-250m	250-500m	500-2000m
98	22.1	Underground railways (London)	0	0	0	-	-
98	22.2	Underground railways (Non-London)	0	0	0	-	-
98	22.3	Railway tunnels	0	0	0	-	-
98	22.4	Historical railway and tunnel features	0	0	0	-	-
98	22.5	Royal Mail tunnels	0	0	0	-	-



99	22.6	Historical railways	0	0	0	-	-
99	22.7	Railways	0	0	0	-	-
99	22.8	Crossrail 2	0	0	0	0	-
99	22.9	HS2	0	0	0	0	-



Recent aerial photograph



Aerial photography supplied by Getmapping PLC. © Copyright Getmapping PLC 2026. All Rights Reserved.

Capture Date: 22/04/2021

Site Area: 0.23ha



Recent site history - 2018 aerial photograph



Aerial photography supplied by Getmapping PLC. © Copyright Getmapping PLC 2026. All Rights Reserved.

Capture Date: 26/06/2018

Site Area: 0.23ha



Recent site history - 2012 aerial photograph



Aerial photography supplied by Getmapping PLC. © Copyright Getmapping PLC 2026. All Rights Reserved.

Capture Date: 13/09/2012

Site Area: 0.23ha



Recent site history - 2009 aerial photograph



Capture Date: 22/08/2009

Site Area: 0.23ha



Recent site history - 1999 aerial photograph



Capture Date: 29/08/1999

Site Area: 0.23ha



OS MasterMap site plan



Site Area: 0.23ha



[illegible]

— Site Outline

Search buffers in metres (m)

 Historical industrial land uses

 Historical tanks

Records within 500m	11
---------------------	----

Features are displayed on the Past land use map on [page 15 >](#)

ID	Location	Land use	Dates present	Group ID
A	On site	Smithy	1913	2259514

ID	Location	Land use	Dates present	Group ID
A	On site	Smithy	1896	2320502
A	116m E	Smithy	1957	2279438
A	126m E	Smithy	1875	2257724
B	158m E	Unspecified Old Mill	1980	2170914
C	166m SE	Cuttings	1957	2317238
C	167m SE	Cuttings	1896 - 1913	2258961
B	227m E	Disused Windmill	1913	2201738
B	229m E	Windmill	1896	2158980
B	233m E	Flour Windmill	1875	2167431
1	300m NW	Grave Yard	1875	2166239

This data is sourced from Ordnance Survey® / Groundsure.

1.2 Historical tanks

Records within 500m

2

Tank features digitised from historical Ordnance Survey® mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 15 >](#)

ID	Location	Land use	Dates present	Group ID
D	180m W	Unspecified Tank	1993	414591
D	187m W	Unspecified Tank	1974	416687

This data is sourced from Ordnance Survey® / Groundsure.

1.3 Historical energy features

Records within 500m

0

Energy features digitised from historical Ordnance Survey® mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or



succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey® / Groundsure.

1.4 Historical petrol stations

Records within 500m

0

Petrol stations digitised from historical Ordnance Survey® mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey® / Groundsure.

1.5 Historical garages

Records within 500m

0

Garages digitised from historical Ordnance Survey® mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey® / Groundsure.

1.6 Historical military land

Records within 500m

0

Areas of military land digitised from multiple sources including the National Archives, local records, MOD records and verified other sources, intelligently grouped into contiguous features.

This data is sourced from Ordnance Survey® / Groundsure / other sources.

[illegible]

— Site Outline

Search buffers in metres (m)

 Historical industrial land uses

 Historical tanks

Records within 500m	12
---------------------	----

Features are displayed on the Past land use - un-grouped map on [page 18](#) >

ID	Location	Land Use	Date	Group ID
A	On site	Smithy	1913	2259514
A	On site	Smithy	1896	2320502
A	116m E	Smithy	1957	2279438

ID	Location	Land Use	Date	Group ID
A	126m E	Smithy	1875	2257724
B	158m E	Unspecified Old Mill	1980	2170914
C	166m SE	Cuttings	1957	2317238
C	167m SE	Cuttings	1913	2258961
C	167m SE	Cuttings	1896	2258961
B	227m E	Disused Windmill	1913	2201738
B	229m E	Windmill	1896	2158980
B	233m E	Flour Windmill	1875	2167431
1	300m NW	Grave Yard	1875	2166239

This data is sourced from Ordnance Survey® / Groundsure.

2.2 Historical tanks

Records within 500m

2

Tank features digitised from historical Ordnance Survey® mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 18 >](#)

ID	Location	Land Use	Date	Group ID
D	180m W	Unspecified Tank	1993	414591
D	187m W	Unspecified Tank	1974	416687

This data is sourced from Ordnance Survey® / Groundsure.

2.3 Historical energy features

Records within 500m

0

Energy features digitised from historical Ordnance Survey® mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey® / Groundsure.



2.4 Historical petrol stations

Records within 500m

0

Petrol stations digitised from historical Ordnance Survey® mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey® / Groundsure.

2.5 Historical garages

Records within 500m

0

Garages digitised from historical Ordnance Survey® mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey® / Groundsure.



3 Waste and landfill



- Site Outline
- Search buffers in metres (m)
- Waste exemptions

3.1 Active or recent landfill

Records within 500m

0

Active or recently closed landfill sites under Environment Agency/Natural Resources Wales regulation.

This data is sourced from the Environment Agency and Natural Resources Wales.

3.2 Historical landfill (BGS records)

Records within 500m

0

Landfill sites identified on a survey carried out on behalf of the DoE in 1973. These sites may have been closed or operational at this time.

This data is sourced from the British Geological Survey.



3.3 Historical landfill (LA/mapping records)

Records within 500m

0

Landfill sites identified from Local Authority records and high detail historical mapping.

This data is sourced from the Ordnance Survey®/Groundsure and Local Authority records.

3.4 Historical landfill (EA/NRW records)

Records within 500m

0

Known historical (closed) landfill sites (e.g. sites where there is no PPC permit or waste management licence currently in force). This includes sites that existed before the waste licensing regime and sites that have been licensed in the past but where a licence has been revoked, ceased to exist or surrendered and a certificate of completion has been issued.

This data is sourced from the Environment Agency and Natural Resources Wales.

3.5 Historical waste sites

Records within 500m

0

Waste site records derived from Local Authority planning records and high detail historical mapping.

This data is sourced from Ordnance Survey®/Groundsure and Local Authority records.

3.6 Licensed waste sites

Records within 500m

0

Active or recently closed waste sites under Environment Agency/Natural Resources Wales regulation.

This data is sourced from the Environment Agency and Natural Resources Wales.

3.7 Waste exemptions

Records within 500m

1

Activities involving the storage, treatment, use or disposal of waste that are exempt from needing a permit. Exemptions have specific limits and conditions that must be adhered to.

Features are displayed on the Waste and landfill map on [page 21](#) >

ID	Location	Site	Reference	Category	Sub-Category	Description
1	291m NW	Gratwicks House Church Lane Steyning West Sussex Bn44 3ar	EPR/EE5787EU /A001	Disposing of waste exemption	Agricultural waste only	Burning waste in the open



This data is sourced from the Environment Agency and Natural Resources Wales.



4 Current industrial land use



- Site Outline
- Search buffers in metres (m)
- Recent industrial land uses
- Licensed Discharges to controlled waters
- Pollution Incidents (EA/NRW)

4.1 Recent industrial land uses

Records within 250m

1

Current potentially contaminative industrial sites.

Features are displayed on the Current industrial land use map on [page 24](#) >

ID	Location	Company	Address	Activity	Category
1	187m NW	Solar Panels	West Sussex, BN44	Energy Production	Industrial Features

This data is sourced from Ordnance Survey®.



4.2 National Geographic Database (NGD) - Current or recent tanks

Records within 250m**0**

Current or recent tanks identified from the Ordnance Survey® NGD.

This data is sourced from Ordnance Survey®.

4.3 Current or recent petrol stations

Records within 500m**0**

Open, closed, under development and obsolete petrol stations.

This data is sourced from Experian.

4.4 Electricity cables

Records within 500m**0**

High voltage underground electricity transmission cables.

This data is sourced from National Grid.

4.5 Gas pipelines

Records within 500m**0**

High pressure underground gas transmission pipelines.

This data is sourced from National Grid.

4.6 Sites determined as Contaminated Land

Records within 500m**0**

Contaminated Land Register of sites designated under Part 2a of the Environmental Protection Act 1990.

This data is sourced from Local Authority records.

4.7 Control of Major Accident Hazards (COMAH)

Records within 500m**0**

Control of Major Accident Hazards (COMAH) sites. This data includes upper and lower tier sites, and includes a historical archive of COMAH sites and Notification of Installations Handling Hazardous Substances (NIHHS) records.

This data is sourced from the Health and Safety Executive.



4.8 Regulated explosive sites

Records within 500m

0

Sites registered and licensed by the Health and Safety Executive under the Manufacture and Storage of Explosives Regulations 2005 (MSER). The last update to this data was in April 2011.

This data is sourced from the Health and Safety Executive.

4.9 Hazardous substance storage/usage

Records within 500m

0

Consents granted for a site to hold certain quantities of hazardous substances at or above defined limits in accordance with the Planning (Hazardous Substances) Regulations 2015.

This data is sourced from Local Authority records.

4.10 Historical licensed industrial activities (IPC)

Records within 500m

0

Integrated Pollution Control (IPC) records of substance releases to air, land and water. This data represents a historical archive as the IPC regime has been superseded.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.11 Licensed industrial activities (Part A(1))

Records within 500m

0

Records of Part A(1) installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.12 Licensed pollutant release (Part A(2)/B)

Records within 500m

0

Records of Part A(2) and Part B installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

This data is sourced from Local Authority records.

4.13 Radioactive Substance Authorisations

Records within 500m

0

Records of the storage, use, accumulation and disposal of radioactive substances regulated under the Radioactive Substances Act 1993.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.14 Licensed Discharges to controlled waters

Records within 500m

6

Discharges of treated or untreated effluent to controlled waters under the Water Resources Act 1991.

Features are displayed on the Current industrial land use map on [page 24](#) >

ID	Location	Address	Details	
A	66m E	ROSE COTTAGE, ROSE COTTAGE, OPPOSITE "MOLECOMBE", SCHOOL LANE ASHURST, STEYNING WEST SUSSEX	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: P00976 Permit Version: 1 Receiving Water: INTO LAND	Status: LAPSED UNDER SCHEDULE 23 ENVIRONMENT ACT 1995 Issue date: 23/04/1987 Effective Date: 23/04/1987 Revocation Date: 31/03/1997
A	79m E	IVY COTTAGE, IVY COTTAGE, SCHOOL LANE, ASHURST, STEYNING WEST SUSSEX	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: P01981 Permit Version: 1 Receiving Water: INTO LAND	Status: LAPSED UNDER SCHEDULE 23 ENVIRONMENT ACT 1995 Issue date: 07/11/1988 Effective Date: 07/11/1988 Revocation Date: 31/03/1997
B	225m NE	THE FOUNTAIN INN, THE FOUNTAIN INN, ASHURST, WEST SUSSEX	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: P01409L Permit Version: 1 Receiving Water: FRESHWATER STREAM OR RIVER	Status: REVOKED (WRA 91, S88 & SCHED 10 AS AMENDED BY ENV ACT 1995) Issue date: 25/02/1988 Effective Date: 25/02/1988 Revocation Date: 31/03/1997
B	225m NE	THE FOUNTAIN INN, THE FOUNTAIN INN, ASHURST, STEYNING, WEST SUSSEX	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: P06627R Permit Version: 1 Receiving Water: FRESHWATER RIVER	Status: NEW CONSENT (WRA 91, S88 & SCHED 10 AS AMENDED BY ENV ACT 1995) Issue date: 01/04/1997 Effective Date: 01/04/1997 Revocation Date: -



ID	Location	Address	Details	
2	226m SW	ASHURST CHURCH OF ENGLAND SCHOOL, ASHURST CHURCH OF ENGLAND SCHOOL, ASHURST, WEST SUSSEX	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: S01918 Permit Version: 1 Receiving Water: FRESHWATER RIVER	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 03/06/1970 Effective Date: 03/06/1970 Revocation Date: -
3	300m NW	OTTERS COTTAGE, OTTERS COTTAGE	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: S02702 Permit Version: 1 Receiving Water: FRESHWATER RIVER	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 19/10/1982 Effective Date: 19/10/1982 Revocation Date: 28/02/1997

This data is sourced from the Environment Agency and Natural Resources Wales.

4.15 Pollutant release to surface waters (Red List)

Records within 500m

0

Discharges of specified substances under the Environmental Protection (Prescribed Processes and Substances) Regulations 1991.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.16 Pollutant release to public sewer

Records within 500m

0

Discharges of Special Category Effluents to the public sewer.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.17 List 1 Dangerous Substances

Records within 500m

0

Discharges of substances identified on List I of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.



4.18 List 2 Dangerous Substances

Records within 500m

0

Discharges of substances identified on List II of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.19 Pollution Incidents (EA/NRW)

Records within 500m

1

Records of substantiated pollution incidents. Since 2006 this data has only included category 1 (major) and 2 (significant) pollution incidents.

Features are displayed on the Current industrial land use map on [page 24 >](#)

ID	Location	Details	
4	373m NE	Incident Date: 20/03/2002 Incident Identification: 65483 Pollutant: Oils and Fuel Pollutant Description: Diesel	Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)

This data is sourced from the Environment Agency and Natural Resources Wales.

4.20 Pollution inventory substances

Records within 500m

0

The pollution inventory (substances) includes reporting on annual emissions of certain regulated substances to air, controlled waters and land. A reporting threshold for each substance is also included. Where emissions fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

4.21 Pollution inventory waste transfers

Records within 500m

0

The pollution inventory (waste transfers) includes reporting on annual transfers and recovery/disposal of controlled wastes from a site. A reporting threshold for each waste type is also included. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.



4.22 Pollution inventory radioactive waste

Records within 500m


0

The pollution inventory (radioactive wastes) includes reporting on annual releases of radioactive substances from a site, including the means of release. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.



5 Hydrogeology - Superficial aquifer



- Site Outline
- Search buffers in metres (m)
- Principal
 - Secondary A
 - Secondary B
 - Secondary Undifferentiated
 - Unproductive
 - Unknown

5.1 Superficial aquifer

Records within 500m

6

Aquifer status of groundwater held within superficial geology.

Features are displayed on the Hydrogeology map on [page 31](#) >

ID	Location	Designation	Description
1	82m N	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
2	251m SE	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type




ID	Location	Designation	Description
3	322m NE	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
4	326m S	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
5	415m S	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
6	473m SE	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.



Bedrock aquifer



- Site Outline
- Search buffers in metres (m)
- Principal
 - Secondary A
 - Secondary B
 - Secondary Undifferentiated
 - Unproductive

5.2 Bedrock aquifer

Records within 500m

3

Aquifer status of groundwater held within bedrock geology.

Features are displayed on the Bedrock aquifer map on [page 33](#) >

ID	Location	Designation	Description
1	On site	Principal	Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers
2	38m N	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow





ID	Location	Designation	Description
3	349m S	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.



Groundwater vulnerability



5.3 Groundwater vulnerability

Records within 50m

3

An assessment of the vulnerability of groundwater to a pollutant discharged at ground level based on the hydrological, geological, hydrogeological and soil properties within a one kilometre square grid. Groundwater vulnerability is described as High, Medium or Low as follows:

- High - Areas able to easily transmit pollution to groundwater. They are likely to be characterised by high leaching soils and the absence of low permeability superficial deposits.
- Medium - Intermediate between high and low vulnerability.
- Low - Areas that provide the greatest protection from pollution. They are likely to be characterised by low leaching soils and/or the presence of superficial deposits characterised by a low permeability.

Features are displayed on the Groundwater vulnerability map on [page 35](#) >



ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
1	On site	Summary Classification: Principal bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Low Infiltration value: 40-70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Principal Flow mechanism: Well connected fractures
2	26m S	Summary Classification: Principal bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Low Infiltration value: 40-70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Principal Flow mechanism: Well connected fractures
3	38m N	Summary Classification: Unproductive aquifer (may have productive aquifer beneath) Combined classification: Unproductive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Low Infiltration value: 40-70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

5.4 Groundwater vulnerability- soluble rock risk

Records on site

0

This dataset identifies areas where solution features that enable rapid movement of a pollutant may be present within a 1km grid square.

This data is sourced from the British Geological Survey and the Environment Agency.

5.5 Groundwater vulnerability- local information

Records on site

0

This dataset identifies areas where additional local information affecting vulnerability is held by the Environment Agency. Further information can be obtained by contacting the Environment Agency local Area groundwater team through the Environment Agency National Customer Call Centre on 03798 506 506 or by email on enquiries@environment-agency.gov.uk ↗.

This data is sourced from the British Geological Survey and the Environment Agency.



Abstractions and Source Protection Zones



- Site Outline
- Search buffers in metres (m)
- Source Protection Zone 1
Inner catchment
- Source Protection Zone 2
Outer catchment
- Source Protection Zone 3
Total catchment
- Source Protection Zone 4
Zone of Special Interest
- Source Protection Zone 1c
Inner catchment - confined aquifer
- Source Protection Zone 2c
Outer catchment - confined aquifer
- Source Protection Zone 3c
Total catchment - confined aquifer
- Drinking water abstraction licences
Polygon features
- Drinking water abstraction licences
Linear features
- Groundwater abstraction licence (point)
- Groundwater abstraction licence (area)
- Groundwater abstraction licence (linear)
- Surface Water Abstractions (point)
- Surface Water Abstractions (area)
- Surface Water Abstractions (linear)

5.6 Groundwater abstractions

Records within 2000m

1

Licensed groundwater abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, between two points (line data) or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on [page 37](#) >

ID	Location	Details	
-	802m N	Status: Historical Licence No: 10/41/331001 Details: General Farming & Domestic Direct Source: Southern Region Groundwater Point: FORD FARM Data Type: Point Name: Lean Easting: 517710 Northing: 116880	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 24/10/1990 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.7 Surface water abstractions

Records within 2000m

6

Licensed surface water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on [page 37 >](#)

ID	Location	Details	
-	1252m E	Status: Historical Licence No: 10/41/321007 Details: Spray Irrigation - Direct Direct Source: Southern Region Surface Waters Point: RIVER ADUR MAIN RIVER AT EATONS FARM Data Type: Line Name: Nash & Sons Easting: 519200 Northing: 116390	Annual Volume (m ³): 22730 Max Daily Volume (m ³): 386.4 Original Application No: - Original Start Date: 22/11/1976 Expiry Date: - Issue No: 100 Version Start Date: 08/06/2009 Version End Date: -
-	1718m NE	Status: Historical Licence No: 10/41/321007 Details: Spray Irrigation - Direct Direct Source: Southern Region Surface Waters Point: RIVER ADUR WEST BRANCH AT BRIGHTHAMS FARM POINTS C - B Data Type: Line Name: Nash & Sons Easting: 519000 Northing: 117390	Annual Volume (m ³): 22730 Max Daily Volume (m ³): 386.4 Original Application No: - Original Start Date: 22/11/1976 Expiry Date: - Issue No: 100 Version Start Date: 08/06/2009 Version End Date: -



ID	Location	Details	
-	1737m N	Status: Historical Licence No: 23/061 Details: Spray Irrigation - Direct Direct Source: Southern Region Surface Waters Point: LOCKS FARM, REACH E-F, PARTRIDGE GREEN, HONEYBRIDGE STREAM Data Type: Line Name: Ford Easting: 516900 Northing: 117740	Annual Volume (m ³): 15350 Max Daily Volume (m ³): 880 Original Application No: - Original Start Date: 13/10/1994 Expiry Date: - Issue No: 100 Version Start Date: 16/06/2009 Version End Date: -
-	1757m E	Status: Historical Licence No: 10/41/321007 Details: Spray Irrigation - Direct Direct Source: Southern Region Surface Waters Point: RIVER ADUR EAST BRANCH AT BRIGHTHAMS FARM POINTS A - B Data Type: Line Name: Nash & Sons Easting: 520150 Northing: 117960	Annual Volume (m ³): 22730 Max Daily Volume (m ³): 386.4 Original Application No: - Original Start Date: 22/11/1976 Expiry Date: - Issue No: 100 Version Start Date: 08/06/2009 Version End Date: -
-	1782m N	Status: Historical Licence No: 23/061 Details: Spray Irrigation - Direct Direct Source: Southern Region Surface Waters Point: LOCKS FARM REACH C-D, PARTRIDGE GREEN, RIVER ADUR Data Type: Line Name: Ford Easting: 518080 Northing: 118140	Annual Volume (m ³): 15350 Max Daily Volume (m ³): 880 Original Application No: - Original Start Date: 13/10/1994 Expiry Date: - Issue No: 100 Version Start Date: 16/06/2009 Version End Date: -
-	1880m NW	Status: Active Licence No: 23/051 Details: Spray Irrigation - Direct Direct Source: Southern Region Surface Waters Point: POINT A AT HONEYBRIDGE STREAM Data Type: Point Name: Crush Easting: 516080 Northing: 116900	Annual Volume (m ³): 5700 Max Daily Volume (m ³): 250 Original Application No: 169/1092 Original Start Date: 20/05/1992 Expiry Date: - Issue No: 100 Version Start Date: 31/03/2016 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.



5.8 Potable abstractions

Records within 2000m

0

Licensed potable water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

This data is sourced from the Environment Agency and Natural Resources Wales.

5.9 Source Protection Zones

Records within 500m

0

Source Protection Zones define the sensitivity of an area around a potable abstraction site to contamination.

This data is sourced from the Environment Agency and Natural Resources Wales.

5.10 Source Protection Zones (confined aquifer)

Records within 500m

0

Source Protection Zones in the confined aquifer define the sensitivity around a deep groundwater abstraction to contamination. A confined aquifer would normally be protected from contamination by overlying geology and is only considered a sensitive resource if deep excavation/drilling is taking place.

This data is sourced from the Environment Agency and Natural Resources Wales.



6 Hydrology



- Site Outline
- Search buffers in metres (m)
- Water Network (OS MasterMap)
- Surface water features (wider than 5m)
- Surface water features (narrower than 5m)
- ⋯ WFD River, canal and surface water transfer water bodies
- WFD Lake water bodies
- WFD Transitional and coastal water bodies
- WFD Surface water body catchments boundaries
- WFD Groundwater body boundaries

6.1 Water Network (OS MasterMap)

Records within 250m

1

Detailed water network of Great Britain showing the flow and precise central course of every river, stream, lake and canal.

Features are displayed on the Hydrology map on [page 41](#) >

ID	Location	Type of water feature	Ground level	Permanence	Name
A	247m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

This data is sourced from the Ordnance Survey®.



6.2 Surface water features

Records within 250m

1

Covering rivers, streams and lakes (some overlap with OS MasterMap Water Network data in previous section) but additionally covers smaller features such as ponds. Rivers and streams narrower than 5m are represented as a single line. Lakes, ponds and rivers or streams wider than 5m are represented as polygons.

Features are displayed on the Hydrology map on [page 41 >](#)

This data is sourced from the Ordnance Survey®.

6.3 WFD Surface water body catchments

Records on site

2

The Water Framework Directive is an EU-led framework for the protection of inland surface waters, estuaries, coastal waters and groundwater through river basin-level management planning. In terms of surface water, these basins are broken down into smaller units known as management, operational and water body catchments.

Features are displayed on the Hydrology map on [page 41 >](#)

ID	Location	Type	Water body catchment	Water body ID	Operational catchment	Management catchment
1	On site	River	Adur (Lockbridge)	GB107041012200	Adur Upper	Adur and Ouse
2	On site	Coastal Catchment	Not part of a river WB catchment	196	Upper Adur	Adur and Ouse

This data is sourced from the Environment Agency and Natural Resources Wales.

6.4 WFD Surface water bodies

Records identified

1

Surface water bodies under the Directive may be rivers, lakes, estuary or coastal. To achieve the purpose of the Directive, environmental objectives have been set and are reported on for each water body. The progress towards delivery of the objectives is then reported on by the relevant competent authorities at the end of each six-year cycle. The river water body directly associated with the catchment listed in the previous section is detailed below, along with any lake, canal, coastal or artificial water body within 250m of the site. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each water body listed.

Features are displayed on the Hydrology map on [page 41 >](#)



ID	Location	Type	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
-	1622m NE	River	Adur (Lockbridge)	GB107041012200 ↗	Poor	Fail	Poor	2019

This data is sourced from the Environment Agency and Natural Resources Wales.

6.5 WFD Groundwater bodies

Records on site	1
------------------------	----------

Groundwater bodies are also covered by the Directive and the same regime of objectives and reporting detailed in the previous section is in place. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each groundwater body listed.

Features are displayed on the Hydrology map on [page 41](#) >

ID	Location	Name	Water body ID	Overall rating	Chemical rating	Quantitative	Year
3	On site	Lower Greensand Adur & Ouse	GB40701G502400 ↗	Good	Good	Good	2019

This data is sourced from the Environment Agency and Natural Resources Wales.

7 River and coastal flooding

7.1 Risk of flooding from rivers and the sea

Records within 50m

0

The chance of flooding from rivers and/or the sea in any given year, based on cells of 50m within the Risk of Flooding from Rivers and Sea (RoFRaS)/Flood Risk Assessment Wales (FRAW) models. Each cell is allocated one of four flood risk categories, taking into account flood defences and their condition. The risk categories for RoFRaS for rivers and the sea and FRAW for rivers are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 100 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 100 chance) or High (greater than or equal to 1 in 30 chance). The risk categories for FRAW for the sea are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 200 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 200 chance) or High (greater than or equal to 1 in 30 chance).

This data is sourced from the Environment Agency and Natural Resources Wales.

7.2 Historical Flood Events

Records within 250m

0

Records of historic flooding from rivers, the sea, groundwater and surface water. Records began in 1946 when predecessor bodies started collecting detailed information about flooding incidents, although limited details may be included on flooding incidents prior to this date. Takes into account the presence of defences, structures, and other infrastructure where they existed at the time of flooding, and includes flood extents that may have been affected by overtopping, breaches or blockages.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.3 Flood Defences

Records within 250m

0

Records of flood defences owned, managed or inspected by the Environment Agency and Natural Resources Wales. Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

This data is sourced from the Environment Agency and Natural Resources Wales.



7.4 Areas Benefiting from Flood Defences

Records within 250m

0

Areas that would benefit from the presence of flood defences in a 1 in 100 (1%) chance of flooding each year from rivers or 1 in 200 (0.5%) chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.5 Flood Storage Areas

Records within 250m

0

Areas that act as a balancing reservoir, storage basin or balancing pond to attenuate an incoming flood peak to a flow level that can be accepted by the downstream channel or to delay the timing of a flood peak so that its volume is discharged over a longer period.

This data is sourced from the Environment Agency and Natural Resources Wales.



River and coastal flooding - Flood Zones

7.6 Flood Zone 2

Records within 50m

0

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land between Flood Zone 3 (see next section) and the extent of the flooding from rivers or the sea with a 1 in 1000 (0.1%) chance of flooding each year.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.7 Flood Zone 3

Records within 50m



0

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land with a 1 in 100 (1%) or greater chance of flooding each year from rivers or a 1 in 200 (0.5%) or greater chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.



8 Surface water flooding



8.1 Surface water flooding

Highest risk on site

Negligible

Highest risk within 50m

1 in 250 year, 0.1m - 0.3m

Ambiental Risk Analytics surface water (pluvial) FloodMap identifies areas likely to flood as a result of extreme rainfall events, i.e. land naturally vulnerable to surface water ponding or flooding. This data set was produced by simulating 1 in 30 year, 1 in 100 year, 1 in 250 year and 1 in 1,000 year rainfall events. Modern urban drainage systems are typically built to cope with rainfall events between 1 in 20 and 1 in 30 years, though some older ones may flood in a 1 in 5 year rainfall event.

Features are displayed on the Surface water flooding map on [page 47 >](#)

The data shown on the map and in the table above shows the highest likelihood of flood events happening at the site. Lower likelihood events may have greater flood depths and hence a greater potential impact on a site.



The table below shows the maximum flood depths for a range of return periods for the site.

Return period	Maximum modelled depth
1 in 1000 year	Negligible
1 in 250 year	Negligible
1 in 100 year	Negligible
1 in 30 year	Negligible

This data is sourced from Ambiantal Risk Analytics.



9 Groundwater flooding



9.1 Groundwater flooding

Highest risk on site

Moderate

Highest risk within 50m

Moderate

Groundwater flooding is caused by unusually high groundwater levels. It occurs when the water table rises above the ground surface or within underground structures such as basements or cellars. Groundwater flooding tends to exhibit a longer duration than surface water flooding, possibly lasting for weeks or months, and as a result it can cause significant damage to property. This risk assessment is based on a 1 in 100 year return period and a 5m Digital Terrain Model (DTM).

Features are displayed on the Groundwater flooding map on [page 49](#) >

This data is sourced from Ambiantal Risk Analytics.

10 Environmental designations



- Site Outline
- Search buffers in metres (m)
- Designated Ancient Woodland

10.1 Sites of Special Scientific Interest (SSSI)

Records within 2000m

0

Sites providing statutory protection for the best examples of UK flora, fauna, or geological or physiographical features. Originally notified under the National Parks and Access to the Countryside Act 1949, SSSIs were re-notified under the Wildlife and Countryside Act 1981. Improved provisions for the protection and management of SSSIs were introduced by the Countryside and Rights of Way Act 2000 (in England and Wales) and (in Scotland) by the Nature Conservation (Scotland) Act 2004 and the Wildlife and Natural Environment (Scotland) Act 2010.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.2 Conserved wetland sites (Ramsar sites)

Records within 2000m**0**

Ramsar sites are designated under the Convention on Wetlands of International Importance, agreed in Ramsar, Iran, in 1971. They cover all aspects of wetland conservation and wise use, recognizing wetlands as ecosystems that are extremely important for biodiversity conservation in general and for the well-being of human communities. These sites cover a broad definition of wetland; marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, and even some marine areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.3 Special Areas of Conservation (SAC)

Records within 2000m**0**

Areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.4 Special Protection Areas (SPA)

Records within 2000m**0**

Sites classified by the UK Government under the EC Birds Directive, SPAs are areas of the most important habitat for rare (listed on Annex I to the Directive) and migratory birds within the European Union.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.5 National Nature Reserves (NNR)

Records within 2000m**0**

Sites containing examples of some of the most important natural and semi-natural terrestrial and coastal ecosystems in Great Britain. They are managed to conserve their habitats, provide special opportunities for scientific study or to provide public recreation compatible with natural heritage interests.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.6 Local Nature Reserves (LNR)

Records within 2000m

0

Sites managed for nature conservation, and to provide opportunities for research and education, or simply enjoying and having contact with nature. They are declared by local authorities under the National Parks and Access to the Countryside Act 1949 after consultation with the relevant statutory nature conservation agency.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.7 Designated Ancient Woodland

Records within 2000m

20

Ancient woodlands are classified as areas which have been wooded continuously since at least 1600 AD. This includes semi-natural woodland and plantations on ancient woodland sites. 'Wooded continuously' does not mean there is or has previously been continuous tree cover across the whole site, and not all trees within the woodland have to be old.

Features are displayed on the Environmental designations map on [page 50 >](#)

ID	Location	Name	Woodland Type
1	621m S	Lowerbarn Wood	Ancient & Semi-Natural Woodland
2	971m N	Unknown	Ancient & Semi-Natural Woodland
3	1016m S	Unknown	Ancient Replanted Woodland
4	1115m SW	Unknown	Ancient & Semi-Natural Woodland
A	1128m S	Unknown	Ancient Replanted Woodland
A	1130m S	Calcot Wood	Ancient Replanted Woodland
5	1200m NW	Unknown	Ancient & Semi-Natural Woodland
-	1318m S	Unknown	Ancient & Semi-Natural Woodland
-	1443m W	Unknown	Ancient & Semi-Natural Woodland
8	1464m SW	Unknown	Ancient & Semi-Natural Woodland
-	1732m S	Unknown	Ancient & Semi-Natural Woodland
-	1767m S	Unknown	Ancient & Semi-Natural Woodland
-	1781m W	Unknown	Ancient & Semi-Natural Woodland
-	1790m SW	Unknown	Ancient Replanted Woodland
-	1804m W	Unknown	Ancient & Semi-Natural Woodland
-	1804m SW	Unknown	Ancient & Semi-Natural Woodland



ID	Location	Name	Woodland Type
-	1815m S	Unknown	Ancient Replanted Woodland
-	1824m S	Unknown	Ancient Replanted Woodland
-	1833m S	Huddleston Wood	Ancient & Semi-Natural Woodland
-	1878m SW	Spithandle Wood	Ancient & Semi-Natural Woodland

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.8 Biosphere Reserves

Records within 2000m

0

Biosphere Reserves are internationally recognised by UNESCO as sites of excellence to balance conservation and socioeconomic development between nature and people. They are recognised under the Man and the Biosphere (MAB) Programme with the aim of promoting sustainable development founded on the work of the local community.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.9 Forest Parks

Records within 2000m

0

These are areas managed by the Forestry Commission designated on the basis of recreational, conservation or scenic interest.

This data is sourced from the Forestry Commission.

10.10 Marine Conservation Zones

Records within 2000m

0

A type of marine nature reserve in UK waters established under the Marine and Coastal Access Act (2009). They are designated with the aim to protect nationally important, rare or threatened habitats and species.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.11 Green Belt

Records within 2000m

0

Areas designated to prevent urban sprawl by keeping land permanently open.

This data is sourced from the Ministry of Housing, Communities and Local Government.



10.12 Proposed Ramsar sites

Records within 2000m

0

Ramsar sites are areas listed as a Wetland of International Importance under the Convention on Wetlands of International Importance especially as Waterfowl Habitat (the Ramsar Convention) 1971. The sites here supplied have a status of 'Proposed' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.13 Possible Special Areas of Conservation (pSAC)

Records within 2000m

0

Special Areas of Conservation are areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive. Those sites supplied here are those with a status of 'Possible' having been identified for potential adoption under the framework.

This data is sourced from Natural England and Natural Resources Wales.

10.14 Potential Special Protection Areas (pSPA)

Records within 2000m

0

Special Protection Areas (SPAs) are areas designated (or 'classified') under the European Union Wild Birds Directive for the protection of nationally and internationally important populations of wild birds. Those sites supplied here are those with a status of 'Potential' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.15 Nitrate Sensitive Areas

Records within 2000m

0

Areas where nitrate concentrations in drinking water sources exceeded or was at risk of exceeding the limit of 50 mg/l set by the 1980 EC Drinking Water Directive. Voluntary agricultural measures as a means of reducing the levels of nitrate were introduced by DEFRA as MAFF, with payments being made to farmers who complied. The scheme was started as a pilot in 1990 in ten areas, later implemented within 32 areas. The scheme was closed to further new entrants in 1998, although existing agreements continued for their full term. All Nitrate Sensitive Areas fell within the areas designated as Nitrate Vulnerable Zones (NVZs) in 1996 under the EC Nitrate Directive (91/676/EEC).

This data is sourced from Natural England.



10.16 Nitrate Vulnerable Zones

Records within 2000m

1


Areas at risk from agricultural nitrate pollution designated under the EC Nitrate Directive (91/676/EEC). These are areas of land that drain into waters polluted by nitrates. Farmers operating within these areas have to follow mandatory rules to tackle nitrate loss from agriculture.

Location	Name	Type	NVZ ID	Status
1622m NE	Adur East (Sakeham) NVZ	Surface Water	522	Existing

This data is sourced from Natural England and Natural Resources Wales.



SSSI Impact Zones and Units



- Site Outline
- Search buffers in metres (m)
- SSSI Impact Risk Zones
- SSSI Units
- Not recorded
- Favourable
- Unfavourable - Recovering
- Unfavourable - No change
- Unfavourable - Declining
- Partially destroyed
- Destroyed

10.17 SSSI Impact Risk Zones

Records on site

2

Developed to allow rapid initial assessment of the potential risks to SSSIs posed by development proposals. They define zones around each SSSI which reflect the particular sensitivities of the features for which it is notified and indicate the types of development proposal which could potentially have adverse impacts.

Features are displayed on the SSSI Impact Zones and Units map on [page 56 >](#)

ID	Location	Type of developments requiring consultation
1	On site	https://irz.geodata.org.uk/IRZ/step2.html?irzcode=0303000000050&notes=&location=518253,116118%20(IRZ%20polygon%20centre)
2	On site	https://irz.geodata.org.uk/IRZ/step2.html?irzcode=0303000500050&notes=&location=520370,114590%20(IRZ%20polygon%20centre)



This data is sourced from Natural England.

10.18 SSSI Units

Records within 2000m


0

Divisions of SSSIs used to record management and condition details. Units are the smallest areas for which Natural England gives a condition assessment, however, the size of units varies greatly depending on the types of management and the conservation interest.

This data is sourced from Natural England and Natural Resources Wales.



11 Visual and cultural designations



- Site Outline
- Search buffers in metres (m)
- Listed buildings
- Conservation areas
- Conservation areas - no data
- National Parks
- Areas of Outstanding Natural Beauty
- Registered parks and gardens
- Scheduled Monuments
- World Heritage Sites

11.1 World Heritage Sites

Records within 250m

0

Sites designated for their globally important cultural or natural interest requiring appropriate management and protection measures. World Heritage Sites are designated to meet the UK's commitments under the World Heritage Convention.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.2 Area of Outstanding Natural Beauty

Records within 250m**0**

Areas of Outstanding Natural Beauty (AONB) are conservation areas, chosen because they represent 18% of the finest countryside. Each AONB has been designated for special attention because of the quality of their flora, fauna, historical and cultural associations, and/or scenic views. The National Parks and Access to the Countryside Act of 1949 created AONBs and the Countryside and Rights of Way Act, 2000 added further regulation and protection. There are likely to be restrictions to some developments within these areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

11.3 National Parks

Records within 250m**0**

In England and Wales, the purpose of National Parks is to conserve and enhance landscapes within the countryside whilst promoting public enjoyment of them and having regard for the social and economic well-being of those living within them. In Scotland National Parks have the additional purpose of promoting the sustainable use of the natural resources of the area and the sustainable social and economic development of its communities. The National Parks and Access to the Countryside Act 1949 established the National Park designation in England and Wales, and The National Parks (Scotland) Act 2000 in Scotland.

This data is sourced from Natural England, Natural Resources Wales and the Scottish Government.

11.4 Listed Buildings

Records within 250m**4**

Buildings listed for their special architectural or historical interest. Building control in the form of 'listed building consent' is required in order to make any changes to that building which might affect its special interest. Listed buildings are graded to indicate their relative importance, however building controls apply to all buildings equally, irrespective of their grade, and apply to the interior and exterior of the building in its entirety, together with any curtilage structures.

Features are displayed on the Visual and cultural designations map on [page 58 >](#)

ID	Location	Name	Grade	Reference Number	Listed date
1	148m E	Granary Cottage	II	1191885	09/05/1980
2	202m E	The Fountain Inn	II	1027457	09/05/1980
3	205m W	Former Schoolmaster's House At Ashurst Primary School	II	1191869	09/05/1980
4	219m W	Gratwicks	II	1191840	09/05/1980

This data is sourced from Historic England, Cadw and Historic Environment Scotland.



11.5 Conservation Areas

Records within 250m

0

Local planning authorities are obliged to designate as conservation areas any parts of their own area that are of special architectural or historic interest, the character and appearance of which it is desirable to preserve or enhance. Designation of a conservation area gives broader protection than the listing of individual buildings. All the features within the area, listed or otherwise, are recognised as part of its character. Conservation area designation is the means of recognising the importance of all factors and of ensuring that planning decisions address the quality of the landscape in its broadest sense.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.6 Scheduled Ancient Monuments

Records within 250m

0

A scheduled monument is an historic building or site that is included in the Schedule of Monuments kept by the Secretary of State for Digital, Culture, Media and Sport. The regime is set out in the Ancient Monuments and Archaeological Areas Act 1979. The Schedule of Monuments has c.20,000 entries and includes sites such as Roman remains, burial mounds, castles, bridges, earthworks, the remains of deserted villages and industrial sites. Monuments are not graded, but all are, by definition, considered to be of national importance.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.7 Registered Parks and Gardens


Records within 250m

0

Parks and gardens assessed to be of particular interest and of special historic interest. The emphasis being on 'designed' landscapes, rather than on planting or botanical importance. Registration is a 'material consideration' in the planning process, meaning that planning authorities must consider the impact of any proposed development on the special character of the landscape.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

12 Agricultural designations



- Site Outline
- Search buffers in metres (m)
- Grade 1 - excellent quality
- Grade 2 - very good quality
- Grade 3 - good to moderate quality
- Grade 3a - good quality
- Grade 3b - moderate quality
- Grade 4 - poor quality
- Grade 5 - very poor quality
- Non-agricultural land
- Urban land
- Exclusion land
- Tree felling licences
- Open Access land

© Crown copyright and database rights 2026. Ordnance Survey® licence AC0000824534

12.1 Agricultural Land Classification

Records within 250m

1

Classification of the quality of agricultural land taking into consideration multiple factors including climate, physical geography and soil properties. It should be noted that the categories for the grading of agricultural land are not consistent across England, Wales and Scotland.

Features are displayed on the Agricultural designations map on [page 61](#) >

ID	Location	Classification	Description
1	On site	Grade 3	Good to moderate quality agricultural land. Land with moderate limitations which affect the choice of crops, timing and type of cultivation, harvesting or the level of yield. Where more demanding crops are grown yields are generally lower or more variable than on land in Grades 1 and 2.

This data is sourced from Natural England.



12.2 Open Access Land

Records within 250m

1

The Countryside and Rights of Way Act 2000 (CROW Act) gives a public right of access to land without having to use paths. Access land includes mountains, moors, heaths and downs that are privately owned. It also includes common land registered with the local council and some land around the England Coast Path. Generally permitted activities on access land are walking, running, watching wildlife and climbing.

Features are displayed on the Agricultural designations map on [page 61](#) >

ID	Location	Name	Classification	Other relevant legislation
2	216m NE	Bines Green	Section 4 Conclusive Registered Common Land	-

This data is sourced from Natural England and Natural Resources Wales.

12.3 Tree Felling Licences

Records within 250m

0

Felling Licence Application (FLA) areas approved by Forestry Commission England. Anyone wishing to fell trees must ensure that a licence or permission under a grant scheme has been issued by the Forestry Commission before any felling is carried out or that one of the exceptions apply.

This data is sourced from the Forestry Commission.

12.4 Environmental Stewardship Schemes

Records within 250m

1

Environmental Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. The schemes identified may be historical schemes that have now expired, or may still be active.

Location	Reference	Scheme	Start Date	End date
243m W	AG00521796	Entry Level Stewardship	01/10/2013	30/09/2018

This data is sourced from Natural England.



12.5 Countryside Stewardship Schemes

Records within 250m**1**


Countryside Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. Main objectives are to improve the farmed environment for wildlife and to reduce diffuse water pollution.

Location	Reference	Scheme	Start Date	End Date
250m E	1440242	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027

This data is sourced from Natural England.



13 Habitat designations



- Site Outline
- Search buffers in metres (m)
- Priority Habitat Inventory
- Open Mosaic Habitat
- Limestone Pavement Orders
- Habitat Networks
- Primary Habitat
- Restorable Habitat
- Associated Habitats
- Habitat Restoration-Creation
- Network Enhancement Zone 1
- Network Enhancement Zone 2

13.1 Priority Habitat Inventory

Records within 250m

7

Habitats of principal importance as named under Natural Environment and Rural Communities Act (2006) Section 41.

Features are displayed on the Habitat designations map on [page 64](#) >

ID	Location	Main Habitat	Other habitats
1	71m W	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
2	167m NW	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
3	185m W	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
4	209m NW	No main habitat but additional habitats present	Main habitat: DWOOD (INV > 50%)



ID	Location	Main Habitat	Other habitats
5	243m W	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
6	247m W	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
7	248m W	Deciduous woodland	Main habitat: DWOOD (INV > 50%)

This data is sourced from Natural England.

13.2 Habitat Networks

Records within 250m

0

Habitat networks for 18 priority habitat networks (based primarily, but not exclusively, on the priority habitat inventory) and areas suitable for the expansion of networks through restoration and habitat creation.

This data is sourced from Natural England.

13.3 Open Mosaic Habitat

Records within 250m

0

Sites verified as Open Mosaic Habitat. Mosaic habitats are brownfield sites that are identified under the UK Biodiversity Action Plan as a priority habitat due to the habitat variation within a single site, supporting an array of invertebrates.

This data is sourced from Natural England.

13.4 Limestone Pavement Orders

Records within 250m

0

Limestone pavements are outcrops of limestone where the surface has been worn away by natural means over millennia. These rocks have the appearance of paving blocks, hence their name. Not only do they have geological interest, they also provide valuable habitats for wildlife. These habitats are threatened due to their removal for use in gardens and water features. Many limestone pavements have been designated as SSSIs which affords them some protection. In addition, Section 34 of the Wildlife and Countryside Act 1981 gave them additional protection via the creation of Limestone Pavement Orders, which made it a criminal offence to remove any part of the outcrop. The associated Limestone Pavement Priority Habitat is part of the UK Biodiversity Action Plan priority habitat in England.

This data is sourced from Natural England.



14 Geology 1:10,000 scale - Availability



— Site Outline
Search buffers in metres (m)

- Full coverage
- Partial coverage
- No coverage

14.1 10k Availability

Records within 500m

1

An indication on the coverage of 1:10,000 scale geology data for the site, the most detailed dataset provided by the British Geological Survey. Either 'Full', 'Partial' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:10,000 scale - Availability map on [page 66](#) >

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	No coverage	Full	Full	No coverage	TQ11NE

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Artificial and made ground

14.2 Artificial and made ground (10k)

Records within 500m


0

Details of made, worked, infilled, disturbed and landscaped ground at 1:10,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Superficial



Site Outline

Search buffers in metres (m)

Landslip (10k)

Superficial geology (10k)
Please see table for more details.

14.3 Superficial geology (10k)

Records within 500m

6

Superficial geological deposits at 1:10,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:10,000 scale - Superficial map on [page 68](#) >

ID	Location	LEX Code	Description	Rock description
1	91m N	HEAD-XCZS	Head-Clay, Silt And Sand	Clay, silt and sand
2	246m SE	HEAD-XCZS	Head-Clay, Silt And Sand	Clay, silt and sand
3	318m NE	HEAD-XCZS	Head-Clay, Silt And Sand	Clay, silt and sand
4	334m S	ALV-XCZSV	Alluvium-Clay, Silt, Sand And Gravel	Clay, silt, sand and gravel

ID	Location	LEX Code	Description	Rock description
5	403m S	HEAD-XCZS	Head-Clay, Silt And Sand	Clay, silt and sand
6	466m E	AD2-XZSV	River Terrace Deposits, 2 (Adur)-Silt, Sand And Gravel	Silt, sand and gravel

This data is sourced from the British Geological Survey.

14.4 Landslip (10k)

Records within 500m


0

Mass movement deposits on BGS geological maps at 1:10,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Bedrock



— Site Outline

Search buffers in metres (m)

.... Bedrock faults and other linear features (10k)

Bedrock geology (10k)
Please see table for more details.

14.5 Bedrock geology (10k)

Records within 500m

3

Bedrock geology at 1:10,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:10,000 scale - Bedrock map on [page 70 >](#)

ID	Location	LEX Code	Description	Rock age
1	On site	LGS-SLSST	Lower Greensand Group-Silty Sandstone	Aptian
2	60m N	WC-MDST	Weald Clay Formation-Mudstone	Hauterivian
4	376m S	WC-SDST	Weald Clay Formation-Sandstone	Hauterivian

This data is sourced from the British Geological Survey.



14.6 Bedrock faults and other linear features (10k)

Records within 500m

1

Linear features at the ground or bedrock surface at 1:10,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

Features are displayed on the Geology 1:10,000 scale - Bedrock map on [page 70 >](#)

ID	Location	Category	Description
3	253m N	FAULT	Fault, inferred, displacement unknown

This data is sourced from the British Geological Survey.



15 Geology 1:50,000 scale - Availability



- Site Outline
- Search buffers in metres (m)
- ☐ Geological map tile

15.1 50k Availability

Records within 500m

1

An indication on the coverage of 1:50,000 scale geology data for the site. Either 'Full' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:50,000 scale - Availability map on [page 72](#) >

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	Full	Full	Full	Full	EW318_333_brighton_and_worthing_v4

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Artificial and made ground

15.2 Artificial and made ground (50k)

Records within 500m

0

Details of made, worked, infilled, disturbed and landscaped ground at 1:50,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

This data is sourced from the British Geological Survey.

15.3 Artificial ground permeability (50k)

Records within 50m


0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any artificial deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Superficial



— Site Outline
Search buffers in metres (m)

 Landslip (50k)

Superficial geology (50k)
Please see table for more details.

© Crown copyright and database rights 2026. Ordnance Survey® licence AC0000824534

15.4 Superficial geology (50k)

Records within 500m

6

Superficial geological deposits at 1:50,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:50,000 scale - Superficial map on [page 74 >](#)

ID	Location	LEX Code	Description	Rock description
1	82m N	HEAD-XCZSV	Head	Clay, silt, sand and gravel
2	251m SE	HEAD-XCZSV	Head	Clay, silt, sand and gravel



ID	Location	LEX Code	Description	Rock description
3	322m NE	HEAD-XCZSV	Head	Clay, silt, sand and gravel
4	326m S	ALV-XCZSV	Alluvium	Clay, silt, sand and gravel
5	415m S	HEAD-XCZSV	Head	Clay, silt, sand and gravel
6	473m SE	AD2-XSV	River Terrace Deposits, 2 (Adur)	Sand and gravel

This data is sourced from the British Geological Survey.

15.5 Superficial permeability (50k)

Records within 50m 0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any superficial deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.

15.6 Landslip (50k)

Records within 500m 0

Mass movement deposits on BGS geological maps at 1:50,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.

15.7 Landslip permeability (50k)


Records within 50m 0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any landslip deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Bedrock



— Site Outline

Search buffers in metres (m)

.... Bedrock faults and other linear features (50k)

Bedrock geology (50k)
Please see table for more details.

15.8 Bedrock geology (50k)

Records within 500m

3

Bedrock geology at 1:50,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on [page 76 >](#)

ID	Location	LEX Code	Description	Rock age
1	On site	LGS-SLSST	Lower Greensand Group-Silty sandstone	Aptian
3	38m N	WC-MDST	Weald Clay Formation-Mudstone	Hauterivian
5	349m S	WC-SDST	Weald Clay Formation-Sandstone	Hauterivian

This data is sourced from the British Geological Survey.



15.9 Bedrock permeability (50k)

Records within 50m

2

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of bedrock (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Mixed	Moderate	Moderate
38m N	Fracture	Low	Very Low

This data is sourced from the British Geological Survey.

15.10 Bedrock faults and other linear features (50k)

Records within 500m

2

Linear features at the ground or bedrock surface at 1:50,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on [page 76 >](#)

ID	Location	Category	Description
2	On site	FOLD_AXIS	Axial plane trace of major syncline
4	244m N	FAULT	Fault, inferred, displacement unknown

This data is sourced from the British Geological Survey.



16 Boreholes

16.1 BGS Boreholes

Records within 250m


0

The Single Onshore Boreholes Index (SOBI); an index of over one million records of boreholes, shafts and wells from all forms of drilling and site investigation work held by the British Geological Survey. Covering onshore and nearshore boreholes dating back to at least 1790 and ranging from one to several thousand metres deep.

This data is sourced from the British Geological Survey.



17 Natural ground subsidence - Shrink swell clays



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☐ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

17.1 Shrink swell clays

Records within 50m

2

The potential hazard presented by soils that absorb water when wet (making them swell), and lose water as they dry (making them shrink). This shrink-swell behaviour is controlled by the type and amount of clay in the soil, and by seasonal changes in the soil moisture content (related to rainfall and local drainage).

Features are displayed on the Natural ground subsidence - Shrink swell clays map on [page 79 >](#)

Location	Hazard rating	Details
On site	Negligible	Ground conditions predominantly non-plastic.
38m N	Low	Ground conditions predominantly medium plasticity.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Running sands



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☐ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

17.2 Running sands

Records within 50m

2

The potential hazard presented by rocks that can contain loosely-packed sandy layers that can become fluidised by water flowing through them. Such sands can 'run', removing support from overlying buildings and causing potential damage.

Features are displayed on the Natural ground subsidence - Running sands map on [page 80](#) >


Location	Hazard rating	Details
On site	Very low	Running sand conditions are unlikely. No identified constraints on land use due to running conditions unless water table rises rapidly.

Location	Hazard rating	Details
38m N	Negligible	Running sand conditions are not thought to occur whatever the position of the water table. No identified constraints on lands use due to running conditions.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Compressible deposits



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☐ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

17.3 Compressible deposits

Records within 50m

1

The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.


Features are displayed on the Natural ground subsidence - Compressible deposits map on [page 82 >](#)

Location	Hazard rating	Details
On site	Negligible	Compressible strata are not thought to occur.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Collapsible deposits



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☒ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

© Crown copyright and database rights 2026. Ordnance Survey® licence AC0000824534

17.4 Collapsible deposits

Records within 50m

1

The potential hazard presented by natural deposits that could collapse when a load (such as a building) is placed on them or they become saturated with water.


Features are displayed on the Natural ground subsidence - Collapsible deposits map on [page 83 >](#)

Location	Hazard rating	Details
On site	Very low	Deposits with potential to collapse when loaded and saturated are unlikely to be present.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Landslides



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☒ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

17.5 Landslides

Records within 50m

1

The potential for landsliding (slope instability) to be a hazard assessed using 1:50,000 scale digital maps of superficial and bedrock deposits, combined with information from the BGS National Landslide Database and scientific and engineering reports.


Features are displayed on the Natural ground subsidence - Landslides map on [page 84](#) >

Location	Hazard rating	Details
On site	Very low	Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Ground dissolution of soluble rocks



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☐ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

17.6 Ground dissolution of soluble rocks

Records within 50m

1

The potential hazard presented by ground dissolution, which occurs when water passing through soluble rocks produces underground cavities and cave systems. These cavities reduce support to the ground above and can cause localised collapse of the overlying rocks and deposits.

Features are displayed on the Natural ground subsidence - Ground dissolution of soluble rocks map on [page 85](#)

Location	Hazard rating	Details
On site	Negligible	Soluble rocks are either not thought to be present within the ground, or not prone to dissolution. Dissolution features are unlikely to be present.



This data is sourced from the British Geological Survey.



18 Mining and ground workings



- Site Outline
- Search buffers in metres (m)
- BritPits
- Surface ground workings
- Underground workings
- Underground mining extents
- Historical mineral planning areas
- TCA non-coal mining
- Non Coal Mining
- Sporadic underground mining of restricted extent possible
- Localised small scale underground mining possible
- Small scale mining possible
- Underground mining known or likely within or in close proximity
- Underground mining known within or in very close proximity

18.1 BritPits

Records within 500m

0

BritPits (an abbreviation of British Pits) is a database maintained by the British Geological Survey of currently active and closed surface and underground mineral workings. Details of major mineral handling sites, such as wharfs and rail depots are also held in the database.

This data is sourced from the British Geological Survey.

18.2 Surface ground workings

Records within 250m

3

Historical land uses identified from Ordnance Survey® mapping that involved ground excavation at the surface. These features may or may not have been subsequently backfilled.

Features are displayed on the Mining and ground workings map on [page 87 >](#)

ID	Location	Land Use	Year of mapping	Mapping scale
A	166m SE	Cuttings	1957	1:10560
A	167m SE	Cuttings	1913	1:10560
A	167m SE	Cuttings	1896	1:10560

This is data is sourced from Ordnance Survey®/Groundsure.

18.3 Underground workings

Records within 1000m

0

Historical land uses identified from Ordnance Survey® mapping that indicate the presence of underground workings e.g. mine shafts.

This is data is sourced from Ordnance Survey®/Groundsure.

18.4 Underground mining extents

Records within 500m

0

This data identifies underground mine workings that could present a potential risk, including adits and seam workings. These features have been identified from BGS Geological mapping and mine plans sourced from the BGS and various collections and sources.

This data is sourced from Groundsure.

18.5 Historical Mineral Planning Areas

Records within 500m

0

Boundaries of mineral planning permissions for England and Wales. This data was collated between the 1940s (and retrospectively to the 1930s) and the mid 1980s. The data includes permitted, withdrawn and refused permissions.

This data is sourced from the British Geological Survey.



18.6 Non-coal mining

Records within 1000m

2

The potential for historical non-coal mining to have affected an area. The assessment is drawn from expert knowledge and literature in addition to the digital geological map of Britain. Mineral commodities may be divided into seven general categories - vein minerals, chalk, oil shale, building stone, bedded ores, evaporites and 'other' commodities (including ball clay, jet, black marble, graphite and chert).

Features are displayed on the Mining and ground workings map on [page 87 >](#)

ID	Location	Name	Commodity	Class	Likelihood
1	On site	Not available	Sand	A	Underground mine workings are uncommon, although the geology is similar to that worked elsewhere. Potential for difficult ground conditions are unlikely and are at a level where they need not be considered.
2	38m N	Not available	Iron Ore	B	Underground mine workings may have occurred in the past or current mines may be working at significant depth to modern engineering standards. Potential for difficult ground conditions are unlikely and are at a level where they need not be considered.

This data is sourced from the British Geological Survey.

18.7 JPB mining areas

Records on site

0

Areas which could be affected by former coal and other mining. This data includes some mine plans unavailable to the Coal Authority.

This data is sourced from Johnson Poole and Bloomer.

18.8 The Coal Authority non-coal mining

Records within 500m

0

This data provides an indication of the potential zone of influence of recorded underground non-coal mining workings. Any and all analysis and interpretation of Coal Authority Data in this report is made by Groundsure, and is in no way supported, endorsed or authorised by the Coal Authority. The use of the data is restricted to the terms and provisions contained in this report. Data reproduced in this report may be the copyright of the Coal Authority and permission should be sought from Groundsure prior to any re-use.

This data is sourced from The Coal Authority.



18.9 Researched mining

Records within 500m**0**

This data indicates areas of potential mining identified from alternative or archival sources, including; BGS Geological paper maps, Lidar data, aerial photographs (from World War II onwards), archaeological data services, websites, Tithe maps, and various text/plans from collected books and reports. Some of this data is approximate and Groundsure have interpreted the resultant risk area and, where possible, specific areas of risk have been captured.

This data is sourced from Groundsure.

18.10 Mining record office plans

Records within 500m**0**

This dataset is representative of Mining Record Office and/or plan extents held by Groundsure and should be considered approximate. Where possible, plans have been located and any specific areas of risk they depict have been captured.

This data is sourced from Groundsure.

18.11 BGS mine plans

Records within 500m**0**

This dataset is representative of BGS mine plans held by Groundsure and should be considered approximate. Where possible, plans have been located and any specific areas of risk they depict have been captured.

This data is sourced from Groundsure.

18.12 Coal mining

Records on site**0**

Areas which could be affected by past, current or future coal mining.

This data is sourced from the Coal Authority.

18.13 Brine areas

Records on site**0**

The Cheshire Brine Compensation District indicates areas that may be affected by salt and brine extraction in Cheshire and where compensation would be available where damage from this mining has occurred. Damage from salt and brine mining can still occur outside this district, but no compensation will be available.

This data is sourced from the Cheshire Brine Subsidence Compensation Board.



18.14 Gypsum areas

Records on site	0
-----------------	---

Generalised areas that may be affected by gypsum extraction.

This data is sourced from British Gypsum.

18.15 Tin mining

Records on site	0
-----------------	---

Generalised areas that may be affected by historical tin mining.

This data is sourced from Groundsure.

18.16 Clay mining

Records on site	0
-----------------	---

Generalised areas that may be affected by kaolin and ball clay extraction.

This data is sourced from the Kaolin and Ball Clay Association (UK).



19 Ground cavities and sinkholes

19.1 Natural cavities

Records within 500m

0

Industry recognised national database of natural cavities. Sinkholes and caves are formed by the dissolution of soluble rock, such as chalk and limestone, gulls and fissures by cambering. Ground instability can result from movement of loose material contained within these cavities, often triggered by water.

This data is sourced from Stantec UK Ltd.

19.2 Mining cavities

Records within 1000m

0

Industry recognised national database of mining cavities. Degraded mines may result in hazardous subsidence (crown holes). Climatic conditions and water escape can also trigger subsidence over mine entrances and workings.

This data is sourced from Stantec UK Ltd.

19.3 Reported recent incidents

Records within 500m

0

This data identifies sinkhole information gathered from media reports and Groundsure's own records. This data goes back to 2014 and includes relative accuracy ratings for each event and links to the original data sources. The data is updated on a regular basis and should not be considered a comprehensive catalogue of all sinkhole events. The absence of data in this database does not mean a sinkhole definitely has not occurred during this time.

This data is sourced from Groundsure.

19.4 Historical incidents

Records within 500m

0

This dataset comprises an extract of 1:10,560, 1:10,000, 1:2,500 and 1:1,250 scale historical Ordnance Survey® maps held by Groundsure, dating back to the 1840s. It shows shakeholes, deneholes and other 'holes' as noted on these maps. Dene holes are medieval chalk extraction pits, usually comprising a narrow shaft with a number of chambers at the base of the shaft. Shakeholes are an alternative name for suffusion sinkholes, most commonly found in the limestone landscapes of North Yorkshire but also extensively noted around the Brecon Beacons National Park.



Not all 'holes' noted on Ordnance Survey® mapping will necessarily be present within this dataset.



This data is sourced from Groundsure.



20 Radon



20.1 Radon

Records on site

1

The Radon Potential data classifies areas based on their likelihood of a property having a radon level at or above the Action Level in Great Britain. The dataset is intended for use at 1:50,000 scale and was derived from both geological assessments and indoor radon measurements (more than 560,000 records). A minimum 50m buffer should be considered when searching the maps, as the smallest detectable feature at this scale is 50m. The findings of this section should supersede any estimations derived from the Indicative Atlas of Radon in Great Britain (1:100,000 scale).

Features are displayed on the Radon map on [page 94](#) >

Location	Estimated properties affected	Radon Protection Measures required
On site	Less than 1%	None



This data is sourced from the British Geological Survey and UK Health Security Agency.



21 Soil chemistry

21.1 BGS Estimated Background Soil Chemistry

Records within 50m

4

The estimated values provide the likely background concentration of the potentially harmful elements Arsenic, Cadmium, Chromium, Lead and Nickel in topsoil. The values are estimated primarily from rural topsoil data collected at a sample density of approximately 1 per 2 km². In areas where rural soil samples are not available, estimation is based on stream sediment data collected from small streams at a sampling density of 1 per 2.5 km²; this is the case for most of Scotland, Wales and southern England. The stream sediment data are converted to soil-equivalent concentrations prior to the estimation.

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
26m S	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
26m S	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
38m N	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg

This data is sourced from the British Geological Survey.

21.2 BGS Estimated Urban Soil Chemistry

Records within 50m

0

Estimated topsoil chemistry of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc and bioaccessible Arsenic and Lead in 23 urban centres across Great Britain. These estimates are derived from interpolation of the measured urban topsoil data referred to above and provide information across each city between the measured sample locations (4 per km²).

This data is sourced from the British Geological Survey.



21.3 BGS Measured Urban Soil Chemistry

Records within 50m

0

The locations and measured total concentrations (mg/kg) of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc in urban topsoil samples from 23 urban centres across Great Britain. These are collected at a sample density of 4 per km².

This data is sourced from the British Geological Survey.



22 Railway infrastructure and projects

22.1 Underground railways (London)

Records within 250m**0**

Details of all active London Underground lines, including approximate tunnel roof depth and operational hours.

This data is sourced from publicly available information by Groundsure.

22.2 Underground railways (Non-London)

Records within 250m**0**

Details of the Merseyrail system, the Tyne and Wear Metro and the Glasgow Subway. Not all parts of all systems are located underground. The data contains location information only and does not include a depth assessment.

This data is sourced from publicly available information by Groundsure.

22.3 Railway tunnels

Records within 250m**0**

Railway tunnels taken from contemporary Ordnance Survey® mapping.

This data is sourced from the Ordnance Survey®.

22.4 Historical railway and tunnel features

Records within 250m**0**

Railways and tunnels digitised from historical Ordnance Survey® mapping as scales of 1:1,250, 1:2,500, 1:10,000 and 1:10,560.

This data is sourced from Ordnance Survey®/Groundsure.

22.5 Royal Mail tunnels

Records within 250m**0**

The Post Office Railway, otherwise known as the Mail Rail, is an underground railway running through Central London from Paddington Head District Sorting Office to Whitechapel Eastern Head Sorting Office. The line is 10.5km long. The data includes details of the full extent of the tunnels, the depth of the tunnel, and the depth to track level.



This data is sourced from Groundsure/the Postal Museum.

22.6 Historical railways

Records within 250m

0

Former railway lines, including dismantled lines, abandoned lines, disused lines, historic railways and razed lines.

This data is sourced from OpenStreetMap.

22.7 Railways

Records within 250m

0

Currently existing railway lines, including standard railways, narrow gauge, funicular, trams and light railways.

This data is sourced from Ordnance Survey® and OpenStreetMap.

22.8 Crossrail 2

Records within 500m

0

Crossrail 2 is a proposed railway linking the national rail networks in Surrey and Hertfordshire via an underground tunnel through London.

This data is sourced from publicly available information by Groundsure.

22.9 HS2

Records within 500m

0

HS2 is a proposed high speed rail network running from London to Manchester and Leeds via Birmingham. Main civils construction on Phase 1 (London to Birmingham) of the project began in 2019, and it is currently anticipated that this phase will be fully operational by 2026. Construction on Phase 2a (Birmingham to Crewe) is anticipated to commence in 2021, with the service fully operational by 2027. Construction on Phase 2b (Crewe to Manchester and Birmingham to Leeds) is scheduled to begin in 2023 and be operational by 2033.

This data is sourced from HS2 Ltd.

Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information. To find out who they are and their areas of expertise see <https://www.groundsure.com/sources-reference> ↗.

Terms and conditions

Groundsure's Terms and Conditions can be accessed at this link: www.groundsure.com/terms-and-conditions-april-2023/ ↗.



Site details:

BATTS COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY

Client ref:

P17700

Report ref:

GS-UP3-DL8-KVJ-GS7

Grid ref:

517789.68, 116054.02

Production date:

31 March 2026

Map name:

County Series

Map date:

1875

Scale:


1:2,500

Printed at:

1:2,500

Date: 1875
Surveyed: 1875
Revised: 1875

Contact us with any questions at:
info@groundsure.com
01273 257 755




Site details:	BATTS COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY
Client ref:	P17700
Report ref:	GS-UP3-DL8-KVJ-GS7
Grid ref:	517789.68, 116054.02
Production date:	31 March 2026

Map name:	County Series
Map date:	1897
Scale:	1:2,500
Printed at:	1:2,500



Date: 1897
Surveyed: 1897
Revised: 1897

Contact us with any questions at:
info@groundsure.com
01273 257 755




Site details: BATTs COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY
Client ref: P17700
Report ref: GS-UP3-DL8-KVJ-GS7
Grid ref: 517789.68, 116054.02
Production date: 31 March 2026

Map name: County Series
Map date: 1911
Scale: 1:2,500
Printed at: 1:2,500



Date: 1911
Surveyed: 1911
Revised: 1911

Contact us with any questions at:
info@groundsure.com
01273 257 755



Site details: BATTS COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY

Client ref: P17700

Report ref: GS-UP3-DL8-KVJ-GS7

Grid ref: 517789.68, 116054.02

Production date: 31 March 2026

Map name: National Grid

Map date: 1974

Scale: 1:2,500

Printed at: 1:2,500




Date: 1974	Date: 1974 Surveyed: 1973 Revised: 1973 Copyright: 1974 Levelled: 1966
Date: 1974 Surveyed: 1973 Revised: 1973 Copyright: 1974 Levelled: 1966	Date: 1974 Surveyed: 1973 Revised: 1973 Copyright: 1974 Levelled: 1966

Contact us with any questions at:

info@groundsure.com

01273 257 755



Map legend available at:
knowledge.groundsure.com/hubfs/groundsure_legend.pdf

Site details: BATTs COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY

Client ref: P17700

Report ref: GS-UP3-DL8-KVJ-GS7

Grid ref: 517789.68, 116054.02

Production date: 31 March 2026

Map name: National Grid

Map date: 1974

Scale: 1:2,500

Printed at: 1:2,500




Date: 1974
 Surveyed: 1973
 Revised: 1973
 Copyright: 1974
 Levelled: 1966

Date: 1974

Contact us with any questions at:

info@groundsure.com

01273 257 755



Site details: BATTS COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY

Client ref: P17700

Report ref: GS-UP3-DL8-KVJ-GS7

Grid ref: 517789.68, 116054.02

Production date: 31 March 2026

Map name: National Grid

Map date: 1993


Scale: 1:2,500

Printed at: 1:2,500



Date: 1993 Surveyed: 1993 Copyright: 1993	Date: 1993 Copyright: 1993
Date: 1993 Copyright: 1993	Date: 1993 Copyright: 1993

Contact us with any questions at:
info@groundsure.com
 01273 257 755



Site details: BATTI COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY
Client ref: P17700
Report ref: GS-UP3-DL8-KVJ-GS7
Grid ref: 517789.68, 116054.02
Production date: 31 March 2026

Map name: National Grid
Map date: 1995
Scale: 1:2,500
Printed at: 1:2,500




Date: 1995
Surveyed: 1995
Revised: 1995
Copyright: 1995

Date: 1995
Copyright: 1995

Date: 1995

Contact us with any questions at:
info@groundsure.com
01273 257 755




Site details: BATTS COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY
Client ref: P17700
Report ref: GS-UP3-DL8-KVJ-GS7
Grid ref: 517789.68, 116054.02
Production date: 31 March 2026

Map name: National Grid
Map date: 1995
Scale: 1:2,500
Printed at: 1:2,500



Date: 1995
 Copyright: 1995
 Date: 1995
 Surveyed: 1995
 Revised: 1995
 Copyright: 1995
 Date: 1995
 Surveyed: 1995
 Copyright: 1995

Contact us with any questions at:
info@groundsure.com
 01273 257 755



Site details:

Client ref:

Report ref:

Grid ref:

Production date:

BATTS COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY

P17700

GS-UP3-DL8-KVJ-GS7

517789.68, 116054.02

31 March 2026

Map name:

Map date:

Scale:

Printed at:

LandLine

2003

1:1,250

1:1,250

N


W


E

S

Date: 2003

Contact us with any questions at:
info@groundsure.com
01273 257 755





Site details:	BATTS COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY
Client ref:	P17700
Report ref:	GS-UP3-DL8-KVJ-GS7
Grid ref:	517789.68, 116054.02
Production date:	31 March 2026

Map name:	County Series
Map date:	1875
Scale:	1:10,560
Printed at:	1:10,560



Date: 1875
Surveyed: 1875
Revised: 1875

Date: 1875
Surveyed: 1875
Revised: 1875

Contact us with any questions at:
info@groundsurre.com
 01273 257 755


Site details: BATTs COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY
Client ref: P17700
Report ref: GS-UP3-DL8-KVJ-GS7
Grid ref: 517789.68, 116054.02
Production date: 31 March 2026

Map name: County Series
Map date: 1896
Scale: 1:10,560
Printed at: 1:10,560



Date: 1896
Surveyed: 1875
Revised: 1896

Contact us with any questions at:
info@groundsure.com
01273 257 755



Site details: BATTs COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY
Client ref: P17700
Report ref: GS-UP3-DL8-KVJ-GS7
Grid ref: 517789.68, 116054.02
Production date: 31 March 2026


Map name: County Series
Map date: 1913-1914
Scale: 1:10,560
Printed at: 1:10,560




Date: 1913
Surveyed: 1875
Revised: 1913

Date: 1914
Surveyed: 1874
Revised: 1914

Contact us with any questions at:
info@groundsure.com
01273 257 755





Site details:	BATTS COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY
Client ref:	P17700
Report ref:	GS-UP3-DL8-KVJ-GS7
Grid ref:	517789.68, 116054.02
Production date:	31 March 2026

Map name:	Provisional
Map date:	1957
Scale:	1:10,560
Printed at:	1:10,560



Date: 1957
Surveyed: 1957
Revised: 1957

Date: 1957
Surveyed: 1875
Revised: 1957

Contact us with any questions at:
info@groundsurre.com
 01273 257 755

Site details: BATTS COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY

Client ref: P17700

Report ref: GS-UP3-DL8-KVJ-GS7

Grid ref: 517789.68, 116054.02

Production date: 31 March 2026

Map name: National Grid

Map date: 1976-1980

Scale: 1:10,000

Printed at: 1:10,000




Date: 1980
Surveyed: 1973
Revised: 1980

Date: 1976
Surveyed: 1971
Revised: 1976

Contact us with any questions at:

info@groundsure.com

01273 257 755




Site details: BATTS COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY
Client ref: P17700
Report ref: GS-UP3-DL8-KVJ-GS7
Grid ref: 517789.68, 116054.02
Production date: 31 March 2026

Map name: National Grid
Map date: 2001
Scale: 1:10,000
Printed at: 1:10,000



Contact us with any questions at:
info@groundsure.com
01273 257 755



Site details: BATTS COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY

Client ref: P17700

Report ref: GS-UP3-DL8-KVJ-GS7

Grid ref: 517789.68, 116054.02

Production date: 31 March 2026

Map name: National Grid


Map date: 2010

Scale: 1:10,000

Printed at: 1:10,000



Contact us with any questions at:
info@groundsure.com
 01273 257 755



Map legend available at:
knowledge.groundsure.com/hubfs/groundsure_legend.pdf

Site details: BATTS COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY
Client ref: P17700
Report ref: GS-UP3-DL8-KVJ-GS7
Grid ref: 517789.68, 116054.02
Production date: 31 March 2026


Map name: National Grid
Map date: 2015
Scale: 1:10,000
Printed at: 1:10,000



Date: 2015

Date: 2015

Contact us with any questions at:
info@groundsure.com
01273 257 755



Site details:	BATTS COTTAGE, SCHOOL LANE, ASHURST, WEST SUSSEX, BN44 3AY
Client ref:	P17700
Report ref:	GS-UP3-DL8-KVJ-GS7
Grid ref:	517789.68, 116054.02
Production date:	31 March 2026

Map name:	National Grid
Map date:	2025
Scale:	1:10,000
Printed at:	1:10,000



Date: 2025
Date: 2025

Contact us with any questions at:
info@groundsure.com
01273 257 755

