
From: FRS Water and Access <FRSWaterandAccess@westsussex.gov.uk>
Sent: 09 June 2026 13:49
To: Planning
Subject: RE: Planning Application Consultation - DC/26/0322 Steyning Grammar Upper School Shooting Field Steyning West Sussex BN44 3RX

Categories: Consultations

FAO: Matthew Porter

Dear Matthew,

Having viewed the updated drawing for the fire tank the new measurement to each building is now measured along the hose lay route which seems to indicate most buildings are within 90m, however some buildings to the north of the tank are unclear.

The plan shows once again shows fire appliance access to most buildings on site, but buildings to the north do not indicate fire appliance access to the required distance.

Regards
Ian

Ian Stocks

Water & Access Manager - Protection
West Sussex Fire & Rescue Service

Web www.westsussex.gov.uk/fire

Email frswaterandaccess@westsussex.gov.uk

Bognor Regis Fire Station, West Meads Drive, West Sussex, PO21 5TB

From: planning@horsham.gov.uk <planning@horsham.gov.uk>
Sent: 09 June 2026 09:52
To: FRS Water and Access <FRSWaterandAccess@westsussex.gov.uk>
Subject: Planning Application Consultation - DC/26/0322

****EXTERNAL****

Please see the attached consultation letter from Horsham District Council for the attention of
COUNTY FIRE OFFICER Re:DC/26/0322

Disclaimer

IMPORTANT NOTICE This e-mail might contain privileged and/or confidential information. If you have received this e-mail in error, please notify the sender and delete the e-mail immediately; you may not use or pass it to anyone else. Whilst every care has been taken to check this outgoing e-mail for viruses, it is your responsibility to carry out checks upon receipt. Horsham

District Council does not accept liability for any damage caused. E-mail transmission cannot guarantee to be secure or error free. This e-mail does not create any legal relations, contractual or otherwise. Any views or opinions expressed are personal to the author and do not necessarily represent those of Horsham District Council. This Council does not accept liability for any unauthorised/unlawful statement made by an employee. Information in this e mail may be subject to public disclosure in accordance with the law. Horsham District Council cannot guarantee that it will not provide this e mail to a third party. The Council reserves the right to monitor e-mails in accordance with the law. If this e-mail message or any attachments are incomplete or unreadable, please telephone 01403 215100 or e-mail customer.services@horsham.gov.uk. Any reference to "e-mail" in this disclaimer includes any attachments.

This email has been scanned for viruses and malware, and may have been automatically archived by **Mimecast Ltd.**

CAUTION: This email originated from outside of the organisation. Do not click links or open attachments unless you recognise the sender and know the content is safe.

LEGAL DISCLAIMER

This email and any attachments are confidential and intended solely for the persons addressed. If it has come to you in error please reply to advise us but you should not read it, copy it, show it to anyone else nor make any other use of its content. West Sussex County Council takes steps to ensure emails and attachments are virus-free but you should carry out your own checks before opening any attachment.
