





DETAIL 01
TYPICAL PITCHED ROOF WINDOW
SPECIFY HERITAGE CONSERVATION VELUX
Scale 1:10



DETAIL 22
INSULATED EXTERNAL WALL
Scale 1:5



DETAIL 09
TYPICAL WALL & FLOOR SLAB DETAIL
Scale 1:5



Extend cavity tray at least 25mm beyond end of cavity closer and cover the ends of the lintel


Lintel to extend beyond opening at each end by at least 150mm

Provide DPC under stub sill


Extend vertical DPC up to lintel and turn back towards inner leaf

Provide vertical DPC's at jambs either separate or combined as part of a proprietary cavity closer


DETAIL 08
TYPICAL WINDOW DETAIL
Scale 1:5




DETAIL 05
INSULATED FLOOR DETAIL
Scale 1:5



DETAIL 13
TYPICAL WARM FLAT ROOF (U Value 0.15 w/m²k)
Scale 1:5



DETAIL 21
EXTERNAL PAVING
Scale 1:5



DETAIL 18
ROOF LANTERN UPSTAND DETAIL
Scale 1:5

Note:
All levels and dimensions are to be checked on site.
This drawing is to be read in conjunction with all relevant consultants' requirements, drawings and specifications.
Any discrepancies between consultants' drawings to be reported to the Contract Administrator before any relevant work commences.

Copyright: 2025 Eye For Detail Architects ©

1:5 0 0.1 0.2 0.3 0.4 0.5

1:10 0 0.25 0.5 0.75 1

PREVIOUS APPROVED PLANNING
DC/25/0492 & DC/25/0491 - MATERIALS CONDITIONS

Becky Morris
Causeway Lodge, 10 The Causeway
Horsham, W. Sussex, RH12 1HE

Proposed - Single Storey Rear Extension/Remodeling

CONSTRUCTION DETAILS 1

Scale	Job	Dwg	Rev
1:5; 1:10	4156/COND	AD18	.

Eye For Detail ARCHITECTS
Oakwood House
North Heath Lane
Horsham
W. Sussex
RH12 5PJ
T: 01403 211868
Mob: 07540787365
info@efdarchitects.co.uk
info@efdarchitects.com
www.efdarchitects.co.uk