


Left Flank

0 1 2 3 4 5
SCALE 1-100 AT A1


Front Elevation

Right Flank

Rear Elevation




ROOF PLAN



GROUND FLOOR

0 1 2 3 4 5
SCALE 1-50 AT A1



FIRST FLOOR

FD20 DOORS ○
DOORS AS INDICATED WITH INTUMESCENT STRIP OR 25mm PLANTED STOPS. DOORS TO BE FITTED WITH 3№ FIRE RATED HINGES.

SMOKE DETECTORS (DS)
MAINS OPERATED SMOKE DETECTORS LOCATED ON EACH, INTERLINKED AND WITH BATTERY BACK-UP DETECTORS TO BE LOCATED WITHIN 3m OF BEDROOM DOORS.

No.	DATE	REVISIONS

CLIENTS MUST TAKE THEIR OWN ASSURANCES ON
1. Soil conditions including gradient of land.
2. Suitability of storm water drainage.
3. Position of main sewer (if applicable)
4. Trees and their effect on foundation design

WE CANNOT BE RESPONSIBLE FOR ANY ADDITIONAL BUILDING COST FOR PROBLEMS CAUSED BY THE ABOVE OR OTHER PROBLEMS RELATED TO A PARTICULAR SITE.

EXTENSIONS ARE SUBJECT TO REVISION DEPENDING ON EXISTING STRUCTURE AS EXPOSED. ALL DIMENSIONS TO BE CHECKED ON SITE.

COPYRIGHT This design is the copyright of Glyn Doughty Design and may not be reproduced without written consent.

Glyn Doughty Design
25 VICARAGE HILL
WESTERHAM
KENT TN16 1TL
TEL. WESTERHAM (01959) 562723
E-MAIL:
Planning glyn.doughty@outlook.com

CLIENT Mr & Mrs J. Lane

Extension and alterations to
32 Depot Road,
Horsham. RH13 5HD
FLOOR PLANS, ELEVATIONS
(Proposed)

SCALE 1-100 1-50

DRAWN G.T.D DATE 27 Dec 24

DRAWING No. LJ2405-02 revision