
From: Kendra.Barrington
Sent: 29 June 2026 16:57
To: Bethan.Tinning
Cc: Planning
Subject: FW: Planning Application Consultation - DC/26/0838
Attachments: ufm5_Environmental_Health_Consultation_Sheet.pdf

Categories: Consultations

Good afternoon,

Having reviewed the foul drainage maintenance and management plan submitted on 24 June 2026, I am satisfied with the level of detail provided.

Kindest regards

Kendra

Kendra Barrington
Environmental Health Practitioner



Horsham District Council, Albery House, Springfield Road, Horsham, West Sussex RH12 2GB
Telephone: 01403 215100 (calls may be recorded) www.horsham.gov.uk Chief Executive: Jane Eaton



From: Planning [REDACTED]
Sent: 24 June 2026 13:00
To: eh.planningconsultation [REDACTED]
Subject: Planning Application Consultation - DC/26/0838

Please see the attached consultation letter from Horsham District Council Re:DC/26/0838

Telephone:

Email: planning@horsham.gov.uk



**Horsham
District
Council**

Horsham District Council, Albery House, Springfield Road, Horsham, West Sussex RH12 2GB

Telephone: 01403 215100 (calls may be recorded) www.horsham.gov.uk Chief Executive: Jane Eaton