

**Proposed dwelling at Taintfield Farm, Kings
Lane off Kent Street, Cowfold, West Sussex,
RH13 8BD**



**Energy & Sustainability
Statement**

24th February 2026

Report produced by -

Ian Bacon
Director
Blewburton Limited
23 St Martins Street
Wallingford
Oxfordshire
OX10 0AL

Tel: 01491 825337

E-mail: ian.bacon@blewburton.com

Web: www.blewburton.com

Contents

1.0	Introduction	4
2.0	Proposed Approach to Sustainability.....	6
3.0	Energy Conservation and Carbon Emissions.....	7
4.0	Water Resource Management.....	9
5.0	Flood Risk & Surface Water Management.....	11
6.0	Ecology & Biodiversity	12
7.0	Waste & Pollution	14
8.0	Materials Selection and Sustainable Construction Methods.....	15
9.0	Future Needs.....	16
10.0	Summary	17

1.0 Introduction

- 1.1 Blewburton Limited has been commissioned to prepare a Sustainability Statement to support the application for planning permission for the construction of a new dwelling to be used as a holiday let.
- 1.2 As licensed BREEAM, Home Quality Mark, Code for Sustainable Homes and energy assessors of several years standing, Blewburton Limited has considerable expertise in all issues of sustainability.
- 1.3 The proposed scheme at Taintfield Farm, Kings Lane off Kent Street, Cowfold, West Sussex, RH13 8BD will see the construction of a 2-bedroom bungalow.
- 1.4 The application site comprises an area of 0.163ha, it forms part of the wider Taintfield Farm site. It currently consists of a range of dilapidated stable and barn structures all of which are in very poor condition and a mobile home located to the south of the stables.
- 1.5 Taintfield Farm is located on the north side of Kings Lane, to the east of the village of Cowfold and to the south of the A272. The site can be accessed via Kings Lane to the south of the site. The existing site area and location is shown in the aerial photo in Figure 1, with the proposed site location plan shown in Figure 2 and the proposed eastern elevation of the dwelling in Figure 3.



Figure 1: Aerial photo of site location and area




Figure 2: Site location plan




Figure 3: East elevation of the proposed dwelling

2.0 Proposed Approach to Sustainability

2.1 This statement sets out the approach that the applicant is proposing to adopt to ensure that the proposal meets high standards of sustainability. The report includes a discussion of the full range of sustainability issues as shown below:

- Energy & carbon emissions;
- Water conservation;
- Flood risk & surface water management;
- Ecology & biodiversity;
- Waste & pollution;
- Materials selection and sustainable construction methods;
- Future needs.

3.0 Energy Conservation and Carbon Emissions

- 3.1 It is recognised that the generation of energy to heat, light and cool buildings is responsible for approximately half of the total CO₂ emissions of the UK. Part L of the Building Regulations requires a minimum standard of energy efficiency in new development and refurbishments, however, it is the intention with this development to go beyond this.
- 3.2 As a first step in dealing with carbon emissions arising from energy use within buildings it is important to consider designing in energy efficiency measures as part of the construction of the buildings as these will be difficult to retrofit in the future and this will also reduce the amount of energy required by a building. This is known as being 'lean' in the energy hierarchy.
- 3.3 Reduction of heat loss is a key element of this and it is proposed that insulation within floors, roofs and walls will exceed the minimum standards required under Part L1 (Conservation of Fuel and Power) of the Building Regulations, as will the U-values for glazing and doors.
- 3.4 U-values attained for similar projects suggest the following is realistic for this proposed development –
- Ground floors – 0.11 (Part L compliance is 0.18)
 - External walls – 0.21 (Part L compliance is 0.26)
 - Roofs – 0.10 (Part L compliance is 0.16)
 - Windows and doors – 1.4 double glazed, g-value 0.63 (Part L compliance is 1.4)
- 3.5 An airtight building will also play a major part in the reduction of heat loss via the external envelope. Accordingly, an improvement on the minimum Building Regulations requirement for building air permeability rate within the building will be sought, with an initial target of 3.00m³/hm² (@50Pa) or lower being the intention (Part L requires a maximum target of 8.00m³/hm² (@50Pa).
- 3.6 Attention will also be paid to the designing out of non-repeat thermal bridges and this will involve the use of a standard such as Recognised Construction Details. It is increasingly recognised that as standards of insulation improve, this issue, in conjunction with air leakage, plays a vital role in the energy efficiency of a building and getting both right at design stage and ensuring they are then implemented during construction is considered to be important for this development.
- 3.7 The heating and hot water requirement for the proposed dwelling will be supplied by an Air Source Heat Pump (ASHP) to underfloor heating, with full time and temperature zone controls, meaning energy is only used as and where required. This technology is a recognised low and zero carbon option and will become increasingly more carbon efficient as the UK electricity grid becomes 'greener'.

- 3.8 The use of passive solar design has been considered and where possible good levels of glazing have been designed into the proposals to allow for natural light penetration. Where artificial light is required, the focus will be on the provision of the energy efficient lighting systems as appropriate to locational requirements.
- 3.9 The option to utilise solar energy technologies has also been considered – thermal for water heating and photovoltaics (PV) for electricity generation (see images below) – with the conclusion that PV is the more logical technology to install as it can provide the larger carbon offset. Whilst not currently in the specification, this will be reviewed further if/when planning permission is granted as there is plenty of appropriately angled, unshaded roof space available.



Figures 4 & 5: Solar thermal and solar PV installations on roofs

- 3.10 When modelled on Elmhurst SAP software, the specification outlined above sees the dwelling exceed minimum Part L1 of the Building Regulations requirements by 54.23%. This is a significant uplift and reflects well on the proactive approach to this issue proposed.
- 3.11 Not all energy use is controlled by the Building Regulations and with this in mind, all 'White Goods' supplied – fridge-freezer, washing machine and dishwasher – will be rated as minimum 'A' under the EU Energy Labelling Scheme and attention will be paid to the energy specification of all electrical equipment to be installed within the dwellings.
- 3.12 Finally, an OWL "Standalone" Electricity Monitor will be installed to allow the householders to monitor and understand their electricity consumption – see image, right. The monitor shows consumption or cost per hour (or kwh if preferred) and has a CO₂ equivalent reading too. Because the monitor is wireless and portable, the householder can easily walk around the house and observe, by switching on and off, how much energy particular devices are using. They can also see the overall consumption by day / week / month and compare periods to see if savings have been made.



Figure 6: Image of OWL monitor

4.0 Water Resource Management

- 4.1 The UK has a poor record in being profligate with its abundant water resource and the South-East of England is recognised as suffering from water stress, therefore, on this site only water efficient products will be specified.
- 4.2 The actual specifications of the water using products are yet to be confirmed, however, the following specification is suggested as realistic for this type of development and an assessment of the efficiency of the building's domestic water-consuming components has been undertaken using the Building Research Establishment's water calculator.
- 4.3 The water consumption (L/person/day) for the proposed dwelling shows a figure of 100.6l/p/d with the following proposed specification (which is below the 125.00l/p/d required by Part G of the Building Regulations):
- Dual 6.0/3.0 litre flush WCs;
 - Shower average flow rates of 8.0L/min;
 - Basin average tap flow rates of 3.0L/min;
 - Kitchen tap average flow rates of 6.0L/min;
 - Bath average overflow capacities of 165 litres;
 - Water efficient washing machine (5.50L per kg dry load) and dishwasher (0.9L per place setting).
- 4.4 Should a more generous specification for internal water using products be decided upon, then thought will be given to the installation of grey-water harvesting systems, such as the EcoPlay unit, pictured below, however, rainwater harvesting will not be utilised for internal water use as the carbon footprint arising from the pumps involved with such a system is heavy and it is more efficient to specify the low flush WCs detailed above in 4.3.



Figures 7 & 8: External rainwater harvesting butt & EcoPlay unit above WC

- 4.5 Externally, a rainwater harvesting butt will be provided along with an external tap for use in the garden and for car washing to each property.
- 4.6 The provision of water meters is also recognised as an important tool in reducing water usage and in a domestic context they can encourage people to monitor and reduce their water consumption by an average of 10% to 15%. Therefore, the dwellings will have an individual, easily accessible water meter installed as part of their specification.

5.0 Flood Risk & Surface Water Management

- 5.1 The Environment Agency (EA) Flood Mapping for the area shows the site is not located within an area considered to be at risk from flooding – see <https://check-long-term-flood-risk.service.gov.uk/map?easting=522625&northing=121842&map=SurfaceWater>




Figure 9: Flood risk map from the EA for the area

- 5.2 SUDS options will be employed as far as is possible and for roof drainage, traditional concrete ring soakaways (if applicable) will be designed to cater for a 1 in 100-year rainfall event with an additional 30% for climate change, without any resultant surface flooding. An alternative design using geo-cellular soakaways may also be suitable and will be further investigated if/when planning permission is granted.
- 5.4 All hard paved areas are to be constructed from permeable surface to allow runoff to freely drain to ground via infiltration, such as that shown below in Figure 10.



Figure 10: Typical permeable paving solution

6.0 Ecology & Biodiversity

- 6.1 A Preliminary Ecological Appraisal (PEA) has been undertaken for the site by Arun Ecology Ltd and this work informs the approach required with regards ecology and biodiversity for this site.
- 6.2 The PEA states that in the main the site comprises the building to be converted, which is surrounded by hardstanding with gravel on top, with areas of sparsely vegetated urban land was recorded on the western, southeastern and northeastern boundaries. No trees are present. Images of the site from ground level are shown below in Figures 11 & 12.



Figure 11: View of the site from the south-east corner

- 6.3 The proposed development will involve the removal of the sparsely vegetated urban land and its replacement, along with some of the hardstanding, with enhanced landscaping to deliver parking, private access and a garden area to the proposed dwelling.



Figure 12: Rear view of the barn

- 6.4 The PEA identifies a range of potential impacts on local fauna and accordingly covers a range of protection measures for the site with these and all requirements and recommendations within the PEA will be implemented in full and as detailed by the ecologist author.
- 6.5 A number of specific recommendations have been made in the report for ecological enhancement and these will also be adopted in full and include:
- Installation of appropriately located bat and bird boxes;
 - Installation of appropriately located hedgehog homes on the boundaries of the site;
 - A BNG assessment for the development within the development boundary to ensure the development is compliant with the legislation and national planning policy requirements.

7.0 Waste & Pollution

- 7.1 Waste arising from the construction process has been an area of focus for some years now, with the industry making good strides in re-use and reduction of materials, which not only helps the environment, it also engenders significant cost savings to developers.
- 7.2 With this in mind, the appointed contractor for the scheme will be encouraged to develop a site waste management plan (SWMP) prior to the start of construction reflecting the recognition that reduction of waste begins in the design and ordering stage of a project and carries on through to the sign-off of the building. This SWMP will set targets and procedures for the sorting, reusing and recycling of construction waste into defined waste groups, either on site or through a licensed contractor.
- 7.3 The generation of waste does not stop at the end of the construction process and adequate provision will be supplied to the proposed dwelling, both internally and externally, to allow for the sorting of general waste from recyclable materials.
- 7.4 Provision for composting of food waste arising from the kitchen will also be supplied in the form of a compost cone to the exterior, along with information on how to successfully compost, to further reduce waste streams arising from the new dwelling.
- 7.5 Pollution can occur in various guises and attempts will be made to design out or mitigate against a number of issues identified below.
- 7.6 At the construction stage there can potentially be noise nuisance for neighbouring properties and all contractors will be made aware of and expected to comply with policies to prevent this issue. They will also be expected to have and operate policies to facilitate against air and water pollution from their activities and to have procedures in place should an accident occur.
- 7.7 Light pollution will be countered by the use of external lighting which only involves energy efficient fittings, daylight detectors and angling/capping to prevent unnecessary glare.

8.0 Materials Selection and Sustainable Construction Methods

- 8.1 This precise material specification for this project is yet to be confirmed, however, for new materials there is a commitment to ensure they score as highly as possible in the Building Research Establishment's Green Guide to specification – see Figure 13 below.
- 8.2 In addition, wherever possible, all building and finishing materials will be sought from local suppliers and manufacturers registered to an environmental management scheme such as FSC, BES6001, ISO14001 or EMAS. This will ensure that the materials have been sourced from suppliers certified as ethical and responsible as far into the supply chain as possible.
- 8.3 All insulation materials selected for the building will have a Global Warming Potential of below 5 and where possible be made from natural products.




Figure 13: BRE Green Guide to Specification

- 8.4 Finally, attention will also be paid to materials specified for the internal environment, with a focus on materials/finishes containing low/no volatile organic compounds (VOCs) in an effort to improve the internal environment for occupants as internal air pollution is increasingly recognised as having negative impacts on health.

9.0 Future Needs

- 9.1 All buildings will have a lifetime of several decades, if not centuries, so more than ever it is important that they are flexible in use and adaptable to future occupier needs.
- 9.2 It is felt that the proposed design for this project maximises the useable space within the dwelling, through functional layout, and provides scope to adapt and modify the housing to meet future requirements.
- 9.3 The scheme has also been developed to meet the majority of the Lifetime Homes standards, which ensures a flexible blueprint for accessible and adaptable housing in any setting.
- 9.4 The dwelling will be fully fitted with the latest broadband access technology and fittings will be installed to facilitate home working, for which a generous study area is supplied.
- 9.5 An electric vehicle charging point will be installed, should future occupants have an electric vehicle requirement.

10.0 Summary

- 10.1 In summary, this development incorporates many sustainable features that are consistent with achieving a high level of overall sustainability and once/if planning permission is granted, the developer will consider further options for enhancement, as appropriate.
- 10.2 Areas of strong approach involve the plans for energy and water efficiency (both of which go significantly beyond standard Building Regulations requirements), ecological enhancement and mitigation and the approach to materials and future proofing.

Important Notice - Whilst reasonable steps have been undertaken to ensure that the information contained within this report is correct, you should be aware that the information contained within it may be incomplete, inaccurate or may have become out of date. Accordingly, Blewburton Ltd makes no warranties or representations of any kind as to the content of this report or its accuracy and, to the maximum extent permitted by law, accept no liability whatsoever for the same including, without limit, for direct, in-direct or consequential loss, business interruption, loss of profits, production, contracts, goodwill or anticipated savings. Any person making use of this report does so at their own risk and it is recommended that they seek professional advice from their own advisor whenever appropriate.