

Project:	Land at The Daisy Croft, Henfield							BS 5837 2012 Trees in relation to design, demolition and construction- recommendations	Surveyed by		OH				
Ref:	25-1966-TSS								Weather		Clear				
Date:	01.08.25								Tagged		No				
Client:	Bruckland Developments														
				Canopy Spread											
Tree No.	Species	Height (m)	DBH (mm)	N	E	S	W	Stems	Height of crown clearance	Age class	Physiological condition problems/comments	Structural condition	Preliminary management recommendations	Estimated remaining contribution years	BS category
T1	Abies grandis (Grand Fir)	3	100	1	1	1	1	1	0	Y	Good - Off site.	Good	None	40+	C1
T2	Abies grandis (Grand Fir)	3.5	120	1	1	1	1	1	0	Y	Good - Off site.	Good	None	40+	C1
T3	Sorbus intermedia (Swedish Whitebeam)	3	100	1.5	2	2	2	1	1.5	Y	Good - Off site.	Good	None	40+	C1
T4	Acer davidii (Hankercheif Tree)	4.5	260	2	2	2	2	3	2	MA	Good - Off site.	Good	None	40+	B2
T5	Betula utilis 'Jacquemontii (Himalayan Birch)	7.5	346	3	3	3	3	3	2.5	MA	Good - Off site.	Good	None	40+	B2
T6	Acer platanoides (Norway Maple)	6	320	2.5	3	3	3	2	2.5	MA	Fair - Off site.Minor leaf scorch. Cultivar reversion throughout.	Good	None	40+	C1
T7	Acer platanoides 'Crimson Key' (Norway Maple)	7.5	350	3	4	4	4	1	2	MA	Good - Off site.	Good	None	40+	B2
T8	Salix sp. (Willow sp.)	2.5	100	1.5	1	1	1	1	1.5	MA	Good	Good	None	20-40	C1
T9	Quercus robur (Common Oak)	10	1100	6	6	7	7	1	0.5	MA	Good	Good	None	40+	A1
T10	Quercus robur (Common Oak)	9	1050	7	6	7	5	1	0.5	MA	Good - Ivy on tree.	Good	None	40+	A1
T11	Ilex aquifolium (Holly)	2	80	1	1	1	2	1	0	MA	Fair - Poor shape & form. Suppressed.	Good	None	40+	C1

Project:	Land at The Daisy Croft, Henfield							BS 5837 2012 Trees in relation to design, demolition and construction- recommendations	Surveyed by		OH				
Ref:	25-1966-TSS								Weather		Clear				
Date:	01.08.25								Tagged		No				
Client:	Bruckland Developments														
				Canopy Spread											
Tree No.	Species	Height (m)	DBH (mm)	N	E	S	W	Stems	Height of crown clearance	Age class	Physiological condition problems/comments	Structural condition	Preliminary management recommendations	Estimated remaining contribution years	BS category
T12	Fagus sylvatica (Beech)	4.5	210	2.5	3	3	3	1	1	MA	Good	Good	None	40+	B2
G1	Ilex aquifolium (Holly),Ligustrum ovalifolium (Privet),Prunus laurocerasus (Cherry Laurel),Quercus robur (Common Oak)	3	Varied							Y	Good - boundary group. Off site.	Good	None	40+	C1
G2	Prunus spinosa (Blackthorn)	3	Varied							MA	Good - Off site.	Good	None	40+	C1