



Date: 14 April 2026

Our ref: 15779

Bethan Tinning
Horsham District Council
Parkside,
Chart Way,
Horsham,
West Sussex
RH12 1RL

Thank you for requesting advice on this discharge of condition from Place Services' ecological advice service. This service provides advice to planning officers to inform Horsham District Council planning decisions with regard to potential ecological impacts from development. Any additional information, queries or comments on this advice that the applicant or other interested parties may have, must be directed to the Planning Officer who will seek further advice from us where appropriate and necessary.

Application: DISC/26/0045
Location: Herons Holt Hurston Lane Storrington Pulborough West Sussex
RH20 4HF
Proposal: Approval of details reserved by condition 4 to approved application
DC/25/1464

Thank you for consulting Place Services on the above Discharge of Condition application.

Summary

Condition 4: Recommend discharge

Regulatory Condition: *Within 3 months of the date of the permission hereby granted, a Biodiversity Enhancement Layout for biodiversity enhancements listed in the Ecological Appraisal (Essential Ecology, September 2025) shall be submitted to and approved by the Local Planning Authority. The content of the Biodiversity Enhancement Layout shall include the following:*

- a) detailed designs or product descriptions for biodiversity enhancements; and*
- b) locations, orientations and heights for biodiversity enhancements on appropriate drawings*

The enhancement measures shall be implemented in accordance with the approved details prior to occupation and all features shall be retained in that manner thereafter.

Reason: To enhance protected and Priority species & habitats and allow the LPA to discharge its duties under paragraph 187d of the NPPF 2024 and s40 of the NERC Act 2006 (as amended).

Comments

We have reviewed the Biodiversity Enhancement Layout (Essential Ecology, January 2026), which has been submitted in order to discharge Condition 4.

We are satisfied that the submitted information includes the detail required by this condition.

Recommendation

Subject to implementation in full of the submitted details, we recommend discharge of Condition 4.

Please do not hesitate to contact us if you have any queries in relation to this advice.

Hayley Dean MCIEEM MSc BSc (Hons)

Senior Ecological Consultant

Place Services at Essex County Council

Email: PlaceServicesEcology@essex.gov.uk



Place Services provide ecological advice on behalf of Horsham District Council.

Please note:

- This letter is advisory and should only be considered as the opinion formed by specialist staff in relation to this particular matter.
- We are unable to respond directly to applicants/agents or other interested parties.
- Any additional information, queries or comments on this advice that the applicant/agent or other interested parties may have, must be directed to the Planning Officer at the relevant LPA, who will seek further advice from us where appropriate.