Tree No.	Species	Common name	Height (m)	DBH (mm)	Crown Spread (North)	Crown Spread (East)	Crown Spread (South)
T1	*Thuja plicata*	Western Red Cedar	10	2000+	2	6	6
T2	*Malus spp.*	Apple	3.5	290	1	6	1
T3	*Pyrus communis*	Wild Pear	6	390	0	4	5
T4	*Malus spp.*	Apple	5	365	3	4	4
T5							
G6							
T7							
H8							
T9							
T10							
T11							
T12							
G13							
G14							
T15							
T16							
T17							
T18							
T19							
T20							

T21							
T22							
T23							
T24							
T25							
T26							
T27							
T28							
G29							
T30							
T31							
T32							
T33							
G34							
G35							
T36							
T37							
T38							
T39							
T40							
T41							
G1							
T42							
T43							
T44							
T45							
T46							
T47							

T48							
T49							
T50							
T51							
T52							
T53							
T54							
T55							
T56							
T57							
T58							
T59							
T60							
T61							
T62							
T63							
T64							
T65							
T66							
T67							
T68							
T69							
T70							
T71							
T72							
T73							
T74							
T75							

G2							
T76							
T77							
T78							
T79							
T80							
T81							
T82							
T83							
T85							
T86							
T87							
T88							
T89							
T90							
T91							
T92							
T93							
T94							
T95							
T96							
T97							
T98							
T99							
T100							
T101							
T102							
T103							

T104							
T105							
T106							
T107							
T108							
G2							
G3							
G4							
G5							
G6							
G7							
G8							
G9							

Crown Spread (West)	Crown Height AGL	Root Protection Area Radius (m)	Root Protection Area (m²)	Age	Bat habitat potential?	Condition	Risk	Category
6	1.75 N	15.00	707.00	Over-mature	Low	Fair	Low	C1
0	1 E	3.48	38.05	Mature	Low	Poor	Low	Unclassified
3	1.5 W	4.68	68.81	Mature	Low	Fair	Low	C1
4	2 N	4.38	60.27	Mature	Medium	Fair	Low	C1

Remedial Recommendations	Notes
NWR	Multi-stemmed, with 2 major stems from GL & 5 from approx. 1.5m AGL, all significant diameter. Has recently had 2 significantly-sized scaffolds removed, (fresh pruning cuts), on N side, leaving tree unbalanced. Historically topped, (at 10m).
NWR	Tree has historically failed & collapsed; 3 'pheonix' stems remain
NWR	Multistemmed from GL, (4). Unbalanced crown due to supression from T1
NWR	Bifurcates at approx. 1.5m AGL. Both stems have cavitation at bifurcation point, with significant hollowing internally

	0