

Legend:

- | | |
|---|--|
|  | MAINS COLD WATER OUTLET |
|  | HOT WATER OUTLET |
|  | CAT 5 COLD WATER OUTLET |
|  | ELECTRIC WATER HEATER AS HEATRAE SEDIA MULTIPONT
10 572Hx267Wx252D 3kW G/W 5+2DN/ T1MELOC |
|  | ELECTRIC SHOWER AS MIRA ELITE SE 9.8kW |
|  | WATER LEAK DETECTION SYSTEM |
|  | ZIP HYDRO TAP |
|  | DISH WASHER |
|  | ELECTROMAGNETIC WATER CONDITIONER
CAT 5 BREAK TANK AND BOOSTER SET AS ARROW VALS
MDI BREAK 400Wx255Hx260D. WALL MOUNTED C/W
FROST PROTECTION AND SYSTEM INSULATED COVER |
|  | STOP COCK |
|  | SOLENOID VALVE |
|  | WATER SUB METER |
|  | PIPERISE |
|  | PIPE DROP |
|  | FROM ABOVE |
|  | T/A |
|  | TO BELOW |
|  | PIR |



Notes:

1. DO NOT SCALE THIS DRAWING. ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE STATED.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECT'S STRUCTURAL ENGINEERS AND MBE DRAWINGS AND THE MBE'S SPECIFICATION, SAMPLES SHEET AND ROOM DATA SHEETS.
3. ALL ITEM OF EQUIPMENT SHALL BE INSTALLED AS TO THE MANUFACTURER'S RECOMMENDATIONS.
4. ALL INFORMATION AND ANY DIMENSIONS DETAILED ON THIS DRAWING ARE SUBJECT TO SITE INSPECTION CHECKS.

REVISION	DATE	COMMENTS
P03	16.09.25	Revised layout

PROJECT

Sussex Down
Carehome

CLIENT



Water Services Layout Second Floor

DRAWN BY:	APPROVED BY:	DATE	SCALE - A1
CRA	SPT	04.05.24	1:100
DRAWING NUMBER			REVISION
xxx043RSD S10 021			P03