From: Planning@horsham.gov.uk <Planning@horsham.gov.uk>
Sent: 19 July 2024 10:29:30 UTC+01:00
To: "Planning" <planning@horsham.gov.uk>
Subject: Comments for Planning Application DC/24/0825
Categories: Comments Received

Comments summary

Dear Sir/Madam,

Planning Application comments have been made. A summary of the comments is provided below.

Comments were submitted at 19/07/2024 10:29 AM.

Application Summary

Address:	High Street Steyning West Sussex
Proposal:	Erection of 3 no free standing 6m high columns with 5 no WiFi Wireless Access Points.
Case Officer:	Bethan Tinning

Click for further information

Customer Details

Address:	Downsview, 34 Shooting Field Steyning

Comments Details

Commenter Type:	Member of the Public
Stance:	Customer objects to the Planning Application
Reasons for comment:	- Design - Loss of General Amenity - Other
Comments:	I write to object to the proposal of 3x 6m columns on Steyning High Street. These columns are not in keeping with the aesthetics of the picturesque town of Steyning.

Evidence shows increasing WiFi has a damaging impact on nature, particularly bees and butterflies.

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10007012/#:~:text=Exposure%20to%20high%2Dfrequency%20radio,traffic%20in%20Apis%20cerana%20colonies.

The World Health Organisation and the International Agency for Research on Cancer both classify wireless radiation as a possible human carcinogen. We should seek to protect human health at all costs.

Kind regards