Part G Compliance Report

PROJECT DETAILS

Project Reference:	ZK65-02A1
Client:	
Property:	The Granary Woodmans Farm, London Road Ashington RH20 3AU

Local Authority:	Horsham District Council
Agent:	CPA Property

Assessor:	Joe Solti
Address:	Therm Energy Ltd
Contact:	01903 884357
Software:	G-Calc 2015 version 3.0.2
Prepared on:	18-Nov-24

RESULT SUMMARY

By following the Government's national calculation methodology for assessing water efficiency in new dwellings this 2 bed dwelling, as built, achieves a water consumption of 91.2 litres per person per day.

Compliance with Building Regulation 36(1) has been demonstrated.

Table 1: The Water Calculator for New Dwellings					
Installation Type	Unit of measure	Value	Use factor	Fixed use	litres/person/day
WC(single flush)	Flush volume (litres)		4.42	0.00	0
WC(dual flush)	Full flush vol.	4.0	1.46	0.00	5.84
	Part flush vol.	2.5	2.96	0.00	7.4
WC(multiple fittings)	Average effective Flush vol. (litres)		4.42	0.00	0
Taps(excl. Kitchen)	Flow rate (litres/min)	4	1.58	1.58	7.9
Bath (shower also present)	Capacity to overflow (litres)		0.11	0.00	0
Shower (bath also present)	Flow rate (litres/min)	9	4.37	0.00	39.33
Bath only	Capacity to overflow (litres)	0	0.50	0.00	0
Shower only	Flow rate (litres/minute)	0	5.6	0.00	0
Kitchen sink taps	Flow rate (litres/minute)	5	0.44	10.36	12.56
Washing Machine	litres/kg dry load	8.17	2.1	0.0	17.16
Dishwasher	litres/place setting	1.25	3.6	0.0	4.5
Waste disposal	litres/use	0	3.08	0.0	0
Water softener	litres/person/day	0	1.0	0.0	0

Total calculated use (litres/person/day)	94.69
Contribution from greywater (litres/person/day)	-
Contribution from rainwater (litres/person/day)	-
Normalisation factor	0.91
Total Water Consumption. Code for Sustainable Homes (litres/person/day)	**86.2**
External water use	5.0
Total Water Consumption. (36(1)) (litres/person/day)	**91.2**

© Innervision Design 2015 - Software licensed to ld_thermenergy

Summary of fitting types "As Built"			
Type	Description	Flow rates, volumes etc.	Qty
Taps	Taps - restricted	4 litres/min	1
Baths		litres to overflow	1
Dishwashers	Indesit	1.25 litres/place	1
Washing Machines		8.17 litres/kg	1
Showers	Shower - restricted	9 litres/min	1
WC's		4.0 / 2.5 litres flush vols.	1
		litres flush vols.	1
Kitchen/Utility taps	Taps	5 litres/min	1

------End of Report------

© Innervision Design 2015 - Software licensed to ld_thermenergy

Notice of Water Efficiency

Building Regulation 36(2)(a) applies.
By following the Government's methodology for assessing water efficiency as set out in "Approved Document G 2015," the potential consumption of wholesome water per person per day for the new dwelling at:

The Granary
Woodmans Farm, London Road
Ashington

RH20 3AU

has been calculated as:

91.2 litres per person per day