



Jaynic Properties Ltd

Geo-Environmental Desk Study Report

Land at Hornbrook Farm, Brighton Road, Horsham

17th February 2026




Client: Jaynic Properties Ltd
Project: Land at Hornbrook Farm, Brighton Road, Horsham
Title: Geo-Environmental Desk Study Report
Report Ref: 24-1979-P-R1-A
Status: Revision A
Date: 17th February 2026

Issued by: Obsidian Geo-Consulting Limited
Unit C4
Castle Vale Enterprise Park
Park Lane
Birmingham
B35 6LJ


T: 0121 747 2288
M: 0771 552 7530
W: www.obsidian-geoconsulting.co.uk

Prepared by:



Daniel Hind BSc(Hons) AMIEnvSc FGS
Graduate Geo-Environmental Engineer

Reviewed and Approved for Release by:



Steven Dempsey BSc(Hons) MSc CGeol EurGeol FGS
Director



Revision	Date	Comments	Prepared By:	Checked and Approved By:
-	September 2024	First Issue	DH	SD
A	17 th February 2026	Updated Site Boundary and Text	SD	SD



Table of Contents

1	Introduction	1
1.1	Objective.....	1
1.2	Scope	1
1.3	Limitations	1
2	The Site.....	2
2.1	Site Location.....	2
2.2	Site Description.....	2
3	Desk Study	2
3.1	Site History	3
3.2	Geology, Hydrogeology and Hydrology	4
3.2.1	Geology	4
3.2.2	Hydrogeology	5
3.2.3	Hydrology	5
3.3	Environmental Considerations	5
3.3.1	Potentially Infilled Land (Water)	5
3.3.2	Discharge Consents	5
3.3.3	Pollution Incidents to Controlled Waters	5
3.3.4	Contemporary Trade Directory Entries.....	5
3.3.5	Point of Interest- Commercial Services	5
3.3.6	Points of Interest- Manufacturing and Production.....	5
3.3.7	Points of Interest- Public Infrastructure	5
3.3.8	Nitrate Vulnerable Zones	5
3.3.9	Radon.....	6
4	Preliminary Conceptual Site Model.....	6
4.1	Potential Sources of Contamination.....	7
4.2	Potential Migration Pathways.....	7
4.3	Potential Receptors of Contamination	8
4.4	Preliminary Source-Pathway-Receptor Relationships	8
5	Conclusions and Recommendations.....	9
5.1	Development Proposals.....	9
5.2	Environmental Assessment	9
5.3	Geotechnical Assessment	9
5.4	Proposed Investigation	9



Drawings

24-1979-P/01/A	Site Location Plan
7416-101-G	Site Location Plan

Appendices

Appendix A	Photographs
Appendix B	Historical Maps
Appendix C	Environmental Database Report



1 Introduction

Obsidian Geo-Consulting Ltd (Obsidian) was commissioned by Jaynic Properties Ltd (the Client) to carry out a Geo-Environmental Desk Study for a proposed development at Land at Hornbrook Farm, Brighton Road, Horsham.

The site currently comprises a larger arable field in the east, a central, grassed field grown commercially on rotation for silage and a further grassed field in the west. We understand that the development proposals include an outline planning application for up to 180 dwellings, open space, and associated works and infrastructure with all matters reserved apart from access.

The client has also provided Obsidian with the following drawings:

- Site Location Plan (ref. 7416-101-G dated February 2025)
- Utilities Report (ref. 221810 dated April 2024)

This report is a revision to the originally issued version in September 2024 and includes an updated site boundary and text.

1.1 Objective

The objective of this assessment is to identify any potentially significant constraints to future proposed developments associated with the likely ground conditions prevalent beneath the site and the surrounding area and to identify any potential areas of environmental liability associated with the site and the surrounding area.

1.2 Scope

This assessment was carried out to an agreed brief as set out in Obsidian's proposal (ref. SD/24-1979-Q/L001, dated 21st July 2024). The scope of works for the assessment includes review and inclusion of the following:

- a desk-based review of available geological, hydrogeological, and hydrological information, commercially available environmental database information, and historical plans.
- a site walkover to assess site conditions and identify any potential sources of contamination.
- the development of a preliminary conceptual site model to consider any potentially complete pollutant linkages.
- the preliminary identification of any potential ground conditions which may lead to geotechnical constraints for the proposed development.

1.3 Limitations

This report has been prepared by Obsidian with all reasonable skill, care, and attention within the terms of the Contract with the Client and taking account of the information made available by the Client, as well as the manpower and resources devoted to it by agreement with the Client. Obsidian disclaims any responsibility to the Client and others in respect of any matters outside the scope of the above Contract.

This report has been produced on behalf of the Client, and no responsibility is accepted to any Third Party for all or any part. This report should not be relied upon or transferred to any other parties without the express written authorisation of Obsidian. If any unauthorised Third Party comes into



possession of this report, they rely on it at their own risk and the authors owe them no duty of care or skill.

The desk study information has been obtained from a variety of sources, which Obsidian believes are reliable. Nevertheless, Obsidian cannot and does not guarantee the authenticity or reliability of the information it has relied upon from these sources.

Any plans appended to this report should not be used for scaling purposes.

2 The Site

2.1 Site Location

The site is approximately 9.23 hectares in area and is irregular in shape. The site is located to the north of Brighton Road, Horsham and is shown on the appended Site Location Plan (24-1979-P/01/A), centred on national grid reference: 518880, 129780.

2.2 Site Description

A site walkover was undertaken by Obsidian on 22nd August 2023. A photographic record of the walkover is presented within Appendix A.

The site comprises a large parcel of agricultural land divided into three fields, one larger piece of arable land in the east, a central grassed field grown for silage on arable rotation and a further grassed field in the west. The site is accessed via Doomsday Lane to the east of the site, with further field access off Brighton Road. The topography of the site is broadly sloping from the south-east to the north-west, down to the adjacent water course.

The northern boundary of the site is defined by a tree line and a mature hedgerow with various mature trees that separates the site from a significant slope into Horn Brook, the site's namesake stream. The eastern boundary of the site is separated from Doomsday Lane with a hedgerow and multiple mature oak trees that are characteristic of the site. The south of the site is separated from Brighton Road by a mature hedgerow and several mature trees, with houses (the original farmhouse and several barn-conversions/outbuildings) found to the central south, however the site boundary is contoured around these, and they are not included in the development. The three fields that make up the wider site are divided by mature hedgerows, with large mature oak trees found to the south of the hedgerow that separates the eastern-most large arable field and the central grassed field.

Some significant features across site initially identified are the large, mature oak present in the east of the site, approximately 75m from the access gate on Doomsday Lane, and the disused concrete trough found central to the large arable field. Through anecdotal evidence, this trough was identified to demarcate a historical field boundary that divided the larger, eastern-most field into two, smaller parcels.

3 Desk Study

The following information sources have been consulted as part of the desk study:

- Envirocheck Database Report
- Historical Ordnance Survey plans
- British Geological Survey 1:50,000 Map and BGS online Lexicon
- MAGIC Website
- BR 211 Radon; Guidance on Protective Measures for New Dwellings, 2015 Edition



3.1 Site History

The site history has been reviewed using historical Ordinance Survey mapping to identify any previous potentially significant contaminative activities, located either on-site or off-site. The findings are summarised in Table 3.1.

Potential on-site contamination sources may present a risk to human health. Potential off-site contamination sources may also present a risk to soils and, if present, groundwater underlying the site through migratory contamination of pollutants.

Copies of the inspected historical maps are presented in Appendix B. The account presented in this report is restricted by specific time periods represented by these maps only.

Table 3.1: Site History

Map Edition	Key Features	
	On Site	Off Site
1879 (1:10,560) 1880 (1:10,560)	The site comprises open agricultural land split into five separate fields. The site is bounded to the south by Brighton Road and to the east by an unnamed lane.	The surrounding area is predominantly agricultural land. A cluster of dwellings is located to the north of the site (approximately 100m), with further domestic plots to the north-west (approximately 150m). On the other side of the lane that bounds the site to the east, Coolhurst farm is present. Small buildings are present to the north-east of site, with no clear use (approximately 20m). Mill farm is present to the south-east (approximately 100m). A hotel is present approximately 400m north-west. Horsham is approximately 1000m to the north-west. Three wells are present to the north/north-west of the site (approximately 300m). A tannery is approximately 750m north-west of site.
1897 (1:2,500) 1898(1:10,560) 1899(1:10,560)	No significant changes recorded.	Wells no longer present.
1911 (1:1,250)	Site mapped as now comprising three fields instead of five	Further domestic units present approximately 120m north-west of the site boundary. More outbuildings are present adjacent to Hornbrook farm.
1912 (1:10,560) 1913(1:10,560)	No significant changes recorded.	No significant changes recorded.
1932(1:2,500) 1932 (1:10,560)	No significant changes recorded.	Pumping station recorded approximately 1000m south of the site boundary. Tannery is no longer present.
1947 (1:10, 560) <i>Aerial Photo.</i>	A structure can be seen to the north of the houses in the central south site boundary.	No significant changes recorded.
1961 (1:10,560)	No significant changes recorded.	Further domestic developments within approximately 500m north and west of the site boundary.



Map Edition	Key Features	
	On Site	Off Site
		Mill farm and pumping station no longer present. School building present 300m north.
1964 (1:1,250)	The structure is listed as Hornbrook bungalow	Oaklands market garden present approximately 100m south-west of the site boundary. Further development to outbuildings at Hornbrook farm.
1966 (1:10,560) 1967 (1:10,560)	No significant changes recorded.	No significant changes recorded.
1974 (1:1,250) 1977 (1:1,250)	No significant changes recorded.	No significant changes recorded.
1982 (1:10,000) 1983 (1:10,000)	Field boundaries defined as where they stand today.	Coolhurst Farm no longer present. Further domestic development of Horsham and surrounding areas.
1993 (1:1,250) 1993 (1:10,000)	No significant changes recorded.	No significant changes recorded.
1999 <i>Aerial Photo.</i>	No significant changes recorded.	No significant changes recorded.
2000 (1:10,000)	No significant changes recorded.	No significant changes recorded.
2006 (1:10,000)	Hornbrook bungalow plot no longer present	No significant changes recorded.
2024 (1:10,000)	No significant changes recorded.	Smith's Barn farm is no longer present.

3.2 Geology, Hydrogeology and Hydrology

3.2.1 Geology

The mapped superficial and bedrock geology is summarised in Table 3.2 below:

Table 3.2: Geology

Geology	Age	Stratigraphic Name	Description
Bedrock	Valanginian Age (KV)	Upper Tunbridge Wells Sand - Sandstone, Mudstone and Siltstone	The unit comprises a complex succession of interbedded deposits with both upward-fining and upward-coarsening cycles. Thinly bedded silty mudstones, siltstones, silty sandstones, and fine-grained sandstones.

It is possible that Made Ground will be present on site in the footprint of the 'Hornbrook bungalow' plot that is no longer present and near field entrances.

There are no inferred geological faults within 1km of the site.

The site is recorded as being at low, very low or no risk from the following:

- Collapsible ground stability hazards.
- Compressible ground stability hazards.
- Landslide ground stability hazards.
- Ground dissolution stability hazards.
- Running sand stability hazards.
- Shrinking or swelling clay stability hazards.



3.2.2 Hydrogeology

The bedrock geology throughout site is designated as unproductive strata in the south-east and in a band that runs from the south-west to the north-east, however a significant proportion of the central and northern areas of the site are designated as high vulnerability secondary 'A' aquifers. There are no groundwater abstraction points within 1km of the site. The site is not within a source protection zone.

The Envirocheck report indicates that there is limited potential for groundwater flooding to occur on site within the central and northern areas of the site, however the entire northern boundary of the site presents as both Zone 2 and Zone 3 risk for flooding from rivers or sea without defences due to the proximity of Horn Brook.

3.2.3 Hydrology

The nearest surface water feature, Horn Brook, is mapped as running through the north of the site adjacent to the site boundary. There are 20 OS water network lines mapped within 500m of site, the closest being Horn Brook. There are no surface water abstractions within 500m of the site.

3.3 Environmental Considerations

The Envirocheck database report comprises a summary of statutory data held on public registers. The data can be used to identify potential sources of contamination on the site and within a search radius of 1km.

3.3.1 Potentially Infilled Land (Water)

There are five records of Potentially Infilled Land (Water) within 500m of site, with the closest referring to a pond/marsh/river 3m to the north-west of the site.

3.3.2 Discharge Consents

There are thirty-one discharge consents within 500m of the site. The closest record is within the site boundary and relates to a treated sewage discharge from a single dwelling, Hornbrook farmhouse.

3.3.3 Pollution Incidents to Controlled Waters

There are two Pollution Incidents to Controlled Waters within 500m of the site, both related to organic pollutants. The closest incident occurred 380m to the south of the site, relating to slurry being released in a road traffic accident.

3.3.4 Contemporary Trade Directory Entries

There are six contemporary trade directory entry within 500m of the site, with the closest two referring to Hillier's Garden centre, approximately 56m south of the site.

3.3.5 Point of Interest- Commercial Services

There are three Points of Interest relating to commercial services within 500m of the site. The closest two relate to the forge at Hillier's Garden centre, approximately 56m to the south of the site.

3.3.6 Points of Interest- Manufacturing and Production

There are four Points of Interest relating to manufacturing and production within 500m of the site. The closest relates to a generic tank, approximately 451m to the south-west of the site.

3.3.7 Points of Interest- Public Infrastructure

There are two Points of Interest relating to public infrastructure within 500m of the site. The closest relates to a weir, approximately 43m to the south-west of the site.

3.3.8 Nitrate Vulnerable Zones

The entire site and surrounding area are located within a nitrate vulnerable zone.



3.3.9 Radon

The site is located within a lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). No Radon protection measures are required.

4 Preliminary Conceptual Site Model

The Contaminated Land (England) Regulations provide a risk-based approach to contaminated land in England. The government has adopted a 'suitable for use' criteria under the Regulations. This means that remediation is only required to the standard which is acceptable for the use of a site.

Land is only defined as 'contaminated' under the Regulations where it appears to the regulatory authority that:

- Significant environmental harm is being caused, or is likely to be caused; or
- Significant pollution of controlled waters is being caused or is likely to be caused.

Risk is defined as the combination of:

- The probability, or frequency of occurrence of a defined hazard; and
- The magnitude (including the seriousness) of the consequences.

For a risk of environmental harm or pollution to occur as a result of contaminated land, all the following elements must be present:

- A **Source**, i.e. a contaminant which could cause harm to health and/or the environment. Sources include current and historical uses, activities and events either on the site or in the surrounding area.
- A **Receptor**, i.e. a target which could be harmed by the contaminant. Receptors include both human and non-human organisms, 'controlled waters' (groundwater and surface water) and building materials (concrete and plastic); and
- A **Pathway**, i.e. a route by which contaminants could move from a source to a receptor.

A **Pollutant Linkage** occurs when a contaminant is able to move from a source, via a pathway to a receptor. Each element may exist in isolation and pose no environmental risk. It is only when all three elements are linked to each other that a pollution linkage exists and poses an environmental risk. If all three elements are present, then the magnitude of the risk is a function of the mobility of the source, the sensitivity of the receptor and the nature of the pathway.

Environmental risks associated with pollutant linkages at a site are assessed on the basis of information obtained from the desk study, site observations and laboratory testing results and are ranked into the following categories:

- **High:** A pollutant linkage is present, and this poses a significant risk to the identified receptor(s). Action must be taken to remove the pollutant linkage and/or reduce the risk.
- **Medium:** A pollutant linkage is present and there is sufficient evidence to suggest that this is likely to pose a significant risk to the identified receptor(s). Further investigation and assessment should be undertaken to confirm this.
- **Low:** A pollutant linkage is present and there is sufficient evidence to suggest that this is unlikely to pose a significant risk to the identified receptor(s). Further investigation and assessment may be undertaken to confirm this.



- **Negligible:** A pollutant linkage may be present, but this poses no significant risk to the identified receptor(s).

4.1 Potential Sources of Contamination

A review of the available historic maps from 1879 onwards has identified that the site has been utilised as agricultural land from the earliest dated record to the present day. Potentially contaminative processes on site are mainly concerned with the use of pesticides/herbicides in relation to the sites arable use. Imported materials/ made ground could also be present on the previous footprint of 'Hornbrook bungalow' associated with its construction and subsequent demolition. Made Ground may also be present near field entrances where used to improve or stabilise soft ground. Runoff from surrounding roads/driveways could also pose a localised source of pollution at the site boundaries.

There is also a potential for asbestos to be present on-site, locally near to the previous footprint of the bungalow and in and around field entry points or heavily trafficked areas where fly-tipping or material storage can be common. Therefore, there is the potential for isolated contaminants to be present within near surface materials, including metals, PAH, TPH, asbestos, pesticides, and herbicides.

Natural strata both on and off-site is considered likely to pose a low risk of ground gas generation including methane, carbon dioxide, hydrogen sulphide, and carbon monoxide.

Elevated pH and water-soluble sulphate concentrations may also be present within the Made Ground and natural strata.

The following potential on-site sources of contamination have been identified as:

- Low level risk from metal, PAH, TPH, herbicide, pesticide, and asbestos contamination across the majority of the site.
- Low level risk from metal, PAH, TPH, herbicide, pesticide and asbestos contamination surrounding and within the footprint of the historic bungalow.
- Low level risk from ground gas generation from natural strata.
- Elevated pH and water-soluble sulphate within Made Ground and natural strata.

The following potential off-site sources of contamination have been identified as:

- Low level risk from metal, PAH and TPH from adjacent activities.
- Low level risk from ground gas generation from Made Ground and natural strata.

4.2 Potential Migration Pathways

The following potential migration pathways have been identified:

- **Inhalation:** Breathing dust and vapours from contaminated soil in outdoor air. Vapours can also migrate into buildings resulting in inhalation by the occupants.
- **Ingestion:** Eating and swallowing of contaminated soil either by deliberate consumption, indirectly by eating or smoking with dirty hands or by ingestion of fugitive dust.



- **Dermal Contact:** Direct contact with contaminated soil and groundwater, causing skin conditions such as dermatitis etc. Certain contaminants can be absorbed into the body through the skin or enter directly through open cuts or abrasions.
- **Migration of Ground Gas/Vapours:** Ground gases/vapours can migrate laterally or vertically through permeable or voided ground and accumulate within unprotected buildings.
- **Aggressive Attack/Direct Contact:** Building materials can be damaged by direct contact with aggressive ground conditions, for example sulphate attack on concrete.
- **Migration of Mobile Contaminants:** Contaminants in solution can migrate into underlying aquifers through permeable strata.

4.3 Potential Receptors of Contamination

The following potential human health and environmental receptors have been identified:

- Future Site Users
- Maintenance Workers
- Construction Workers
- Buried Concrete
- Drinking Water Pipes
- Controlled Waters

Given the history of the site and the underlying geology, the site sensitivity with respect to controlled waters is considered to be low to negligible. We do not consider there to be a requirement to further assesses the risk at this stage, however this should be reviewed following the initial phase of intrusive works.

4.4 Preliminary Source-Pathway-Receptor Relationships

The preliminary Source-Pathway-Receptor relationships identified for the site bearing in mind the proposed redevelopment proposals are summarised as follows:

Table 4.1: Preliminary Source-Pathway-Receptor Relationships

Source Material/Activity	Potential Contaminant	Pathways	Receptor	Risk
Made Ground and Historical Activities On-site	Metals PAH TPH Herbicides Pesticides	Inhalation Ingestion Dermal contact	Future Site Residents Maintenance Workers Construction Workers	Low
	Asbestos	Inhalation	Future Site Residents Maintenance Workers Construction Workers	Low
	PAH TPH	Direct Contact	Drinking Water Pipes	Low
	Metals PAH TPH	Migration of mobile contaminants.	Controlled Waters	Low - Negligible
Made ground and Natural Strata on-site	Water-Soluble Sulphate.	Aggressive attack	Buried concrete	Low
	Methane, Carbon Dioxide, Carbon Monoxide, Hydrogen Sulphide.	Migration of Ground Gas/Vapours	Future Site Residents Maintenance Workers Construction Workers	Low



Source Material/Activity	Potential Contaminant	Pathways	Receptor	Risk
Historical Activities and Made Ground Off-site	Metals, PAH, TPH.	Inhalation Ingestion Dermal contact	Future Site Residents Maintenance Workers Construction Workers	Low
	Methane, Carbon Dioxide, Carbon Monoxide, Hydrogen Sulphide.	Migration of Ground Gas/Vapours	Future Site Residents Maintenance Workers Construction Workers	Low
Natural Strata Off-site	Methane, Carbon Dioxide, Carbon Monoxide, Hydrogen Sulphide.	Migration of Ground Gas/Vapours	Future Site Users Maintenance Workers Construction Workers	Low

5 Conclusions and Recommendations

5.1 Development Proposals

We understand that the development proposals include an outline planning application for up to 180 dwellings including affordable housing, open space, ancillary works, and the detailed means of access with all other matters reserved.

5.2 Environmental Assessment

Potential, predominantly, low-level risks have been identified at the site relating to identified receptors. Potential risks are posed by the presence of localised metals, PAH, TPH, herbicides, pesticides, and asbestos within near surface strata.

There is potential for elevated pH and water-soluble sulphate within near surface natural soils, and any made ground recorded on-site. There is a low-level risk identified for ground gases associated with organic materials within natural strata and possible Made Ground. These risks cannot be removed through a desk-based risk assessment alone and hence it is recommended that these potential risks are assessed further through an appropriate intrusive investigation which should be sufficient in scope to assess the potential risks and enable development of a remedial strategy for the site if required.

5.3 Geotechnical Assessment

In view of the published geology and the expected ground conditions, it is considered necessary to establish the depth and variability of any topsoil on site and the depth to competent, natural strata. It is not considered that considerable thicknesses of Made Ground will be recorded on site, however some depth of Made Ground may be present in localised areas.

It is considered likely that conventional strip, pad, or trench fill foundations will be viable for any future foundations due to the expected shallow bedrock.

There is the potential for elevated water-soluble sulphate concentrations to be present in both Made Ground and natural strata. The concrete classification required for any foundation solution should therefore be assessed accordingly.

5.4 Proposed Investigation

Given the anticipated geology, it is considered that an appropriate investigation would initially comprise a number of window sample boreholes with the installation of ground gas and groundwater monitoring wells and machine excavated trial pits.



These would need to target specific areas that are likely to be a source of contamination, as well as ensuring good coverage of the site.


The investigation should include appropriate testing, interpretation, and assessment to clarify the environmental and human health risks identified within the desk study, as well as geotechnical analysis to assist in foundation and floor slab designs for the proposed development.

This desk-based study has highlighted the potential presence of both granular and cohesive strata on site. Therefore, given the likely variability of drainage characteristics across the site, we recommend soakaway tests to be undertaken within selected trial pits to inform drainage design.



Drawings





Key



Site Boundary



OBSIDIAN
GEO-CONSULTING

Jaynic
Properties
Ltd

Project:

Land at Hornbrook Farm, Brighton Road, Horsham

Title:

Site Location Plan

Project No:

24-1979-P

Drawing No:


01

Revision:

A

Scale:

NTS



0 10 20 30 40 50 metres



Site boundary: **9.23ha**

Rev	Date	By	Description
-----	------	----	-------------



Dixies Barns, High Street,
Ashwell, Hertfordshire SG7 5NT

t 01462 743647
e ashwell@csaenvironmental.co.uk
w csaenvironmental.co.uk

Project Land at Hornbrook Farm, Brighton
Road, Horsham

Title Site Location plan

Client Jaynic Properties Ltd

Scale 1:1250 @ A2 **Drawn** DF

Date February 2025 **Checked** RR

Drawing No. CSA/7416/101 **Rev** G

Appendix A

Photographs





Photograph 1 – A view of the overgrown grassed field in the west of the site.



Photograph 2 – A view of the overgrown grassed field in the west of the site.



Photograph 3 – A view of the overgrown grassed field in the west of the site.



Photograph 4 – A view of the westernmost dwelling to the south of the site.



Photograph 5 – A view of the short grassed field in the west of the site.



Photograph 6 – A view of the short grassed field in the west of the site.



Photograph 7 – An example of the mature Oak trees which align the central field boundary.



Photograph 8 – A view of the short grassed field in the west of the site with the easternmost dwelling to the south of the site.



Photograph 9 – A view north across the arable field in the west of the site.



Photograph 10 – A view across the arable field in the west of the site.



Photograph 11 – A view of the northern area of the arable field.



Photograph 12 – A view of the old water trough located in the eastern area of the arable field.



Photograph 13 – A view south along the arable field boundary.



Photograph 14 – A view of the site access point in the eastern boundary with Doomsday Lane.

Appendix B

Historical Maps



Historical Mapping Legends

Ordnance Survey County Series 1:10,560

	Gravel Pit		Sand Pit		Other Pits
	Quarry		Shingle		Orchard
	Osiers		Reeds		Marsh
	Mixed Wood		Deciduous		Brushwood
	Fir		Furze		Rough Pasture
	Arrow denotes flow of water		Trigonometrical Station		
	Site of Antiquities		Bench Mark		
	Pump, Guide Post, Signal Post		Well, Spring, Boundary Post		
	Surface Level				
	Sketched Contour		Instrumental Contour		
	Main Roads		Minor Roads		
	Sunken Road		Raised Road		
	Road over Railway		Railway over River		
	Railway over Road		Level Crossing		
	Road over River or Canal		Road over Stream		
	Road over Stream				
	County Boundary (Geographical)				
	County & Civil Parish Boundary				
	Administrative County & Civil Parish Boundary				
	County Borough Boundary (England)				
	County Burgh Boundary (Scotland)				
	Rural District Boundary				
	Civil Parish Boundary				

Ordnance Survey Plan 1:10,000

	Chalk Pit, Clay Pit or Quarry		Gravel Pit
	Sand Pit		Disused Pit or Quarry
	Refuse or Slag Heap		Lake, Loch or Pond
	Dunes		Boulders
	Coniferous Trees		Non-Coniferous Trees
	Orchard		Scrub
	Bracken		Heath
	Marsh		Reeds
	Building		Glasshouse
	Sloping Masonry		Pylon
	Cutting		Embankment
	Road Under		Road Over
	Level Crossing		Foot Bridge
	Standard Gauge Multiple Track		Standard Gauge Single Track
	Siding, Tramway or Mineral Line		Narrow Gauge
	Geographical County		Administrative County, County Borough or County of City
	Municipal Borough, Urban or Rural District, Burgh or District Council		Borough, Burgh or County Constituency
	Civil Parish		
	Boundary Post or Stone		Police Station
	Church		Post Office
	Club House		Public Convenience
	Fire Engine Station		Public House
	Foot Bridge		Signal Box
	Fountain		Spring
	Guide Post		Telephone Call Box
	Mile Post		Telephone Call Post
	Mile Stone		Well


1:10,000 Raster Mapping

	Gravel Pit		Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle		Mud
	Sand		Sand Pit
	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
	Area of wooded vegetation		Non-coniferous trees
	Non-coniferous trees (scattered)		Coniferous trees
	Coniferous trees (scattered)		Positioned tree
	Orchard		Coppice or Osiers
	Rough Grassland		Heath
	Scrub		Marsh, Salt Marsh or Reeds
	Water feature		Flow arrows
	Mean high water (springs)		Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
	Bench mark (where shown)		Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)		Pylon, flare stack or lighting tower
	Site of (antiquity)		Glasshouse
	General Building		Important Building

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Surrey	1:10,560	1874	2
Sussex	1:10,560	1879 - 1880	3
Sussex	1:10,560	1898 - 1899	4
Sussex	1:10,560	1912 - 1913	5
Sussex	1:10,560	1912 - 1913	6
Sussex	1:10,560	1932 - 1933	7
Sussex	1:10,560	1938	8
Historical Aerial Photography	1:10,560	1947	9
Ordnance Survey Plan	1:10,000	1961 - 1963	10
Ordnance Survey Plan	1:10,000	1966 - 1967	11
Ordnance Survey Plan	1:10,000	1977	12
Ordnance Survey Plan	1:10,000	1980 - 1983	13
Ordnance Survey Plan	1:10,000	1993	14
10K Raster Mapping	1:10,000	2000	15
10K Raster Mapping	1:10,000	2006	16
VectorMap Local	1:10,000	2024	17

Historical Map - Slice A




Order Details

Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA





Surrey

Published 1874

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

04700
1874
1:10,560



Historical Map - Slice A



Order Details

Order Number:	356145437_1_1
Customer Ref:	24-1979-P
National Grid Reference:	518880, 129780
Slice:	A
Site Area (Ha):	10.25
Search Buffer (m):	1000


Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 20-Aug-2024 Page 2 of 17



© Crown copyright and Landmark Information Group Limited 2024. All Rights Reserved.




Sussex

Published 1879 - 1880


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2024. All Rights Reserved.



Sussex

Published 1912 - 1913


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

013NE 1913 1:10,560	014NW 1913 1:10,560
013SE 1912 1:10,560	014SW 1912 1:10,560

Historical Map - Slice A



Order Details


Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk





Sussex

Published 1932 - 1933


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

013NE 1932 1:10,560	014NW 1932 1:10,560
013SE 1933 1:10,560	

Historical Map - Slice A



Order Details

Order Number:	356145437_1_1
Customer Ref:	24-1979-P
National Grid Reference:	518880, 129780
Slice:	A
Site Area (Ha):	10.25
Search Buffer (m):	1000


Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 20-Aug-2024 Page 7 of 17



Sussex

Published 1938


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

013NE 1938 1:10,560	014NW 1938 1:10,560
013SE 1938 1:10,560	014SW 1938 1:10,560

Historical Map - Slice A




Order Details

Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Historical Aerial Photography


Published 1947

Source map scale - 1:10,560


The Historical Aerial Photos were produced by the Ordnance Survey at a scale of 1:1,250 and 1:10,560 from Air Force photography. They were produced between 1944 and 1951 as an interim measure, pending preparation of conventional mapping, due to post war resource shortages. New security measures in the 1950's meant that every photograph was re-checked for potentially unsafe information with security sites replaced by fake fields or clouds. The original editions were withdrawn and only later made available after a period of fifty years although due to the accuracy of the editing, without viewing both revisions it is not easy to spot the edits. Where available Landmark have included both revisions.

© Landmark Information Group and/or Data Suppliers 2010.

Map Name(s) and Date(s)



Historical Aerial Photography - Slice A



Order Details


Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Ordnance Survey Plan

Published 1961 - 1963


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)


TQ13SE	TQ23SW
1961	1963
1:10,560	1:10,560
TQ12NE	TQ22NW
1961	1962
1:10,560	1:10,560

Historical Map - Slice A



Order Details
Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details
Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Ordnance Survey Plan

Published 1966 - 1967


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

TQ13SE	1966	1:10,560
TQ12NE	1967	1:10,560


Historical Map - Slice A



Order Details	
Order Number:	356145437_1_1
Customer Ref:	24-1979-P
National Grid Reference:	518880, 129780
Slice:	A
Site Area (Ha):	10.25
Search Buffer (m):	1000

Site Details
Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk





Ordnance Survey Plan


Published 1977

Source map scale - 1:10,000


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

TQ23SW
1977
1:10,000



Historical Map - Slice A



Order Details

Order Number:	356145437_1_1
Customer Ref:	24-1979-P
National Grid Reference:	518880, 129780
Slice:	A
Site Area (Ha):	10.25
Search Buffer (m):	1000


Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 20-Aug-2024 Page 12 of 17



Ordnance Survey Plan

Published 1980 - 1983


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

TQ13SE	1982	1:10,000
TQ12NE	1983	1:10,000
TQ22NW	1980	1:10,000

Historical Map - Slice A




Order Details

Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Ordnance Survey Plan

Published 1993


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)


TQ13SE	1993	1:10,000
TQ12NE	1993	1:10,000

Historical Map - Slice A



Order Details
Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details
Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA





10k Raster Mapping

Published 2000

Source map scale - 1:10,000


The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

TQ13SE	TQ23SW
2000	2000
1:10,000	1:10,000

TQ12NE	TQ22NW
2000	2000
1:10,000	1:10,000

Historical Map - Slice A



Order Details

Order Number:	356145437_1_1
Customer Ref:	24-1979-P
National Grid Reference:	518880, 129780
Slice:	A
Site Area (Ha):	10.25
Search Buffer (m):	1000


Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 20-Aug-2024 Page 15 of 17




10k Raster Mapping
Published 2006
Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

TQ13SE	TQ23SW
2006	2006
1:10,000	1:10,000
TQ12NE	TQ22NW
2006	2006
1:10,000	1:10,000




Order Details

Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details
Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk





VectorMap Local

Published 2024


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities), 1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)

TQ13SE	TQ23SW
2024	2024
Variable	Variable
	
TQ12NE	TQ22NW
2024	2024
Variable	Variable

Historical Map - Slice A



Order Details

Order Number:	356145437_1_1
Customer Ref:	24-1979-P
National Grid Reference:	518880, 129780
Slice:	A
Site Area (Ha):	10.25
Search Buffer (m):	1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 20-Aug-2024 Page 17 of 17

Historical Mapping Legends


Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250




Large-Scale National Grid Data 1:2,500 and 1:1,250



Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Sussex	1:2,500	1875 - 1876	2
Sussex	1:2,500	1897	3
Sussex	1:2,500	1911	4
Sussex	1:2,500	1932	5
Ordnance Survey Plan	1:1,250	1964	6
Additional SIMs	1:1,250	1964 - 1989	7
Ordnance Survey Plan	1:1,250	1974 - 1979	8
Supply of Unpublished Survey Information	1:1,250	1974	9
Ordnance Survey Plan	1:2,500	1977	10
Additional SIMs	1:1,250	1980	11
Large-Scale National Grid Data	1:1,250	1993	12
Historical Aerial Photography	1:2,500	1999	13

Historical Map - Segment A10



Order Details

Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 100

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA


Sussex

Published 1875 - 1876


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A10





Order Details

Order Number: 356145437_1_1
 Customer Ref: 24-1979-P
 National Grid Reference: 518880, 129780
 Slice: A
 Site Area (Ha): 10.25
 Search Buffer (m): 100

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA







Sussex
Published 1897
Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)




Historical Map - Segment A10



Order Details
Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 100

Site Details
Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA




Sussex

Published 1911


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A10



Order Details

Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 100

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


Sussex

Published 1932


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A10





Order Details

Order Number: 356145437_1_1
 Customer Ref: 24-1979-P
 National Grid Reference: 518880, 129780
 Slice: A
 Site Area (Ha): 10.25
 Search Buffer (m): 100

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA







Ordnance Survey Plan

Published 1964


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

TQ1830SW 1964 1:1,250	TQ1830SE 1964 1:1,250
TQ1829NW 1964 1:1,250	TQ1829NE 1964 1:1,250

Historical Map - Segment A10



Order Details

Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 100

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA




Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

© Crown copyright and Landmark Information Group Limited 2024. All Rights Reserved.

0 100 m

A Landmark Information Group Service v50.0 20-Aug-2024 Page 6 of 13



Additional SIMs

Published 1964 - 1989


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

TQ1830SW 1989 1:1,250	TQ1830SE 1970 1:1,250
TQ1829NW 1974 1:1,250	TQ1829NE 1964 1:1,250

Historical Map - Segment A10



Order Details


Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 100

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Ordnance Survey Plan

Published 1974 - 1979


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

TQ1830SW	1979	1:1,250
TQ1829NW	1974	1:1,250
TQ1829NE	1979	1:1,250

Historical Map - Segment A10




Order Details

Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 100

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA





Supply of Unpublished Survey Information

Published 1974

Source map scale - 1:1,250


SUSI maps (Supply of Unpublished Survey Information) were produced between 1972 and 1977, mainly for internal use at Ordnance Survey. These were more of a 'work-in-progress' plan as they showed updates of individual areas on a map. These maps were unpublished, and they do not represent a single moment in time. They were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

TQ1830SE
1974
1:1,250

TQ1829NE
1974
1:1,250

Historical Map - Segment A10



Order Details

Order Number:	356145437_1_1
Customer Ref:	24-1979-P
National Grid Reference:	518880, 129780
Slice:	A
Site Area (Ha):	10.25
Search Buffer (m):	100

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 20-Aug-2024 Page 9 of 13


Ordnance Survey Plan

Published 1977


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A10



Order Details

Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 100

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Additional SIMs

Published 1980

Source map scale - 1:1,250

The SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

TQ1830SE
1980
1:1,250

Historical Map - Segment A10

Order Details

Order Number:	356145437_1_1
Customer Ref:	24-1979-P
National Grid Reference:	518880, 129780
Slice:	A
Site Area (Ha):	10.25
Search Buffer (m):	100

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 20-Aug-2024 Page 11 of 13

Large-Scale National Grid Data

Published 1993


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

Q1830SW	Q1830SE
1993	1993
1:1,250	1:1,250
Q1829NW	Q1829NE
1993	1993
1:1,250	1:1,250
Q1829SW	Q1829SE
1993	1993
1:1,250	1:1,250

Historical Map - Segment A10




Order Details

Order Number: 356145437_1_1
 Customer Ref: 24-1979-P
 National Grid Reference: 518880, 129780
 Slice: A
 Site Area (Ha): 10.25
 Search Buffer (m): 100

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



518200

518400

518600

518800




Historical Aerial Photography

Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A10



Order Details

Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 100

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Appendix C

Environmental Database Report



Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

356145437_1_1

Customer Reference:

24-1979-P

National Grid Reference:

518880, 129780

Slice:

A

Site Area (Ha):

10.25

Search Buffer (m):

1000

Site Details:

Land at Hornbrook Farm
Brighton Road
Horsham
RH13 6QA

Client Details:

Mr S Dempsey
Obsidian Geo-Consulting Ltd
65 Cheswood Drive
Sutton Coldfield
B76 1XU

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	34
Hazardous Substances	-
Geological	36
Industrial Land Use	43
Sensitive Land Use	48
Data Currency	50
Data Suppliers	56
Useful Contacts	57

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.

A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Environment Agency & United Kingdom Research and Innovation 2024. © Natural Resources Wales & United Kingdom Research and Innovation 2024.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2024. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 3	1	22	8	12
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 14	Yes			
Pollution Incidents to Controlled Waters	pg 14			2	5
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality	pg 15			1	
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 15				1 (*4)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 17	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a	n/a	n/a
Groundwater Vulnerability - Local Information			n/a	n/a	n/a
Bedrock Aquifer Designations	pg 18	Yes	n/a	n/a	n/a
Superficial Aquifer Designations			n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 19	Yes		n/a	n/a
Flooding from Rivers or Sea without Defences	pg 19	Yes		n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 19		7	13	110

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 34				1
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 34	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Potentially Infilled Land (Non-Water)	pg 34				2
Potentially Infilled Land (Water)	pg 34		3	1	14
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Geological					
BGS 1:625,000 Solid Geology	pg 36	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 36	Yes	Yes	Yes	Yes
BGS Recorded Mineral Sites	pg 39				4
BGS Urban Soil Chemistry					
BGS Urban Soil Chemistry Averages					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities	pg 40			1	
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 40	Yes	Yes	n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 40		Yes	n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 41	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 41	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 41	Yes	Yes	n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 43		4	2	27
Fuel Station Entries	pg 45				2
Points of Interest - Commercial Services	pg 46		2	1	
Points of Interest - Education and Health					
Points of Interest - Manufacturing and Production	pg 46		1	3	3
Points of Interest - Public Infrastructure	pg 46			2	8
Points of Interest - Recreational and Environmental	pg 47			2	
Gas Pipelines					
Underground Electrical Cables					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Ancient Woodland	pg 48		2	3	10
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty	pg 49		1		
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 49	1			
Ramsar Sites					
Sites of Special Scientific Interest	pg 49				1
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NW (N)	0	1	518884 129779
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A10NE (W)	0	1	518650 129800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A10NE (W)	0	1	518600 129779
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A10NE (W)	0	1	518700 129850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NW (N)	0	1	518884 129850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NW (E)	18	1	519150 129800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NW (NE)	50	1	519100 129950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A10NE (NW)	52	1	518700 129950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A10SE (SW)	70	1	518700 129600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NW (N)	94	1	518900 130000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NW (N)	95	1	518950 130000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NW (N)	138	1	518884 130050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A10SE (SW)	143	1	518700 129550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (NE)	164	1	519250 130000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (E)	179	1	519300 129950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A11NE (E)	214	1	519350 129850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (NE)	234	1	519300 130050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (NE)	245	1	519350 130000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A10SW (SW)	249	1	518450 129550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (E)	264	1	519400 129850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11NE (E)	266	1	519400 129900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (NE)	314	1	519400 130050

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A10SW (SW)	320	1	518400 129500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (E)	324	1	519450 129950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A7NE (SE)	354	1	519300 129400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A6NE (S)	380	1	518700 129300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (E)	385	1	519500 130000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A10SW (SW)	390	1	518350 129450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11NE (NE)	402	1	519500 130050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14SE (NW)	402	1	518650 130300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SE (NE)	413	1	519450 130150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NW (E)	415	1	519550 129900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NW (E)	415	1	519550 129779
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NW (E)	422	1	519550 129950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A15SE (NE)	425	1	519500 130100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A7NE (SE)	428	1	519250 129250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A6NE (SW)	442	1	518650 129250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A6NE (S)	444	1	518800 129200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A7NW (SE)	446	1	519200 129200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SE (NE)	447	1	519450 130200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A7NE (SE)	456	1	519350 129300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7NE (SE)	458	1	519300 129250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A7NW (S)	461	1	519100 129150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7NE (SE)	469	1	519250 129200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NW (E)	471	1	519600 129950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A6NE (S)	475	1	518850 129150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SW (NW)	482	1	518400 130250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SE (NE)	488	1	519300 130350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A7NW (SE)	491	1	519200 129150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7NE (SE)	494	1	519400 129300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NW (E)	495	1	519600 130050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SE (NW)	495	1	518550 130350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A6NW (SW)	496	1	518500 129250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A6NW (SW)	499	1	518300 129350
1	Discharge Consents Operator: Mr & Mrs J B Vickers Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Hornbrook Farm, Horsham Hornbrook Farm, Brighton Road, Horsham, West Sussex, Rh13 6qa Authority: Environment Agency, Southern Region Catchment Area: The River Arun Reference: P11731 Permit Version: 1 Effective Date: 11th September 2003 Issued Date: 11th September 2003 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Unnamed Trib, River Arun Receiving Water: Unnamed Trib, River Arun Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A10SE (W)	0	2	518700 129730
1	Discharge Consents Operator: Hall & Woodhouse Ltd Property Type: FOOD+BEVERAGE SERVICES/CAFE/RESTAURANT/PUB Location: Hornbrook Pub The Hornbrook Public House, Brighton Road, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Old-Arun 70 Reference: P03617 Permit Version: 1 Effective Date: 2nd July 1991 Issued Date: 2nd July 1991 Revocation Date: 5th February 1998 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Lake/Reservoir - with outlet Environment: Freshwater Stream Or River Receiving Water: Freshwater Stream Or River Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 100m	A10SE (SW)	5	2	518700 129700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	Discharge Consents Operator: Hall & Woodhouse Ltd Property Type: FOOD+BEVERAGE SERVICES/CAFE/RESTAURANT/PUB Location: Hornbrook Pub The Hornbrook Public House, Brighton Road, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: The River Arun Reference: P03617 Permit Version: 2 Effective Date: 6th February 1998 Issued Date: 2nd July 1991 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater Stream Or River Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 100m	A10SE (SW)	5	2	518700 129700
1	Discharge Consents Operator: King & Barnes Ltd Property Type: Not Given Location: The Hornbrook Public House, Brighton Road, HORSHAM, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: P3617/S/CH/91 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: 2nd July 1991 Revocation Date: Not Supplied Discharge Type: Sewage Effluent Discharge-Treated Effluent Discharge: Freshwater Stream/River Environment: Receiving Water: Not Supplied Status: Not Supplied Positional Accuracy: Located by supplier to within 100m	A10SE (SW)	12	2	518705 129695
2	Discharge Consents Operator: C Davies Esq Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Old Doomsday, Horsham, Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: N02806 Permit Version: 1 Effective Date: 12th January 1982 Issued Date: 12th January 1982 Revocation Date: 31st March 1997 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A11NW (NE)	18	2	519150 129890
2	Discharge Consents Operator: Croudace Ltd. Property Type: Undefined Or Other Location: Doomsday Green, Highlands Ridge, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: S01463 Permit Version: 1 Effective Date: 12th April 1966 Issued Date: 12th April 1966 Revocation Date: 1st July 1991 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A11NW (E)	49	2	519180 129900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	Discharge Consents Operator: P N Holmes Esq Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Domesday Garden Cottage, St Leonards Road, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: S02772 Permit Version: 1 Effective Date: 3rd April 1963 Issued Date: 3rd April 1963 Revocation Date: 19th June 1995 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A11NW (NE)	42	2	519120 129940
3	Discharge Consents Operator: P N Holmes Esq Property Type: Undefined Or Other Location: Plot 3 Domesday Gardens, St Leonards Road, Horsham Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: S02773 Permit Version: 1 Effective Date: 3rd April 1963 Issued Date: 3rd April 1963 Revocation Date: 19th June 1995 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A11NW (NE)	42	2	519110 129940
3	Discharge Consents Operator: P N Holmes Esq Property Type: Undefined Or Other Location: Plot 2 Domesday Gardens, St Leonards Road, Horsham Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: S02774 Permit Version: 1 Effective Date: 3rd April 1963 Issued Date: 3rd April 1963 Revocation Date: 19th June 1995 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A11NW (NE)	47	2	519090 129950
4	Discharge Consents Operator: P N Holmes Esq Property Type: Undefined Or Other Location: Plot 1 Domesday Gardens, St Leonards Road, Horsham, Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: S02775 Permit Version: 1 Effective Date: 3rd April 1963 Issued Date: 3rd April 1963 Revocation Date: 19th June 1995 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A11NW (NE)	43	2	519070 129950

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	Discharge Consents Operator: The Occupier Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Sewage Disposal Plant, Little Domesday, Domesday Green St. Leonards Road, Horsham West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: S01103 Permit Version: 2 Effective Date: 12th January 1982 Issued Date: 12th January 1982 Revocation Date: Not Supplied Discharge Type: Non Water Company (Private) Sewage Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A11NW (NE)	57	2	519050 129960
4	Discharge Consents Operator: The Occupier Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Sewage Disposal Plant, Little Domesday, Domesday Green St. Leonards Road, Horsham West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: S01103 Permit Version: 1 Effective Date: 3rd April 1963 Issued Date: 3rd April 1963 Revocation Date: 12th January 1982 Discharge Type: Non Water Company (Private) Sewage Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A11NW (NE)	57	2	519050 129960
5	Discharge Consents Operator: Brentwick Properties Ltd Property Type: DOMESTIC PROPERTY (MULTIPLE) (INCL FARM HOUSES) Location: Hornbrook Cottages, Brighton Roa, Horsham Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: S02701 Permit Version: 1 Effective Date: 4th June 1973 Issued Date: 4th June 1973 Revocation Date: 31st March 1997 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A10SE (W)	78	2	518550 129690
5	Discharge Consents Operator: Southern Water Services Limited Property Type: Undefined Or Other Location: Herons Ghyll Estate, St. Leonards Road,, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: S02095 Permit Version: 1 Effective Date: 1st May 1972 Issued Date: 1st May 1972 Revocation Date: 25th June 1997 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A10SE (W)	92	2	518540 129680

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	Discharge Consents Operator: Mr C.A.Youngman Property Type: DOMESTIC PROPERTY (MULTIPLE) (INCL FARM HOUSES) Location: Hornbrook Copse, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: The River Arun Reference: P02523 Permit Version: 1 Effective Date: 3rd June 1992 Issued Date: 3rd June 1992 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater Stream Or River Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 100m	A10SW (W)	111	2	518500 129700
5	Discharge Consents Operator: Hopkin Construction Limited Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Hornbrook Hill, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: N02781 Permit Version: 1 Effective Date: 21st October 1981 Issued Date: 21st October 1981 Revocation Date: 28th February 1997 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A10SW (W)	111	2	518500 129700
6	Discharge Consents Operator: Camping International Ltd Property Type: SPORT, AMUSEMENT+RECREATION/GOLF CLUB/GYM/THEME PK/SPA Location: Camping International Ltd, Hornbrook Park, Brighton Rd A281, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: P09613 Permit Version: 1 Effective Date: 15th February 2001 Issued Date: 15th February 2001 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A10SE (SW)	102	2	518640 129620
7	Discharge Consents Operator: Croudace Limited Property Type: DOMESTIC PROPERTY (MULTIPLE) (INCL FARM HOUSES) Location: Houses In Leonards Road , HORSHAM Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: S02813 Permit Version: 1 Effective Date: 13th March 1962 Issued Date: 13th March 1962 Revocation Date: 31st March 1997 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A11NW (N)	140	2	518880 130050

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	Discharge Consents Operator: Southern Water Services Limited Property Type: Undefined Or Other Location: Herons Ghyll Estate, St. Leonards Road,, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: S02095 Permit Version: 1 Effective Date: 1st May 1972 Issued Date: 1st May 1972 Revocation Date: 25th June 1997 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A10SW (W)	148	2	518460 129700
9	Discharge Consents Operator: Tate Bros Ltd Property Type: SHOP INCL GARDEN CENTRE/RETAIL TRADE(NOT MOTOR VEHICLE) Location: Hillier Garden Centre & Timber, Brighton Road, Horsham, West Sussex, Rh13 6qa Authority: Environment Agency, Southern Region Catchment Area: The River Arun Reference: P12837 Permit Version: 1 Effective Date: 27th September 2006 Issued Date: 27th September 2006 Revocation Date: Not Supplied Discharge Type: Sewage And Trade Combined - Unspecified Discharge: Freshwater Stream/River Environment: Receiving Water: Ditch To The River Arun Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A10SE (SW)	155	2	518620 129570
10	Discharge Consents Operator: Southern Water Services Limited Property Type: Undefined Or Other Location: Herons Ghyll Estate, St. Leonards Road,, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: S02095 Permit Version: 1 Effective Date: 1st May 1972 Issued Date: 1st May 1972 Revocation Date: 25th June 1997 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A10NW (W)	155	2	518450 129790
10	Discharge Consents Operator: Mr Nicholas O'Riordon Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Barnfield Brighton Road, Horsham, ., West Sussex, Rh13 6er Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: Npswqd004190 Permit Version: 1 Effective Date: 29th October 2008 Issued Date: 29th October 2008 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Land/Soakaway Environment: Receiving Water: Gw Via Soakaway Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A10SW (W)	168	2	518432 129746

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	Discharge Consents Operator: Southern Water Services Limited Property Type: Undefined Or Other Location: Herons Ghyll Estate, St. Leonards Road,, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: S02095 Permit Version: 1 Effective Date: 1st May 1972 Issued Date: 1st May 1972 Revocation Date: 25th June 1997 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A10NW (W)	174	2	518430 129790
11	Discharge Consents Operator: Southern Water Services Limited Property Type: Undefined Or Other Location: Hammerpond Rd, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: W00456 Permit Version: 1 Effective Date: 21st June 1979 Issued Date: 21st June 1979 Revocation Date: 24th February 1998 Discharge Type: Unknown Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A11NE (E)	266	2	519400 129900
11	Discharge Consents Operator: Southern Water Services Ltd Property Type: Not Given Location: Left Bank Of Hornbrook Stream, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: PP(A)38/117/S41/78 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: Not Supplied Revocation Date: Not Supplied Discharge Type: Unknown Discharge: Freshwater Stream/River Environment: Receiving Water: Not Supplied Status: Not Supplied Positional Accuracy: Located by supplier to within 100m	A11NE (E)	266	2	519400 129900
12	Discharge Consents Operator: Southern Water Services Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Kerves Lane Horsham Wps Kerves Lane Wps, Newtown, Horsham, West Sussex, Rh13 6es Authority: Environment Agency, Southern Region Catchment Area: The River Arun Reference: A01269 Permit Version: 2 Effective Date: 1st April 2008 Issued Date: 10th September 2007 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Horn Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A6NW (SW)	435	2	518340 129400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
12	Discharge Consents Operator: Southern Water Services Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Kerves Lane Horsham Wps Kerves Lane Wps, Newtown, Horsham, West Sussex, Rh13 6es Authority: Environment Agency, Southern Region Catchment Area: The River Arun Reference: A01269 Permit Version: 1 Effective Date: 10th September 2007 Issued Date: 10th September 2007 Revocation Date: 31st March 2008 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Horn Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A6NW (SW)	435	2	518340 129400
12	Discharge Consents Operator: Southern Water Services Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Kerves Lane Horsham Wps Kerves Lane Wps, Newtown, Horsham, West Sussex, Rh13 6es Authority: Environment Agency, Southern Region Catchment Area: The River Arun Reference: A01269 Permit Version: 2 Effective Date: 1st April 2008 Issued Date: 10th September 2007 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Horn Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A6NW (SW)	435	2	518340 129400
12	Discharge Consents Operator: Southern Water Services Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: The Rear Of Garden House, Kerves Lane, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: A00952 Permit Version: 1 Effective Date: 13th July 1999 Issued Date: 13th July 1999 Revocation Date: 24th May 2018 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Surrendered under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A6NW (SW)	440	2	518320 129410
13	Discharge Consents Operator: West Sussex County Council Property Type: EDUCATION/NURSERY/SCHOOL/COLLEGE/UNI/TRAINING VENUE Location: Adult Training Centre, Blatchford Close, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: S02091 Permit Version: 1 Effective Date: 1st May 1972 Issued Date: 1st May 1972 Revocation Date: 31st March 1997 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A14SW (NW)	459	2	518530 130300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
14	Discharge Consents Operator: West Sussex County Council Property Type: CONSTRUCTION OF BUILDINGS Location: Residential Dev At Kentwyns, Kerves Lane, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: S01693 Permit Version: 1 Effective Date: 28th March 1968 Issued Date: 28th March 1968 Revocation Date: 31st March 1997 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A9NE (W)	475	2	518130 129820
15	Discharge Consents Operator: West Sussex County Council Property Type: EDUCATION/NURSERY/SCHOOL/COLLEGE/UNI/TRAINING VENUE Location: Adult Training Centre, Blatchford Close, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: S02091 Permit Version: 1 Effective Date: 1st May 1972 Issued Date: 1st May 1972 Revocation Date: 31st March 1997 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A14SE (NW)	517	2	518540 130370
16	Discharge Consents Operator: Southern Water Services Limited Property Type: Undefined Or Other Location: Magpie Lane, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: W00455 Permit Version: 1 Effective Date: 21st June 1979 Issued Date: 21st June 1979 Revocation Date: 24th February 1998 Discharge Type: Unknown Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A6NE (S)	538	2	518800 129100
16	Discharge Consents Operator: Southern Water Services Ltd Property Type: Not Given Location: Left Bank Of River Arun, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: PP(A)38/117/S41/78 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: Not Supplied Revocation Date: Not Supplied Discharge Type: Unknown Discharge: Freshwater Stream/River Environment: Receiving Water: Not Supplied Status: Not Supplied Positional Accuracy: Located by supplier to within 100m	A6NE (S)	538	2	518800 129100

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
17	Discharge Consents Operator: Metricab Power Engineering Ltd Property Type: OFFICES ADMIN + SUPPORT Location: Metricab Power Engineering Ltd Riverside House, Sedgwick Lane, Horsham, West Sussex, Rh13 6qe Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: P07244 Permit Version: 1 Effective Date: 3rd August 1998 Issued Date: 3rd August 1998 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A6SE (S)	643	2	518620 129050
18	Discharge Consents Operator: Croudace Ltd. Property Type: CONSTRUCTION OF BUILDINGS Location: Residential Development, Highlands Farm 4, Off Grebe Crescent, Horsham West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: N02007 Permit Version: 1 Effective Date: 4th May 1979 Issued Date: 4th May 1979 Revocation Date: 1st July 1991 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A15NE (NE)	699	2	519370 130550
19	Discharge Consents Operator: West Sussex County Council Property Type: CONSTRUCTION OF BUILDINGS Location: Housing Estate At South Grove, Brighton Road, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: S01038 Permit Version: 1 Effective Date: 29th October 1964 Issued Date: 29th October 1964 Revocation Date: 31st March 1997 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A13SE (W)	721	2	517980 130120
20	Discharge Consents Operator: The Occupier Property Type: SHOP INCL GARDEN CENTRE/RETAIL TRADE(NOT MOTOR VEHICLE) Location: Service Station, Brighton Road, Southgate, Horsham West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: S01402 Permit Version: 1 Effective Date: 3rd September 1965 Issued Date: 3rd September 1965 Revocation Date: 31st March 1997 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A13SE (NW)	829	2	517900 130200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
21	Discharge Consents Operator: Foyles Educational Ltd. Property Type: Undefined Or Other Location: Oakdean Fruit Farm, Sedgwick Lane, Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: P00129 Permit Version: 1 Effective Date: 30th October 1985 Issued Date: 30th October 1985 Revocation Date: Not Supplied Discharge Type: Non Water Company (Private) Sewage Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A6SE (S)	855	2	518700 128800
22	Discharge Consents Operator: Southern Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Magpie Lane (Horsham) S.T.W., Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: The River Arun Reference: W00129 Permit Version: 2 Effective Date: 31st March 2004 Issued Date: 5th March 2004 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of River Arun Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A3NW (S)	903	2	518950 128700
22	Discharge Consents Operator: Southern Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Magpie Lane (Horsham) S.T.W., Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: The River Arun Reference: W00129 Permit Version: 1 Effective Date: 10th December 1985 Issued Date: 10th December 1985 Revocation Date: 30th March 2004 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of River Arun Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A3NW (S)	903	2	518950 128700
23	Discharge Consents Operator: MR M EVENS Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: KERVES LANE FARM, KERVES LANE, HORSHAM, WEST SUSSEX Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: P07854 Permit Version: 1 Effective Date: 4th November 1999 Issued Date: 4th November 1999 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A5SE (SW)	908	2	518170 128950

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
24	Discharge Consents Operator: Southern Water Services Ltd (S) Property Type: Sewage Disposal Works - Water Company Location: Magpie Lane (Horsham) S.T.W., Horsham, West Sussex Authority: Environment Agency, Southern Region Catchment Area: The River Arun Reference: W00129 Permit Version: 2 Effective Date: 31st March 2004 Issued Date: 5th March 2004 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of River Arun Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A3NW (S)	962	2	518960 128640
	Nearest Surface Water Feature	A11NW (N)	0	-	518920 129884
25	Pollution Incidents to Controlled Waters Property Type: Other Transport Location: Whites Bridge Authority: Environment Agency, Southern Region Pollutant: Organic Wastes: Cattle Manure (solid) Note: Slurry/Mud On Sedgwick Lane Horsham From Mill Farm ; Road (Road Traffic Accident) Incident Date: 6th October 1995 Incident Reference: 1510 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Organic Farm Waste Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A6NE (S)	380	2	518700 129300
26	Pollution Incidents to Controlled Waters Property Type: Miscellaneous Premises: Unknown Location: Arun At, Whites Bridge, Sedgewick Lane Authority: Environment Agency, Southern Region Pollutant: Miscellaneous - Natural Note: Effluent In River Incident Date: 5th May 1997 Incident Reference: 2123 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: General Pollution - Natural Causes Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A6NE (S)	476	2	518700 129200
27	Pollution Incidents to Controlled Waters Property Type: Wholesale & Retail Trade Location: Riverside House, Sedgewick Lane, HORSHAM Authority: Environment Agency, Southern Region Pollutant: General Biodegradable : Sewage Treated Effluent & Sewerage Material Note: Not Supplied Incident Date: 6th September 1999 Incident Reference: 2768 Catchment Area: Arun Receiving Water: Potential River Cause of Incident: Other Cause Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m	A6NE (S)	543	2	518800 129095
28	Pollution Incidents to Controlled Waters Property Type: Wholesale & Retail Trade Location: Stream Behind Kennedy Road, HORSHAM Authority: Environment Agency, Southern Region Pollutant: General Biodegradable : Animal / Vegetable Oils :soaps Note: Not Supplied Incident Date: 24th July 1999 Incident Reference: 2086 Catchment Area: Arun Receiving Water: Potential River Cause of Incident: Plant / Machinery Failure : Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m	A13SE (NW)	826	2	517900 130195

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
29	Pollution Incidents to Controlled Waters Property Type: Dairy Cattle Location: Mill Farm, Sedgwick Lane, HORSHAM Authority: Environment Agency, Southern Region Pollutant: Organic Wastes: Dairy / Parlour Washings Note: Long Term Intermittant Farm Effluent Discharge Incident Date: 7th June 1996 Incident Reference: 1730 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Farm Cattle - Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A6SE (S)	874	2	518800 128750
30	Pollution Incidents to Controlled Waters Property Type: Miscellaneous Premises: Other Location: Nr Home Farm, HORSHAM Authority: Environment Agency, Southern Region Pollutant: Miscellaneous - Inert Suspended Solids Note: Silt From Scramble Track Incident Date: 6th January 1998 Incident Reference: 2385 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Miscellaneous/Other Pollution Type Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12NE (E)	875	2	520001 130001
31	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Other Location: Lower End Of The, Chessworth Farm Allotments Authority: Environment Agency, Southern Region Pollutant: Crude Sewage Note: Stream Is Milky With Some Foam Also Dead Sticklebacks; Water Company Sewage: Foul Sewer Incident Date: 21st August 1995 Incident Reference: 1396 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Plc Sewage Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A13SW (W)	956	2	517710 130100
	River Quality Name: Arun GQA Grade: River Quality C Reach: Horsham - Hammer Pond Estimated Distance (km): 5.9 Flow Rate: Flow less than 0.62 cumecs Flow Type: River Year: 2000	A6NE (SW)	478	2	518634 129213
32	Water Abstractions Operator: Trustees Of Coolhurst Estate Licence Number: 429007 Permit Version: Not Supplied Location: Birchenridge Pond, Mannings Heath, HORSHAM Authority: Environment Agency, Southern Region Abstraction: Impounding Abstraction Type: Not Supplied Source: Surface Daily Rate (m3): 0 Yearly Rate (m3): 0 Details: Tributary Of Arun Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A7NE (SE)	549	2	519370 129190

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Mannings Heath Golf Club Licence Number: 10/41/429305 Permit Version: 100 Location: Goldings Stream (Point A On Licence Map) Authority: Environment Agency, Southern Region Abstraction: Golf Courses: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: See Licence Map. Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 11th July 1996 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	(E)	1901	2	520930 129230
	Water Abstractions Operator: Mannings Heath Golf Club Licence Number: 25/092 Permit Version: 100 Location: Mannings Heath Golf Club, Horsham Authority: Environment Agency, Southern Region Abstraction: Golf Courses: Spray Irrigation - Storage Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: See Licence Map. Authorised Start: 01 November Authorised End: 31 March Permit Start Date: 16th April 2019 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	(E)	1931	2	520970 129260
	Water Abstractions Operator: Belmont Homes Ltd Licence Number: 10/41/429004 Permit Version: 102 Location: 18 Bishopric, Horsham Authority: Environment Agency, Southern Region Abstraction: Food And Drink: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: See Licence Map Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 24th September 2001 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(NW)	1982	2	516920 130810
	Water Abstractions Operator: King & Barnes Ltd Licence Number: 10/41/429004 Permit Version: 100 Location: 18 Bishopric, Horsham Authority: Environment Agency, Southern Region Abstraction: Food And Drink: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: See Licence Map Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 15th June 1988 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	(NW)	1982	2	516920 130810

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial: <90% Patchiness: <3m Superficial Thickness: No Data Superficial Recharge:	A11NW (N)	0	3	518907 129839
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial: <90% Patchiness: <3m Superficial Thickness: No Data Superficial Recharge:	A11NW (N)	0	3	518884 129779
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial: <90% Patchiness: <3m Superficial Thickness: No Data Superficial Recharge:	A11NW (NE)	0	3	519000 129834
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial: <90% Patchiness: <3m Superficial Thickness: No Data Superficial Recharge:	A11NW (E)	0	3	519000 129779

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Unproductive Combined Vulnerability: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial <90% Patchiness: <3m Superficial Thickness: No Data Superficial Recharge:	A11SW (S)	0	3	518881 129698
	Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Unproductive Combined Vulnerability: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial <90% Patchiness: <3m Superficial Thickness: No Data Superficial Recharge:	A11NW (N)	0	3	518887 129815
	Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Unproductive Combined Vulnerability: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial <90% Patchiness: <3m Superficial Thickness: No Data Superficial Recharge:	A11SW (SE)	0	3	519000 129696
	Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Unproductive Combined Vulnerability: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial <90% Patchiness: <3m Superficial Thickness: No Data Superficial Recharge:	A11NW (E)	0	3	519000 129802
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A11NW (N)	0	3	518907 129839
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A11NW (N)	0	3	518884 129779
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	A11SW (S)	0	3	518881 129698

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	A11NW (N)	0	3	518887 129815
	Superficial Aquifer Designations No Data Available				
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (N)	0	2	518860 129880
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (N)	0	2	518855 129880
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 700.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 1	A11NW (N)	1	4	518922 129886
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.0 Watercourse Level: Underground Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 1	A11NW (NE)	6	4	519138 129888
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 33.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 1	A11NW (NE)	8	4	519140 129888
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.1 Watercourse Level: Underground Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 1	A10NE (W)	30	4	518571 129757
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 531.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 1	A10SE (W)	34	4	518567 129738
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 455.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 1	A11NW (E)	41	4	519172 129898

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
39	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A11NW (E)	41	4	519172 129898
40	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A11NE (NE)	397	4	519486 130068
41	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 59.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 1	A11NE (NE)	397	4	519486 130068
42	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 75.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A6NE (S)	400	4	518734 129269
43	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1041.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A11NE (NE)	413	4	519510 130053
44	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 614.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 1	A6NE (S)	426	4	518676 129252
45	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A6NE (S)	431	4	518705 129246
46	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 111.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 1	A6NE (S)	438	4	518698 129239
47	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 123.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 1	A15SE (NE)	448	4	519522 130109

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
48	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 322.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 1	A6NE (S)	455	4	518777 129198
49	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A6NE (S)	455	4	518777 129198
50	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A6NE (S)	456	4	518775 129197
51	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.2 Watercourse Level: Underground Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 1	A6NW (SW)	486	4	518309 129360
52	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 57.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 1	A6NW (SW)	488	4	518305 129360
53	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 113.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 1	A15SE (NE)	510	4	519512 130227
54	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A6NW (SW)	536	4	518282 129315
55	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 243.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 1	A6NW (SW)	539	4	518282 129315
56	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 430.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 1	A7SW (S)	544	4	518993 129047

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
57	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 300.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A7NE (SE)	550	4	519322 129151
58	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 1	A7NE (SE)	550	4	519322 129151
59	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 75.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 1	A7NE (SE)	552	4	519326 129151
60	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 39.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A7NE (SE)	552	4	519338 129160
61	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 449.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A7SW (S)	554	4	518993 129047
62	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 75.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 1	A15SE (NE)	558	4	519496 130309
63	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A15SE (NE)	559	4	519502 130305
64	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 300.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A15SE (NE)	560	4	519503 130306
65	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 292.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 1	A7NE (SE)	576	4	519402 129181

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
66	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 77.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A15SE (NE)	597	4	519484 130370
67	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 338.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A15SE (NE)	597	4	519474 130377
68	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 69.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A9NE (W)	637	4	517992 129941
69	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 789.4 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A9NE (W)	637	4	518001 129980
70	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 49.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A15NE (NE)	648	4	519473 130440
71	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 257.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A15NW (N)	651	4	518961 130567
72	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A9NE (W)	691	4	517945 129973
73	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 75.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A9NE (W)	694	4	517944 129976
74	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 137.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 1	A8NW (SE)	729	4	519695 129320

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
75	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 26.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A8NW (SE)	736	4	519660 129248
76	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 1	A5NE (SW)	746	4	518155 129151
77	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 2	A5NE (SW)	746	4	518155 129151
78	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 119.4 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A9NE (W)	750	4	517909 130043
79	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 57.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 1	A8NW (SE)	750	4	519736 129357
80	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.1 Watercourse Level: Underground Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 2	A5NE (SW)	750	4	518154 129146
81	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.0 Watercourse Level: Underground Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 1	A5NE (SW)	753	4	518148 129147
82	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 2	A5NE (SW)	756	4	518154 129139
83	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 62.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A12SW (E)	757	4	519786 129438

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
84	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 65.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A12SW (E)	758	4	519781 129426
85	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 3.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A12SW (E)	759	4	519783 129429
86	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A8NW (SE)	760	4	519675 129226
87	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 4.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A12SW (E)	760	4	519786 129431
88	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 1	A5NE (SW)	760	4	518155 129133
89	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Horn Brook Catchment Name: Rother and Arun Primacy: 1	A5NE (SW)	761	4	518142 129142
90	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A12SW (E)	767	4	519816 129483
91	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 110.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A5NE (SW)	767	4	518147 129131
92	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 1	A5NE (SW)	767	4	518147 129131

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
93	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 100.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A12SW (E)	769	4	519820 129490
94	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 332.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 1	A5NE (SW)	770	4	518135 129135
95	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 73.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A8NW (SE)	770	4	519682 129219
96	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 55.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A12SE (E)	775	4	519881 129650
97	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 2.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A12SE (E)	775	4	519881 129655
98	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 235.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A6SE (S)	784	4	518737 128863
99	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 6.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A12SW (E)	785	4	519876 129601
100	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A12SW (E)	786	4	519874 129588
101	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 32.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A12SW (E)	793	4	519875 129569

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
102	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 174.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 1	A8NW (SE)	796	4	519793 129365
103	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 253.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A15NE (NE)	802	4	519369 130659
104	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 78.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A15NE (NE)	802	4	519369 130659
105	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 5.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A12SE (E)	814	4	519902 129586
106	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 86.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A12SE (E)	817	4	519906 129589
107	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 93.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A7SE (SE)	818	4	519500 128948
108	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 91.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A7SE (SE)	818	4	519500 128948
109	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A6SW (SW)	819	4	518273 128998
110	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A6SW (SW)	819	4	518274 128998

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
111	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 104.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A6SW (SW)	819	4	518274 128998
112	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 130.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A6SW (SW)	820	4	518271 128999
113	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 168.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A8SW (SE)	826	4	519576 129003
114	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A16NW (NE)	832	4	519754 130439
115	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 167.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A6SW (SW)	834	4	518497 128887
116	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A6SW (SW)	834	4	518502 128886
117	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 140.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Golden Folly Catchment Name: Rother and Arun Primacy: 1	A16NW (NE)	837	4	519759 130441
118	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 13.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A7SE (S)	842	4	519234 128791
119	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A12SE (E)	842	4	519952 129660

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
120	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 101.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A12SE (E)	844	4	519954 129662
121	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A7SE (S)	848	4	519225 128782
122	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 507.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A5SE (SW)	848	4	518162 129024
123	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A7SE (S)	850	4	519213 128777
124	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A7SE (S)	850	4	519213 128777
125	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A7SE (S)	854	4	519209 128771
126	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 288.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A7SE (S)	858	4	519206 128768
127	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 31.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A5NE (SW)	860	4	517925 129216
128	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 47.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A9NW (W)	862	4	517790 130046

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
129	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A5NE (SW)	879	4	517898 129219
130	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 55.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 1	A5NE (SW)	881	4	517891 129226
131	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 109.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 2	A5NE (SW)	897	4	517857 129246
132	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 1	A5NE (SW)	897	4	517857 129246
133	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 22.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A9NW (W)	899	4	517748 130038
134	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A8SW (SE)	902	4	519558 128887
135	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 28.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A8SW (SE)	908	4	519559 128881
136	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 100.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 1	A5NW (SW)	910	4	517843 129244
137	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A5NW (SW)	910	4	517843 129244

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
138	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 280.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A9NW (W)	913	4	517729 130027
139	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 48.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A5NW (SW)	917	4	517843 129231
140	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 433.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 1	A5NW (SW)	927	4	517781 129314
141	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A8SW (SE)	936	4	519572 128856
142	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A8SW (SE)	940	4	519575 128852
143	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A8SW (SE)	942	4	519576 128850
144	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 113.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A8SW (SE)	946	4	519574 128845
145	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A12SE (E)	946	4	520073 129740
146	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 318.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A12SE (E)	946	4	520073 129737

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
147	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A5NW (SW)	952	4	517828 129192
148	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 182.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Arun Catchment Name: Rother and Arun Primacy: 1	A8NE (E)	957	4	519967 129354
149	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 159.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A5NW (SW)	957	4	517826 129186
150	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A3NW (S)	963	4	518961 128640
151	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 195.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A3NW (S)	967	4	519005 128634
152	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A3NW (S)	968	4	518968 128634
153	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 33.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A3NW (S)	973	4	518969 128629
154	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 152.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A5NW (W)	974	4	517686 129413
155	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 305.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A16NW (NE)	975	4	519843 130554

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
156	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 16.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Golden Folly Catchment Name: Rother and Arun Primacy: 1	A16NW (NE)	975	4	519843 130554
157	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 134.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A3NW (S)	981	4	519891 128620
158	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 34.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A8SW (SE)	981	4	519716 128923
159	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A19SE (NE)	988	4	519350 130858
160	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 146.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A19SE (NE)	988	4	519350 130858
161	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 160.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A16NW (NE)	990	4	519848 130570
162	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 250.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Rother and Arun Primacy: 1	A13NE (NW)	995	4	518167 130711

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
163	Historical Landfill Sites Licence Holder: Not Supplied Location: Horsham, Sussex Name: Chesworth Farm & House Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD20003 First Input Date: 31st December 1979 Last Input Date: 31st December 1985 Specified Waste: Deposited Waste included Inert and Industrial Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 3800/8154 BGS Ref: Not Supplied Other Ref: WD27/128	A9SW (W)	974	2	517637 129600
	Local Authority Landfill Coverage Name: Horsham District Council - Has supplied landfill data		0	5	518884 129779
	Local Authority Landfill Coverage Name: West Sussex County Council - Has supplied landfill data		0	6	518884 129779
164	Potentially Infilled Land (Non-Water) Bearing Ref: SW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1993	A6NW (SW)	552	-	518206 129362
165	Potentially Infilled Land (Non-Water) Bearing Ref: N Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1993	A18SW (N)	967	-	518469 130824
166	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A10NE (NW)	3	-	518789 129908
167	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A10NE (W)	8	-	518621 129807
168	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A10NE (W)	130	-	518544 129910
169	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A15SE (NE)	421	-	519492 130105
170	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A6SE (S)	597	-	518697 129074
171	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1880	A14SW (NW)	617	-	518338 130371
172	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	A14NW (NW)	634	-	518435 130446
173	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	A14NE (NW)	635	-	518547 130506
174	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A14NE (NW)	638	-	518575 130512
175	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A14NE (N)	650	-	518614 130535
176	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A14NE (N)	675	-	518630 130564
177	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1912	A13SE (NW)	675	-	518113 130243

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
178	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1912	A13SE (NW)	707	-	518154 130335
179	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	A13SE (NW)	779	-	518101 130383
180	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A6SW (SW)	840	-	518320 128955
181	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	A8NW (E)	852	-	519868 129389
182	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A18SE (N)	891	-	518580 130774
183	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A18SW (NW)	969	-	518381 130794

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Wealden Group	A11NW (N)	0	1	518884 129779
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11NW (N)	0	1	518907 129839
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11NW (N)	0	1	518884 129779
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11NW (N)	0	1	518887 129815
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11SW (S)	0	1	518881 129698
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11NW (E)	23	1	519145 129816
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11NW (N)	88	1	518884 130000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	A11NE (E)	186	1	519321 129854
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	A6NE (SW)	407	1	518666 129281
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A14SE (N)	460	1	518795 130367
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A6NE (S)	476	1	518740 129188
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A7NE (SE)	484	1	519334 129245
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	A6NW (SW)	492	1	518308 129350

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A6NW (SW)	524	1	518227 129381
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A12SW (E)	535	1	519625 129633
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	A7SW (S)	537	1	518984 129062
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A7NE (SE)	597	1	519370 129128
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A6NW (SW)	604	1	518414 129171
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A9SE (W)	641	1	517959 129718

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A15NE (NE)	783	1	519334 130650
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: <15 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A5SE (SW)	859	1	518091 129055
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A8NW (SE)	882	1	519791 129181
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: <15 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A5NW (SW)	954	1	517854 129154
184	BGS Recorded Mineral Sites Site Name: Amiesmill House Sand Pit Location: New Town, Horsham, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 126503 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Quaternary Geology: Arun Terrace Deposits, 4 Member Commodity: Sand Positional Accuracy: Located by supplier to within 10m	A6NW (SW)	564	1	518209 129343
185	BGS Recorded Mineral Sites Site Name: Highland Copse Pit Location: Horsham, West Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 150619 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Upper Tunbridge Wells Sand Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	A16SW (NE)	565	1	519570 130243

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
186	BGS Recorded Mineral Sites Site Name: Coolhurst Wood Pits Location: Mannings Heath, Horsham, West Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 150620 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Upper Tunbridge Wells Sand Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	A12SW (E)	781	1	519857 129551
187	BGS Recorded Mineral Sites Site Name: Coolhurst Wood Pits Location: Mannings Heath, Horsham, West Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 150621 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Upper Tunbridge Wells Sand Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	A12SE (E)	888	1	519966 129540
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Man-Made Mining Cavities Easting: 519500 Northing: 130100 Distance: 425 Quadrant Reference: A15 Quadrant Reference: SE Bearing Ref: NE Cavity Type: Multiple Bell Pits/Iron Workings Commodity: Iron Solid Geology Detail: Upper Tunbridge Wells Sand Superficial Geology No Details Detail:	A15SE (NE)	425	7	519500 130100
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518884 129779
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	88	1	518884 130000
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (E)	186	1	519321 129854
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518884 129779
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	88	1	518884 130000
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A11NE (E)	186	1	519321 129854
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518884 129779

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	88	1	518884 130000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518884 129779
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	88	1	518884 130000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518907 129839
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518885 129783
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518884 129779
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (E)	23	1	519145 129816
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A10NE (NW)	81	1	518714 129984
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	88	1	518884 130000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (NE)	100	1	519143 130000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (NE)	101	1	519111 130000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	103	1	518914 130017
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (NE)	123	1	519228 129963
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A10NE (NW)	154	1	518636 130018
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A11NE (E)	186	1	519321 129854
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (NE)	192	1	519287 130000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (E)	222	1	519355 129812
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518887 129815
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11SW (S)	0	1	518881 129698
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518884 129779
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518907 129839

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (E)	23	1	519145 129816
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A10NE (NW)	81	1	518714 129984
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	88	1	518884 130000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (NE)	100	1	519143 130000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (NE)	101	1	519111 130000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	103	1	518914 130017
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (NE)	123	1	519228 129963
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (NE)	192	1	519287 130000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (E)	222	1	519355 129812
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518884 129779
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518884 129779

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
188	Contemporary Trade Directory Entries Name: The Forge Location: Hillier Garden Centre, Brighton Road, Horsham, West Sussex, RH13 6QA Classification: Wrought Ironwork Status: Inactive Positional Accuracy: Automatically positioned to the address	A10SE (S)	56	-	518822 129602
188	Contemporary Trade Directory Entries Name: Home Counties Pools & Hot Tubs Location: HILLIERS GARDEN CENTRE, BRIGHTON ROAD, HORSHAM, RH13 6QA Classification: Swimming Pool Contractors, Repairers & Service Status: Active Positional Accuracy: Automatically positioned to the address	A10SE (S)	57	-	518823 129600
189	Contemporary Trade Directory Entries Name: Cleaners Can Bee Location: 15, Ghyll Crescent, Horsham, West Sussex, RH13 6BG Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A11NW (N)	135	-	518938 130032
190	Contemporary Trade Directory Entries Name: Horsham Forge Location: Hillier Garden Centre, Brighton Road, Horsham, West Sussex, RH13 6QA Classification: Blacksmiths & Forgemasters Status: Active Positional Accuracy: Automatically positioned to the address	A10SE (S)	137	-	518847 129510
191	Contemporary Trade Directory Entries Name: Imclean Location: 150, Brighton Road, Horsham, West Sussex, RH13 6EY Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address	A10NW (W)	279	-	518334 129835
192	Contemporary Trade Directory Entries Name: Atlas Winch & Hoist Services Location: 25, St. Leonards Road, Horsham, West Sussex, RH13 6EH Classification: Lifting Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	A10NW (W)	335	-	518354 129997
193	Contemporary Trade Directory Entries Name: Horsham Refrigeration Ltd Location: 39, Heron Way, Horsham, West Sussex, RH13 6DP Classification: Refrigerators & Freezers - Servicing & Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SE (NE)	506	-	519335 130355
194	Contemporary Trade Directory Entries Name: Metricab Power Engineering Location: RIVERSIDE HOUSE, SEDGWICK LANE, HORSHAM, RH13 6QE Classification: Electrical Engineers Status: Active Positional Accuracy: Automatically positioned to the address	A6NE (S)	519	-	518744 129142
194	Contemporary Trade Directory Entries Name: Vitech Scientific Ltd Location: Riverside House, Sedgwick Lane, Horsham, West Sussex, RH13 6QE Classification: Scientific Apparatus & Instruments - Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A6NE (S)	522	-	518740 129140
194	Contemporary Trade Directory Entries Name: Metricab Power Engineering Ltd Location: Riverside House, Sedgwick Lane, Horsham, West Sussex, RH13 6QE Classification: Electrical Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	A6NE (S)	522	-	518740 129140
195	Contemporary Trade Directory Entries Name: Horsham Pool Services Location: 3, Coolhurst Lane, Horsham, West Sussex, RH13 6DH Classification: Swimming Pool Contractors, Repairers & Service Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SE (NE)	527	-	519223 130414
196	Contemporary Trade Directory Entries Name: O A G Energy Consulting Location: 103, Comptons Lane, Horsham, West Sussex, RH13 5NZ Classification: Oil & Gas Exploration Supplies & Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A15NW (N)	575	-	518877 130487

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
197	Contemporary Trade Directory Entries Name: Horsham & District Laundry Ltd Location: 6, Arun Way, Horsham, West Sussex, RH13 5DD Classification: Laundries & Launderettes Status: Inactive Positional Accuracy: Automatically positioned to the address	A9NE (W)	600	-	518075 130043
198	Contemporary Trade Directory Entries Name: All-Tech Cooling Ltd Location: 44, Bethune Road, Horsham, RH13 5JP Classification: Refrigeration Equipment Manufacturers & Distributors Status: Active Positional Accuracy: Automatically positioned to the address	A14SW (NW)	612	-	518363 130382
199	Contemporary Trade Directory Entries Name: Handmade Blinds Location: 69, Macleod Road, Horsham, West Sussex, RH13 5JG Classification: Blinds, Awnings & Canopies Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NE (N)	612	-	518678 130509
200	Contemporary Trade Directory Entries Name: Printout Location: Whitesbridge Farm, Sedgwick Lane, Horsham, West Sussex, RH13 6QE Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A6SE (S)	621	-	518689 129052
201	Contemporary Trade Directory Entries Name: Bubbles Delight Location: Flat 2, Sussex Court, Kennedy Road, Horsham, West Sussex, RH13 5TE Classification: Toiletries Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (W)	671	-	518039 130125
202	Contemporary Trade Directory Entries Name: Gem & Pearl Laboratory Ltd Location: 14, Bens Acre, Horsham, RH13 6LW Classification: Laboratories Status: Inactive Positional Accuracy: Automatically positioned to the address	A15NE (NE)	671	-	519292 130546
203	Contemporary Trade Directory Entries Name: Just Tyres Location: 39, Brighton Road, Horsham, West Sussex, RH13 5BU Classification: Tyre Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (NW)	680	-	518075 130199
203	Contemporary Trade Directory Entries Name: Just Tyres Ltd Location: 39, Brighton Road, Horsham, West Sussex, RH13 5BU Classification: Tyre Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (NW)	680	-	518075 130199
204	Contemporary Trade Directory Entries Name: Blockbusters Fireworks Location: 5, Bethune Road, Horsham, West Sussex, RH13 5JN Classification: Firework Technicians, Manufacturers & Distribution Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NW)	734	-	518237 130443
204	Contemporary Trade Directory Entries Name: Blockbusters Fireworks Location: 5, Bethune Road, Horsham, West Sussex, RH13 5JN Classification: Firework Stockists Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NW)	734	-	518237 130443
205	Contemporary Trade Directory Entries Name: D B Plumbing Location: 25, Elm Grove, Horsham, West Sussex, RH13 5HX Classification: Boilers - Servicing, Replacements & Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (NW)	738	-	518128 130353
206	Contemporary Trade Directory Entries Name: Wilson Purves Location: 52a, Brighton Road, Horsham, West Sussex, RH13 5BT Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (NW)	815	-	517922 130210

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
207	Contemporary Trade Directory Entries Name: Fergus Gillett Location: 23, Clarence Road, Horsham, West Sussex, RH13 5SJ Classification: Cabinet Makers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (NW)	871	-	517950 130352
208	Contemporary Trade Directory Entries Name: Dairy Crest Ltd Location: 40, Brighton Road, Horsham, West Sussex, RH13 5BT Classification: Dairies Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (NW)	875	-	517864 130230
208	Contemporary Trade Directory Entries Name: Dairy Crest Location: 40, Brighton Road, Horsham, RH13 5BT Classification: Dairies Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (NW)	883	-	517862 130242
209	Contemporary Trade Directory Entries Name: L & L Cleaning Location: 14 Owen Court, Bedford Road, Horsham, RH13 5QW Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (NW)	906	-	517859 130283
209	Contemporary Trade Directory Entries Name: J R Print Location: 25, BRIGHTON ROAD, HORSHAM, RH13 5BD Classification: Printers Status: Active Positional Accuracy: Automatically positioned to the address	A13SW (NW)	946	-	517816 130289
209	Contemporary Trade Directory Entries Name: Kwik Fit - Horsham Location: 24, Brighton Road, Horsham, West Sussex, RH13 5BA Classification: Tyre Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A13SW (NW)	966	-	517781 130269
210	Contemporary Trade Directory Entries Name: Beeswax Antique Restorers Location: 88, Clarence Road, Horsham, RH13 5SG Classification: Antiques - Repairing & Restoring Status: Active Positional Accuracy: Automatically positioned to the address	A13NE (NW)	923	-	518067 130548
211	Contemporary Trade Directory Entries Name: Air Conditioning Direct Ltd Location: 8, Gorings Mead, Horsham, West Sussex, RH13 5BP Classification: Air Conditioning & Refrigeration Contractors Status: Active Positional Accuracy: Automatically positioned to the address	A13SW (W)	945	-	517767 130197
212	Contemporary Trade Directory Entries Name: Rolan Carpet Cleaners Location: 36, Cambridge Road, HORSHAM, West Sussex, RH13 5ED Classification: Carpet, Curtain & Upholstery Cleaners Status: Active Positional Accuracy: Automatically positioned to the address	A13NE (NW)	961	-	517960 130500
213	Fuel Station Entries Name: Brighton Road Service Station Location: 39b, Brighton Road , , Horsham, West Sussex, RH13 5BU Brand: OBSOLETE Premises Type: Not Applicable Status: Obsolete Positional Accuracy: Manually positioned to the road within the address or location	A13SE (NW)	680	-	518060 130177
214	Fuel Station Entries Name: Wilson Purves Ltd Location: 52a, Brighton Road Kennedy Road, , Horsham, West Sussex, RH13 5BT Brand: Obsolete Premises Type: Not Applicable Status: Obsolete Positional Accuracy: Automatically positioned to the address	A13SE (NW)	852	-	517888 130225

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
215	Points of Interest - Commercial Services Name: The Forge Location: Hillier Garden Centre, Brighton Road, Horsham, RH13 6QA Category: Construction Services Class Code: Metalworkers Including Blacksmiths Positional Accuracy: Positioned to address or location	A10SE (S)	56	8	518822 129602
215	Points of Interest - Commercial Services Name: The Forge Location: Hornbrook Nurseries, Brighton Road, Horsham, RH13 6QA Category: Construction Services Class Code: Metalworkers Including Blacksmiths Positional Accuracy: Positioned to address or location	A10SE (S)	56	8	518822 129602
216	Points of Interest - Commercial Services Name: Cobraspeed Ltd Location: 201 St. Leonards Road, Horsham, RH13 6BE Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A15SW (N)	347	8	519032 130252
217	Points of Interest - Manufacturing and Production Name: Tank Location: RH13 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A10SE (SW)	43	8	518811 129620
218	Points of Interest - Manufacturing and Production Name: Tank Location: RH13 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A6NE (S)	471	8	518763 129186
218	Points of Interest - Manufacturing and Production Name: Tank Location: RH13 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A6NE (S)	473	8	518766 129183
218	Points of Interest - Manufacturing and Production Name: Tanks Location: RH13 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A6NE (S)	478	8	518749 129183
219	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13SE (NW)	669	8	518111 130231
220	Points of Interest - Manufacturing and Production Name: Works Location: RH13 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A3NW (S)	978	8	518917 128627
220	Points of Interest - Manufacturing and Production Name: Tanks Location: RH13 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A3NW (S)	983	8	518922 128622
221	Points of Interest - Public Infrastructure Name: Weir Location: RH13 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A6NW (SW)	451	8	518530 129286
221	Points of Interest - Public Infrastructure Name: Weir Location: RH13 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A6NW (SW)	453	8	518527 129286

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
222	Points of Interest - Public Infrastructure Name: Sluice Location: RH13 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A7NE (SE)	584	8	519395 129165
223	Points of Interest - Public Infrastructure Name: Sluice Location: RH13 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A5NE (SW)	889	8	517862 129253
223	Points of Interest - Public Infrastructure Name: Sluice Location: RH13 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A5NE (SW)	894	8	517857 129251
223	Points of Interest - Public Infrastructure Name: Weir Location: RH12 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A5NW (SW)	933	8	517785 129294
223	Points of Interest - Public Infrastructure Name: Weir Location: RH12 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A5NW (SW)	936	8	517782 129293
224	Points of Interest - Public Infrastructure Name: Sluice Location: RH13 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A5NW (SW)	963	8	517825 129177
224	Points of Interest - Public Infrastructure Name: Sluice Location: RH13 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A5NW (SW)	968	8	517820 129175
225	Points of Interest - Public Infrastructure Name: Sewage Works Location: RH13 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A3NW (S)	971	8	518926 128633
226	Points of Interest - Recreational and Environmental Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A10NW (NW)	357	8	518359 130041
227	Points of Interest - Recreational and Environmental Name: Playground Location: Higgins Way, RH13 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A10NW (NW)	487	8	518229 130083

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
228	Ancient Woodland Name: Not Supplied Reference: 1478188 Area(m ²): 4701.78 Type: Ancient and Semi-Natural Woodland	A11NW (NE)	40	9	519170 129899
229	Ancient Woodland Name: Highland Copse Highland Pond The Lags Reference: 1478189 Area(m ²): 107532.38 Type: Ancient and Semi-Natural Woodland	A11NE (E)	208	9	519344 129857
230	Ancient Woodland Name: Heron Copse Reference: 1478180 Area(m ²): 22746.5 Type: Ancient and Semi-Natural Woodland	A11NE (E)	366	9	519501 129863
231	Ancient Woodland Name: Not Supplied Reference: 1478291 Area(m ²): 6175.93 Type: Ancient and Semi-Natural Woodland	A6NE (SW)	373	9	518656 129320
232	Ancient Woodland Name: The Pond Lays And Stream Reference: 1478508 Area(m ²): 11221.17 Type: Ancient and Semi-Natural Woodland	A7NE (SE)	398	9	519310 129342
233	Ancient Woodland Name: Not Supplied Reference: 1478290 Area(m ²): 7813.66 Type: Ancient and Semi-Natural Woodland	A7SW (S)	571	9	519012 129030
234	Ancient Woodland Name: North Land Coppice Reference: 1478181 Area(m ²): 63288.81 Type: Plantation on Ancient Woodland	A7NE (SE)	598	9	519430 129179
235	Ancient Woodland Name: St Leonards Forest Reference: 1478987 Area(m ²): 201999.26 Type: Plantation on Ancient Woodland	A12NW (E)	653	9	519786 129807
236	Ancient Woodland Name: Not Supplied Reference: 1478289 Area(m ²): 3276.66 Type: Ancient and Semi-Natural Woodland	A7SE (SE)	697	9	519410 129033
237	Ancient Woodland Name: Not Supplied Reference: 1478174 Area(m ²): 22616.04 Type: Ancient and Semi-Natural Woodland	A6SW (SW)	816	9	518272 129002
238	Ancient Woodland Name: Not Supplied Reference: 1478201 Area(m ²): 9446.73 Type: Ancient and Semi-Natural Woodland	A16NW (NE)	899	9	519804 130485
239	Ancient Woodland Name: Not Supplied Reference: 1478285 Area(m ²): 6136.96 Type: Plantation on Ancient Woodland	A12SE (E)	964	9	520091 129747
240	Ancient Woodland Name: Not Supplied Reference: 1478928 Area(m ²): 4391.58 Type: Ancient and Semi-Natural Woodland	A19SE (NE)	980	9	519354 130849
241	Ancient Woodland Name: Not Supplied Reference: 1478691 Area(m ²): 252005.4 Type: Ancient and Semi-Natural Woodland	A19SE (NE)	988	9	519351 130858

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
242	Ancient Woodland Name: Not Supplied Reference: 1478692 Area(m²): 9328.41 Type: Ancient and Semi-Natural Woodland	A19SE (NE)	990	9	519354 130859
243	Areas of Outstanding Natural Beauty Name: High Weald Multiple Areas: Y Total Area (m2): 1461737820.6571908 Designation Date: 30th October 1983 Source: Natural England	A11SW (SE)	5	9	519066 129677
244	Nitrate Vulnerable Zones Name: River Arun (U/S Pallingham) Nvz Description: Surface Water Source: Environment Agency, Head Office	A11NW (N)	0	3	518884 129779
245	Sites of Special Scientific Interest Name: St. Leonards Park Ponds Multiple Areas: Y Total Area (m2): 39295.7 Source: Natural England Reference: 1000715 Designation Details: Site Of Special Scientific Interest Designation Date: 18th December 1986 Date Type: Notified Designation Details: Water Framework Directive (WFD) Designation Date: 18th December 1986 Date Type: Notified	A16NW (NE)	836	9	519763 130435

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Horsham District Council - Environmental Health Department Environment Agency - Head Office Mid Sussex District Council - Environmental Services Section	February 2015 November 2023 October 2017	Annual Rolling Update Annually Annual Rolling Update
Discharge Consents Environment Agency - Southern Region Environment Agency - Thames Region	July 2024 July 2024	Quarterly Quarterly
Enforcement and Prohibition Notices Environment Agency - Southern Region	March 2013	
Integrated Pollution Controls Environment Agency - Southern Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - South East Region - Kent & South London Area Environment Agency - South East Region - Solent & South Downs Area Environment Agency - Southern Region	July 2024 July 2024 July 2024	Quarterly Quarterly Quarterly
Local Authority Integrated Pollution Prevention And Control Mid Sussex District Council - Environmental Services Section Horsham District Council - Environmental Health Department	December 2020 June 2015	Variable Variable
Local Authority Pollution Prevention and Controls Mid Sussex District Council - Environmental Services Section Horsham District Council - Environmental Health Department	December 2020 June 2015	Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Horsham District Council - Environmental Health Department Mid Sussex District Council - Environmental Services Section	June 2015 September 2014	Variable Variable
Nearest Surface Water Feature Ordnance Survey	June 2024	
Pollution Incidents to Controlled Waters Environment Agency - Southern Region Environment Agency - Thames Region	December 1999 September 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Southern Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Southern Region	March 2013	
Registered Radioactive Substances Environment Agency - Head Office Environment Agency - Southern Region	May 2023 May 2023	Quarterly
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Environment Agency - South East Region - Kent & South London Area Environment Agency - South East Region - Solent & South Downs Area Environment Agency - Southern Region - Solent and South Downs Environment Agency - Southern Region - Sussex Area	April 2024 April 2024 April 2024 April 2024	Quarterly Quarterly Quarterly Quarterly
Water Abstractions Environment Agency - Southern Region Environment Agency - Thames Region	July 2024 July 2024	Quarterly Quarterly
Water Industry Act Referrals Environment Agency - Southern Region	October 2017	

Agency & Hydrological	Version	Update Cycle
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	
OS Water Network Lines Ordnance Survey	July 2024	Quarterly
Surface Water 1 in 30 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	May 2024	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Southern Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - South East Region - Kent & South London Area Environment Agency - South East Region - Solent & South Downs Area Environment Agency - Southern Region - Solent and South Downs Environment Agency - Southern Region - Sussex Area	May 2024 May 2024 May 2024 May 2024	Quarterly Quarterly Quarterly Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - South East Region - Kent & South London Area Environment Agency - South East Region - Solent & South Downs Area Environment Agency - Southern Region - Solent and South Downs Environment Agency - Southern Region - Sussex Area	July 2024 July 2024 July 2024 July 2024	Quarterly Quarterly Quarterly Quarterly
Local Authority Landfill Coverage Horsham District Council - Environmental Health Department Mid Sussex District Council - Environmental Services Section West Sussex County Council - Environment & Development	February 2003 February 2003 February 2003	Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites Horsham District Council - Environmental Health Department Mid Sussex District Council - Environmental Services Section West Sussex County Council - Environment & Development	October 2018 October 2018 October 2018	
Potentially Infilled Land (Non-Water) Landmark Information Group Limited	December 1999	
Potentially Infilled Land (Water) Landmark Information Group Limited	December 1999	
Registered Landfill Sites Environment Agency - Southern Region - Solent and South Downs Environment Agency - Southern Region - Sussex Area	March 2006 March 2006	Not Applicable Not Applicable
Registered Waste Transfer Sites Environment Agency - Southern Region - Solent and South Downs Environment Agency - Southern Region - Sussex Area	April 2018 April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Southern Region - Solent and South Downs Environment Agency - Southern Region - Sussex Area	June 2015 June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	January 2024	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements Mid Sussex District Council Horsham District Council - Planning Department West Sussex County Council - Environment & Development	January 2016 July 2023 October 2006	Variable Variable Annual Rolling Update
Planning Hazardous Substance Consents Horsham District Council - Planning Department Mid Sussex District Council West Sussex County Council - Environment & Development	August 2015 January 2016 October 2006	Variable Variable Annual Rolling Update
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	January 2024	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	October 2023	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	October 2023	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	June 2024	Quarterly
Fuel Station Entries Catalist Ltd - Experian	February 2024	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Points of Interest - Commercial Services PointX	June 2024	Quarterly
Points of Interest - Education and Health PointX	June 2024	Quarterly
Points of Interest - Manufacturing and Production PointX	June 2024	Quarterly
Points of Interest - Public Infrastructure PointX	June 2024	Quarterly
Points of Interest - Recreational and Environmental PointX	June 2024	Quarterly
Underground Electrical Cables National Grid	January 2024	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	April 2024	Bi-Annually
Areas of Adopted Green Belt Horsham District Council - Planning Department Mid Sussex District Council	July 2024 July 2024	Quarterly Quarterly
Areas of Unadopted Green Belt Horsham District Council - Planning Department Mid Sussex District Council	July 2024 July 2024	Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	May 2024	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	February 2024	Bi-Annually
Marine Nature Reserves Natural England	February 2024	Bi-Annually
National Nature Reserves Natural England	February 2024	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 April 2024	Bi-Annually
Ramsar Sites Natural England	February 2024	Bi-Annually
Sites of Special Scientific Interest Natural England	April 2024	Bi-Annually
Special Areas of Conservation Natural England	April 2024	Bi-Annually
Special Protection Areas Natural England	April 2024	Bi-Annually

A selection of organisations who provide data within this report


Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Horsham District Council - Environmental Health Department Park House, North Street, Horsham, Sussex, RH12 1RL	Telephone: 01403 215100 Fax: 01403 732790 Website: www.horsham.gov.uk
6	West Sussex County Council - Environment & Development County Hall, Tower hall, Chichester, West Sussex, PO19 1RH	Telephone: 01243 777100 Website: www.westsussex.gov.uk
7	Stantec UK Ltd Caversham Bridge House, Waterman Place, Reading, RG1 8DN	Telephone: 0118 950 0761 Email: pba.reading@stantec.com Website: www.stantec.com
8	PointX 5-6 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
9	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
 - Several of Type at Location
- Agency and Hydrological**
- Contaminated Land Register Entry or Notice (Location)
 - Contaminated Land Register Entry or Notice
 - Discharge Consent
 - Enforcement or Prohibition Notice
 - Integrated Pollution Control
 - Integrated Pollution Prevention Control
 - Local Authority Integrated Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control Enforcement
 - Pollution Incident to Controlled Waters
 - Prosecution Relating to Authorised Processes
 - Prosecution Relating to Controlled Waters
 - Registered Radioactive Substance
 - River Network or Water Feature
 - River Quality Sampling Point
 - Substantiated Pollution Incident Register
 - Water Abstraction
 - Water Industry Act Referral
- Hazardous Substances**
- COMAH Site
 - Explosive Site
 - NIHHS Site
 - Planning Hazardous Substance Consent
 - Planning Hazardous Substance Enforcement
 - BGS Recorded Mineral Site
- Waste**
- BGS Recorded Landfill Site (Location)
 - BGS Recorded Landfill Site
 - EA Historic Landfill (Buffered Point)
 - EA Historic Landfill (Polygon)
 - Integrated Pollution Control Registered Waste Site
 - Licensed Waste Management Facility (Landfill Boundary)
 - Licensed Waste Management Facility (Location)
 - Local Authority Recorded Landfill Site (Location)
 - Local Authority Recorded Landfill Site
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Registered Landfill Site (Location)
 - Registered Landfill Site (Point Buffered to 100m)
 - Registered Landfill Site (Point Buffered to 250m)
 - Registered Waste Transfer Site (Location)
 - Registered Waste Transfer Site
 - Registered Waste Treatment or Disposal Site (Location)
 - Registered Waste Treatment or Disposal Site

Site Sensitivity Map - Slice A




Order Details

Order Number: 356145437_1_1
 Customer Ref: 24-1979-P
 National Grid Reference: 518880, 129780
 Slice: A
 Site Area (Ha): 10.25
 Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA





© Crown Copyright. All Rights Reserved. License Number 100022432.



Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Gas Pipeline
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice A



Order Details


Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice A



Order Details

Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice A



Order Details


Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point


OS Water Network Data

- | | |
|--------------|-------------------------|
| Canal | Drain |
| Reservoir | Other |
| Foreshore | Lake |
| Marsh | Transfer |
| Tidal River | Lock Or Flight Of Locks |
| Inland River | Sea |

Contours (height in meters)

- Standard Contour 105 100 95
- Master Contour
- Spot Height 167.3
- MLW Mean Low Water
- MHW Mean High Water

OS Water Network Map - Slice A



Order Details


Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



- ### General

 - Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
- ### Agency and Hydrological


 - Several of Type at Location
 - Pylon
 - Overhead Transmission Line
 - Contaminated Land Register Entry or Notice (Location)
 - Contaminated Land Register Entry or Notice
 - Discharge Consent
 - Enforcement or Prohibition Notice
 - Integrated Pollution Control
 - Integrated Pollution Prevention Control
 - Local Authority Integrated Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control Enforcement
 - Pollution Incident to Controlled Waters
 - Prosecution Relating to Authorised Processes
 - Prosecution Relating to Controlled Waters
 - Registered Radioactive Substance
 - River Network or Water Feature
 - River Quality Sampling Point
 - Substantiated Pollution Incident Register
 - Water Abstraction
 - Water Industry Act Referral
- ### Waste

 - BGS Recorded Landfill Site (Location)
 - BGS Recorded Landfill Site
 - EA Historic Landfill (Buffered Point)
 - EA Historic Landfill (Polygon)
 - Integrated Pollution Control Registered Waste Site
 - Licensed Waste Management Facility (Landfill Boundary)
 - Licensed Waste Management Facility (Location)
 - Local Authority Recorded Landfill Site (Location)
 - Local Authority Recorded Landfill Site
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Registered Landfill Site
 - Registered Landfill Site (Location)
 - Registered Landfill Site (Point Buffered to 100m)
 - Registered Landfill Site (Point Buffered to 250m)
 - Registered Waste Transfer Site (Location)
 - Registered Waste Transfer Site
 - Registered Waste Treatment or Disposal Site (Location)
 - Registered Waste Treatment or Disposal Site
- ### Hazardous Substances

 - COMAH Site
 - Explosive Site
 - NIHHS Site
 - Planning Hazardous Substance Consent
 - Planning Hazardous Substance Enforcement
- ### Geological

 - BGS Recorded Mineral Site

Site Sensitivity Map - Segment A10



Order Details

Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Plot Buffer (m): 100

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location
- Pylon
- Overhead Transmission Line

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Prosecution Relating to Authorised Processes
- Prosecution Relating to Controlled Waters
- Registered Radioactive Substance
- River Network or Water Feature
- River Quality Sampling Point
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement
- BGS Recorded Mineral Site

Geological

- BGS Recorded Mineral Site

Site Sensitivity Map - Segment A11




Order Details


Order Number: 356145437_1_1
 Customer Ref: 24-1979-P
 National Grid Reference: 518880, 129780
 Slice: A
 Site Area (Ha): 10.25
 Plot Buffer (m): 100

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



517000 517500 518000 518500 519000 519500 520000 520500



© Crown Copyright. All Rights Reserved. License Number 100022432.

0 1 km



Groundwater Vulnerability

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Bedrock Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer


Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Unproductive Aquifer

Soluble Rock

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 356145437_1_1
 Customer Ref: 24-1979-P
 National Grid Reference: 518880, 129780
 Slice: A
 Site Area (Ha): 10.25
 Search Buffer (m): 1000


Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

517000 517500 518000 518500 519000 519500 520000 520500



© Crown Copyright. All Rights Reserved. License Number 100022432.

0 1 km



Bedrock Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 356145437_1_1
 Customer Ref: 24-1979-P
 National Grid Reference: 518880, 129780
 Slice: A
 Site Area (Ha): 10.25
 Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

0 1 km



Superficial Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 356145437_1_1
 Customer Ref: 24-1979-P
 National Grid Reference: 518880, 129780
 Slice: A
 Site Area (Ha): 10.25
 Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.



Source Protection Zones


General

- X Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- ▨ Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- ▨ Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- ▨ Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 356145437_1_1
 Customer Ref: 24-1979-P
 National Grid Reference: 518880, 129780
 Slice: A
 Site Area (Ha): 10.25
 Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.



Sensitive Land Uses


General

- ◇ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- 8 Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 356145437_1_1
 Customer Ref: 24-1979-P
 National Grid Reference: 518880, 129780
 Slice: A
 Site Area (Ha): 10.25
 Search Buffer (m): 1000


Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

517000 517500 518000 518500 519000 519500 520000 520500



© Crown Copyright. All Rights Reserved. License Number 100022432.

0 1 km



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.




General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg



Estimated Soil Chemistry Arsenic - Slice A



Order Details

Order Details: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA




Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

General


Specified Site Specified Buffer(s) Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg



Estimated Soil Chemistry Cadmium - Slice A




Order Details

Order Details: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA




General


Specified Site Specified Buffer(s) Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg



Estimated Soil Chemistry Chromium - Slice A



Order Details


Order Details: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg



Estimated Soil Chemistry Lead - Slice A



Order Details

Order Details: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg



Estimated Soil Chemistry Nickel - Slice A



Order Details

Order Details: 356145437_1_1
 Customer Ref: 24-1979-P
 National Grid Reference: 518880, 129780
 Slice: A
 Site Area (Ha): 10.25
 Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	AR4	Arun Terrace Deposits, 4 Member	Sand and Gravel	Not Supplied - Anglian

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	WC	Weald Clay Formation	Mudstone	Not Supplied - Hauterivian
	HST	Horsham Stone Member	Sandstone	Not Supplied - Hauterivian
	UTW	UPPER TUNBRIDGE WELLS SAND	Sandstone and Mudstone	Not Supplied - Valanginian
	UTW	UPPER TUNBRIDGE WELLS SAND	Mudstone	Not Supplied - Valanginian
	UTW	UPPER TUNBRIDGE WELLS SAND	Sandstone and Siltstone, Interbedded	Not Supplied - Valanginian
		Faults		



Geology 1:50,000 Maps


This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.

The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	1
Map Sheet No:	302
Map Name:	Horsham
Map Date:	1972
Bedrock Geology:	Available
Superficial Geology:	Available
Artificial Geology:	Available
Faults:	Not Supplied
Landslip:	Available
Rock Segments:	Not Supplied

Geology 1:50,000 Maps - Slice A



Order Details:

Order Number:	356145437_1_1
Customer Reference:	24-1979-P
National Grid Reference:	518880, 129780
Slice:	A
Site Area (Ha):	10.25
Search Buffer (m):	1000


Site Details:

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

517000 518000 519000 520000



© Crown Copyright. All Rights Reserved. License Number 100022432.



Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice A



Order Details:

Order Number: 356145437_1_1
Customer Reference: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details:

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA




Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

v15.0 20-Aug-2024

Page 2 of 5

517000 518000 519000 520000



© Crown Copyright. All Rights Reserved. License Number 100022432.




Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice A



Order Details:

Order Number: 356145437_1_1
Customer Reference: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details:

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA




Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

v15.0 20-Aug-2024

Page 3 of 5

517000 518000 519000 520000



© Crown Copyright. All Rights Reserved. License Number 100022432.



Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice A



Order Details:

Order Number: 356145437_1_1
Customer Reference: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details:

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA




Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

v15.0 20-Aug-2024

Page 4 of 5

517000 518000 519000 520000



© Crown Copyright. All Rights Reserved. License Number 100022432.



Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice A



Order Details:

Order Number: 356145437_1_1
Customer Reference: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Search Buffer (m): 1000

Site Details:

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

v15.0 20-Aug-2024

Page 5 of 5

Envirocheck[®] Report:

Mining and Ground Stability Datasheet

Order Details:

Order Number:

356145437_1_1

Customer Reference:

24-1979-P

National Grid Reference:

518880, 129780

Slice:

A

Site Area (Ha):

10.25

Search Buffer (m):

1000

Site Details:

Land at Hornbrook Farm
Brighton Road
Horsham
RH13 6QA

Client Details:

Mr S Dempsey
Obsidian Geo-Consulting Ltd
65 Cheswood Drive
Sutton Coldfield
B76 1XU

Report Section and Details	Page Number
Summary	-
The Summary section provides an overview of the data contained within the report, detailing the number of data set features or the existence of a data set in relation to the buffer selected. For ease of reference, the report is broken down into 4 sections of data; Mining and Natural Cavities Data, Historical Land Use Information (1:2,500), Historical Land Use Information (1:10,000) and Ground Stability Data (1:50,000).	
Mining and Natural Cavities Data	1
The Mining and Natural Cavities Data section features data sets related to the existence of mining areas and their potential hazards; and details of naturally formed cavities. Data sets within this section are not plotted, with the exception of BGS Recorded Mineral Sites and Potential Mining Areas which feature on the Historical Land Use Information (1:10,000) map.	
Historical Land Use Information (1:2,500)	2
The Historical Land Use Information (1:2,500) section contains data captured from analysis carried out by Landmark of 1:1,250 and 1:2,500 scale historical Ordnance Survey mapping, identifying areas where, historically, the land uses were potentially contaminative. For the purpose of this Envirocheck module, only historical data relating to mining and ground stability has been included and plotted on the corresponding Historical Land Use Information (1:2,500) map. This section also includes the Subterranean Features data set, which details various man-made and man-used underground spaces obtained from the Subterranea Britannica society.	
Historical Land Use Information (1:10,000)	3
The Historical Land Use (1:10,000) section covers data captured from the systematic analysis carried out by Landmark of 1:10, 560 and 1:10,000 scale historical Ordnance Survey mapping dating back to the mid-19th century, identifying potentially contaminative past industrial land uses. For the purpose of this Envirocheck module, only data relating to mining and ground stability has been included and plotted on the accompanying Historical Land Use Information (1:10,000) map.	
Ground Stability Data (1:50,000)	5
The Ground Stability (1:50,000) section includes the BGS Geosure data suite, reporting features to 250m and plotted onto 3 separate maps. Also reported is brine subsidence, brine mining and salt mining data sets, of which Brine Pumping and Salt Mining Related Features are plotted, and subsidence insurance claims and insurance investigations data, which is not plotted.	
Historical Map List	7
The Historical Map List section details the historical mapping that has been analysed for your site, in relation to the Historical Land Use Information sections.	
Data Currency	9
Data Suppliers	10
Useful Contacts	11

Copyright Notice

© Landmark Information Group Limited 2024. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, and the Environment Agency/Natural Resources Wales, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Copyright Stantec UK Limited. All rights reserved.

The brine subsidence data relating to the Driotwich area as provided in this report is derived from JPB studies and physical monitoring undertaken annually over more than 35 years. For more detailed interpretation contact enquiries@jpb.co.uk. JPB retain the copyright and intellectual rights to this data and accept no liability for any loss or damage, including in direct or consequential loss, arising from the use of this data.

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m
Mining and Natural Cavities Data					
BGS Recorded Mineral Sites	pg 1				4
Coal Mining Affected Areas			n/a	n/a	n/a
Man Made Mining Cavities	pg 1			1	
Mining Instability			n/a	n/a	n/a
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential Mining Areas					
Historical Land Use Information (1:2,500)					
Extractive Industries or Potential Excavations from 1855-1909 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1893-1915 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1906-1937 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1924-1949 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1950-1980 (100m)	pg 2		2	n/a	n/a
Subterranean Features (100m)				n/a	n/a
Historical Land Use Information (1:10,000)					
Air Shafts					
Disturbed Ground					
General Quarrying					
Heap, unknown constituents					
Mineral Railway					
Mining & quarrying general					
Mining of coal & lignite					
Quarrying of sand & clay, operation of sand & gravel pits	pg 3				1
Former Marshes	pg 3				1
Potentially Infilled Land (Non-Water)	pg 3				2
Potentially Infilled Land (Water)	pg 3		3	1	14
Ground Stability Data (1:50,000)					
CBSCB Compensation District			n/a	n/a	n/a
Brine Pumping Related Features					
Brine Subsidence Solution Area					
Potential for Collapsible Ground Stability Hazards	pg 5	Yes	Yes	n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 5	Yes	Yes	n/a	n/a
Potential for Ground Dissolution Stability Hazards	pg 5	Yes	Yes	n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 5	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 5	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 6	Yes	Yes	n/a	n/a
Salt Mining Related Features					

Report Version v53.0

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	BGS Recorded Mineral Sites Site Name: Amiesmill House Sand Pit Location: New Town, Horsham, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 126503 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Quaternary Geology: Arun Terrace Deposits, 4 Member Commodity: Sand Positional Accuracy: Located by supplier to within 10m	A6NW (SW)	564	1	518209 129343
2	BGS Recorded Mineral Sites Site Name: Highland Copse Pit Location: Horsham, West Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 150619 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Upper Tunbridge Wells Sand Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	A16SW (NE)	565	1	519570 130243
3	BGS Recorded Mineral Sites Site Name: Coolhurst Wood Pits Location: Mannings Heath, Horsham, West Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 150620 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Upper Tunbridge Wells Sand Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	A12SW (E)	781	1	519857 129551
4	BGS Recorded Mineral Sites Site Name: Coolhurst Wood Pits Location: Mannings Heath, Horsham, West Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 150621 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Upper Tunbridge Wells Sand Commodity: Iron Ore - Ironstone Positional Accuracy: Located by supplier to within 10m	A12SE (E)	888	1	519966 129540
	Coal Mining Affected Areas In an area which may not be affected by coal mining				
	Man Made Mining Cavities Cavity Type: Multiple Bell Pits/Iron Workings Commodity: Iron Solid Geology Detail: Upper Tunbridge Wells Sand Superficial Geology: No Details Detail:	A15SE (NE)	425	2	519500 130100
	Non Coal Mining Areas of Great Britain No Hazard				

Historical Land Use Information (1:2,500)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	Extractive Industries or Potential Excavations from 1950-1980 Use: Unspecified Deposited Material First Map Published 1964 Date: Last Map Published 1977 Date:	A10NE (W)	2	-	518603 129762
6	Extractive Industries or Potential Excavations from 1950-1980 Use: Pond First Map Published 1958 Date: Last Map Published N/A Date:	A11SW (SE)	100	-	519144 129627

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	Quarrying of sand & clay, operation of sand & gravel pits Use: Not Supplied Date of Mapping: 1880 - 1898	A6NW (SW)	552	-	518206 129362
8	Former Marshes Use: Former Marsh Date of Mapping: 1938	A6NW (SW)	583	-	518379 129210
9	Potentially Infilled Land (Non-Water) Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1993	A6NW (SW)	552	-	518206 129362
10	Potentially Infilled Land (Non-Water) Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1993	A18SW (N)	967	-	518469 130824
11	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A10NE (NW)	3	-	518789 129908
12	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A10NE (W)	8	-	518621 129807
13	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A10NE (W)	130	-	518544 129910
14	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A15SE (NE)	421	-	519492 130105
15	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A6SE (S)	597	-	518697 129074
16	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1880	A14SW (NW)	617	-	518338 130371
17	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	A14NW (NW)	634	-	518435 130446
18	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	A14NE (NW)	635	-	518547 130506
19	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A14NE (NW)	638	-	518575 130512
20	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A14NE (N)	650	-	518614 130535
21	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A14NE (N)	675	-	518630 130564
22	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1912	A13SE (NW)	675	-	518113 130243
23	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1912	A13SE (NW)	707	-	518154 130335
24	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	A13SE (NW)	779	-	518101 130383
25	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A6SW (SW)	840	-	518320 128955
26	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	A8NW (E)	852	-	519868 129389
27	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A18SE (N)	891	-	518580 130774

Historical Land Use Information (1:10,000)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
28	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A18SW (NW)	969	-	518381 130794

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	CBSCB Compensation District The site does not fall within the brine compensation area.				
	Brine Subsidence Solution Area The site does not fall within the brine subsidence solution area.				
29	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518884 129779
30	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	88	1	518884 130000
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (E)	186	1	519321 129854
31	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A11NE (E)	186	1	519321 129854
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518884 129779
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	88	1	518884 130000
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518884 129779
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	88	1	518884 130000
32	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518884 129779
33	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	88	1	518884 130000
34	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518907 129839
35	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518885 129783
36	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (E)	23	1	519145 129816
37	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A10NE (NW)	81	1	518714 129984
38	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (NE)	101	1	519111 130000
39	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	103	1	518914 130017
40	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A11NE (E)	186	1	519321 129854
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518884 129779
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	88	1	518884 130000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (NE)	100	1	519143 130000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (NE)	123	1	519228 129963
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A10NE (NW)	154	1	518636 130018
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (NE)	192	1	519287 130000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (E)	222	1	519355 129812
41	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518887 129815
42	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11SW (S)	0	1	518881 129698
43	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	88	1	518884 130000
44	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (NE)	100	1	519143 130000
45	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (NE)	123	1	519228 129963
46	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (NE)	192	1	519287 130000
47	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (E)	222	1	519355 129812
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518884 129779
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	0	1	518907 129839
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (E)	23	1	519145 129816
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A10NE (NW)	81	1	518714 129984
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (NE)	101	1	519111 130000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (N)	103	1	518914 130017

The following mapping has been analysed for Historical Land Use Information (1:2,500):

1:2,500	Mapsheet	Published Date
Sussex	014_09	1875
Sussex	014_09	1875
Sussex	013_12	1876
Sussex	013_12	1897
Sussex	014_09	1897
Sussex	014_09	1897
Sussex	013_12	1911
Sussex	014_09	1911
Sussex	014_09	1911
Sussex	013_12	1932
Ordnance Survey Plan	TQ1929	1958
Ordnance Survey Plan	TQ1930	1976
Ordnance Survey Plan	TQ1829	1977
Ordnance Survey Plan	TQ1829	1977

The following mapping has been analysed for Historical Land Use Information (1:10,000):

1:10,560	Mapsheet	Published Date
Sussex	014_00	1879
Sussex	013_00	1880
Surrey	047_00	1880
Sussex	013_NE	1898
Sussex	013_SE	1898
Sussex	014_NW	1899
Sussex	014_SW	1899
Sussex	013_SE	1912
Sussex	014_SW	1912
Sussex	013_NE	1913
Sussex	014_NW	1913
Sussex	013_NE	1938
Sussex	013_SE	1938
Sussex	014_NW	1938
Sussex	014_SW	1938
Ordnance Survey Plan	TQ12NE	1961
Ordnance Survey Plan	TQ13SE	1961
Ordnance Survey Plan	TQ22NW	1962
Ordnance Survey Plan	TQ23SW	1963
1:10,000	Mapsheet	Published Date
Ordnance Survey Plan	TQ23SW	1978
Ordnance Survey Plan	TQ22NW	1980
Ordnance Survey Plan	TQ12NE	1993
Ordnance Survey Plan	TQ13SE	1993


Mining and Cavities Data	Version	Update Cycle
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	January 2024	Bi-Annually
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Man Made Mining Cavities Stantec UK Ltd	December 2023	Bi-Annually
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Natural Cavities Stantec UK Ltd	December 2023	Bi-Annually
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Historical Land Use Information (1:2,500)	Version	Update Cycle
Subterranean Features Landmark Information Group Limited	July 2023	Bi-Annually
Ground Stability Data (1:50,000)	Version	Update Cycle
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Brine Subsidence Solution Area Johnson Poole & Bloomer	December 2020	

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
The Coal Authority	
Ove Arup	
Stantec UK Ltd	
Wardell Armstrong	
Johnson Poole & Bloomer	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Stantec UK Ltd Caversham Bridge House, Waterman Place, Reading, RG1 8DN	Telephone: 0118 950 0761 Email: pba.reading@stantec.com Website: www.stantec.com
3	Ove Arup & Partners Central Square, Forth Street, Newcastle upon Tyne, Tyne and Wear, NE1 3PL	Telephone: 0191 261 6080 Fax: 0191 261 7879
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

517000 517500 518000 518500 519000 519500 520000 520500



© Crown Copyright. All Rights Reserved. License Number 100022432.



Ground Stability Data (1:50,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Potential for Compressible Ground Stability Hazards

- High
- Moderate
- Low
- Very Low

Potential for Collapsible Ground Stability Hazards


- High
- Moderate
- Low
- Very Low

Brine Pumping and Salt Mining

- Brine Pumping Related Feature
- Salt Mining Related Feature

- | Point | Polygon |
|-------|---------|
| | |
| | |

Mining and Ground Stability - Slice A



Order Details

Order Number: 356145437_1_1
 Customer Ref: 24-1979-P
 National Grid Reference: 518880, 129780
 Slice: A
 Site Area (Ha): 10.25
 Search Buffer (m): 1000


Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

517000 517500 518000 518500 519000 519500 520000 520500



© Crown Copyright. All Rights Reserved. License Number 100022432.

0 1 km



Ground Stability Data (1:50,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID


Potential for Landslide Ground Stability Hazards

- High
- Low
- Moderate
- Very Low

Potential for Ground Dissolution Stability Hazards

- High
- Low
- Moderate
- Very Low

Mining and Ground Stability - Slice A



Order Details

Order Number: 356145437_1_1
 Customer Ref: 24-1979-P
 National Grid Reference: 518880, 129780
 Slice: A
 Site Area (Ha): 10.25
 Search Buffer (m): 1000


Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

517000 517500 518000 518500 519000 519500 520000 520500



© Crown Copyright. All Rights Reserved. License Number 100022432.



Ground Stability Data (1:50,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID


Potential for Running Sand Ground Stability Hazards

- High
- Low
- Moderate
- Very Low

Potential for Shrinking or Swelling Clay Ground Stability Hazards

- High
- Low
- Moderate
- Very Low

Mining and Ground Stability - Slice A



Order Details

Order Number: 356145437_1_1
 Customer Ref: 24-1979-P
 National Grid Reference: 518880, 129780
 Slice: A
 Site Area (Ha): 10.25
 Search Buffer (m): 1000

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.



Historical Land Use Information (1:10,000)

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
 - Several of Type at Location


Potentially Contaminative Industrial Uses (Past Land Uses - Mining)

	Point	Line	Polygon
Air Shafts			
Disturbed Ground			
General Quarrying			
Heap, unknown constituents			
Mineral Railway			
Mining and Quarrying General			
Mining of Coal & Lignite			
Quarrying of Sand and Clay, Operation of Sand and Gravel Pits			

	Point	Line	Polygon
Potentially Infilled Land (Non-Water)			
Potentially Infilled Land (Water)			
Former Marsh			

- Mining Data**
- Potential Mining Area
 - BGS Recorded Mineral Site

Mining and Ground Stability - Slice A





- Order Details**
- Order Number: 356145437_1_1
 - Customer Ref: 24-1979-P
 - National Grid Reference: 518880, 129780
 - Slice: A
 - Site Area (Ha): 10.25
 - Search Buffer (m): 1000

- Site Details**
- Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA

Historical Land Use Information (1:2,500)

General

-  Specified Site
  Specified Buffer(s)
  Bearing Reference Point
  Map ID
-  Several of Type at Location


Potentially Contaminative Industrial Uses (Extractive Industries Activity)

	Point	Line	Polygon
Extractive Industries Activity from 1855 - 1909			
Extractive Industries Activity from 1893 - 1915			
Extractive Industries Activity from 1906 - 1937			
Extractive Industries Activity from 1924 - 1949			
Extractive Industries Activity from 1950 - 1980			

Subterranean Features

	Point	Line	Polygon
Subterranean Features			

Mining and Ground Stability - Segment A10




Order Details

Order Number: 356145437_1_1
 Customer Ref: 24-1979-P
 National Grid Reference: 518880, 129780
 Slice: A
 Site Area (Ha): 10.25
 Plot Buffer (m): 100



Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA



Historical Land Use Information (1:2,500)

General

-  Specified Site  Specified Buffer(s)  Bearing Reference Point  Map ID
 Several of Type at Location


Potentially Contaminative Industrial Uses (Extractive Industries Activity)

	Point	Line	Polygon
Extractive Industries Activity from 1855 - 1909			
Extractive Industries Activity from 1893 - 1915			
Extractive Industries Activity from 1906 - 1937			
Extractive Industries Activity from 1924 - 1949			
Extractive Industries Activity from 1950 - 1980			

Subterranean Features

	Point	Line	Polygon
Subterranean Features			

Mining and Ground Stability - Segment A11




Order Details

Order Number: 356145437_1_1
Customer Ref: 24-1979-P
National Grid Reference: 518880, 129780
Slice: A
Site Area (Ha): 10.25
Plot Buffer (m): 100

Site Details

Land at Hornbrook Farm, Brighton Road, Horsham, RH13 6QA





www.obsidian-geoconsulting.co.uk