



Sophie Moore
Horsham District Council
Parkside
Horsham
West Sussex
RH12 1RL

Our ref: 16555
Date: 16 April 2026

By email only: Planning Department, planning@horsham.gov.uk

Thank you for requesting advice on this application from Place Services' ecological advice service. This service provides advice to planning officers to inform Horsham District Council planning decisions with regard to potential ecological impacts from development.

Application: DC/26/0083
Location: Sir Roberts Farm Goose Green Lane Goose Green West Sussex
Proposal: "Demolition of existing building. Erection of a replacement barn style 4 bed dwelling, together with a detached garage and associated access. Change of use of land from paddock to residential curtilage."

Thank you for re-consulting Place Services on the above application.

No ecological objection	☐
No ecological objection subject to attached conditions	☒
Further information required/Temporary holding objection	☐
Recommend Refusal	☐
Subject to Natural England's formal comments on the conclusion of the LPA's Appropriate Assessment	☒

Summary

We have reviewed the Preliminary Ecological Appraisal (Phlorum Limited, August 2022) and now the Ecology Response Letter (Arun Ecology, March 2026) relating to the likely impacts of development on designated sites, protected and Priority species & habitats and identification of appropriate mitigation measures. Please note that comments on mandatory biodiversity net gain are provided by Horsham District Council in-house.

We are now satisfied that there is sufficient ecological information available to support determination of this application.

Our previous comments relating to the age of the ecological information and the bat roost potential of the building have now been addressed. We are satisfied no further surveys are required.

In addition, the site lies approximately 9.7km southeast of The Mens Special Area of Conservation (SAC) and therefore lies within the 12.0km Wider Conservation Area for The Mens SAC, within which significant impacts or severance to flightlines must be considered (Sussex Bat Special Area of Conservation Planning and Landscape Scale Enhancement Protocol). The qualifying feature for the SAC is Barbastelle bat, and there are no records for this species within 2km of the site (Sussex Biodiversity Record Centre). There are approximately 43 other records for bats within 2km of the site, comprising Brown Long-eared Bat, Whiskered and Common Pipistrelle species (SxBRC). Two European Protected Species Mitigation Licences (EPSML) have been granted within 2km of the site: a) 1.7km to the northeast for Common Pipistrelle bat in 2017; and b) 1.8km to the southwest for Brown Long-eared and Common Pipistrelle bat in 2016 ([MAGIC maps](#)).

The site lies approximately 15.0km southeast of Ebernoe Common SAC and therefore lies outside the Wider Conservation Area for this SAC (Sussex Bat Special Area of Conservation Planning and Landscape Scale Enhancement Protocol). The site lies approximately 5.7km east of Arun Valley SAC, SPA and Ramsar Site.

An increase in artificial light would negatively impact foraging bats. We recommend lighting details are outlined within a wildlife sensitive lighting scheme, in line with best practice guidance GN:08/23 from the Institute of Lighting Professionals¹ and secured by a condition of any consent.

Therefore, the LPA will need to prepare a project level Habitats Regulations Assessment (HRA) Appropriate Assessment to record its decision and consult Natural England on the conclusion

This provides certainty for the LPA of the likely impacts on designated sites, protected and Priority species & habitats and, with appropriate mitigation measures secured, the development can be made acceptable.

The mitigation measures identified in the Preliminary Ecological Appraisal (Phlorum Limited, August 2022) and the Ecology Response Letter (Arun Ecology, March 2026) should be secured by a condition of any consent and implemented in full. This is necessary

¹ <https://theilp.org.uk/publication/guidance-note-8-bats-and-artificial-lighting/>

to conserve and enhance protected and Priority species particularly those recorded in the locality.

We also support the proposed reasonable biodiversity enhancements for protected, Priority and threatened species, which have been recommended to secure net gains for biodiversity, as outlined under Paragraph 187d and 193d of the National Planning Policy Framework (December 2024). Reasonable biodiversity enhancement measures are a separate matter to mandatory biodiversity net gains and the finalised details should be outlined within a separate Biodiversity Enhancement Strategy to be secured as a condition of any consent.

This will enable LPA to demonstrate its compliance with its statutory duties including its biodiversity duty under s40 NERC Act 2006 (as amended).

Please note that we have no comments on Great Crested Newt as we have been instructed to leave comments on this European Protected Species to the [NatureSpace Partnership](#).

Impacts will be minimised such that the proposal is acceptable, subject to the conditions below based on BS42020:2013. We recommend that submission for approval and implementation of the details below should be a condition of any planning consent.

Recommended conditions

1. ACTION REQUIRED IN ACCORDANCE WITH ECOLOGICAL APPRAISAL RECOMMENDATIONS

“All mitigation measures and/or works shall be carried out in accordance with the details contained in the Preliminary Ecological Appraisal (Phlorum Limited, August 2022) and the Ecology Response Letter (Arun Ecology, March 2026) as already submitted with the planning application and agreed in principle with the local planning authority prior to determination.

This may include the appointment of an appropriately competent person e.g. an ecological clerk of works (ECoW) to provide on-site ecological expertise during construction. The appointed person shall undertake all activities, and works shall be carried out, in accordance with the approved details.”

Reason: To conserve protected and Priority species and allow the LPA to discharge its duties under the Conservation of Habitats and Species Regulations 2017 (as amended), the Wildlife & Countryside Act 1981 (as amended) and s40 of the NERC Act 2006 (as amended).

2. **PRIOR TO ANY WORKS ABOVE SLAB LEVEL: BIODIVERSITY ENHANCEMENT STRATEGY**

“Prior to any works above slab level, a Biodiversity Enhancement Strategy for protected, Priority and threatened species, prepared by a suitably qualified ecologist, shall be submitted to and approved in writing by the local planning authority.

The content of the Biodiversity Enhancement Strategy shall include the following:

- a) Purpose and conservation objectives for the proposed enhancement measures;*
- b) detailed designs or product descriptions to achieve stated objectives;*
- c) locations of proposed enhancement measures by appropriate maps and plans (where relevant);*
- d) persons responsible for implementing the enhancement measures; and*
- e) details of initial aftercare and long-term maintenance (where relevant).*

The works shall be implemented in accordance with the approved details shall be retained in that manner thereafter.”

Reason: To enhance protected, Priority and threatened species and allow the LPA to discharge its duties under paragraph 187d of NPPF 2024 and s40 of the NERC Act 2006 (as amended).

3. **PRIOR TO OCCUPATION: WILDLIFE SENSITIVE LIGHTING DESIGN SCHEME**

“Prior to occupation, a “lighting design strategy for biodiversity” in accordance with Guidance Note 08/23 (Institute of Lighting Professionals) shall be submitted to and approved in writing by the local planning authority. The strategy shall:

- a) identify those areas/features on site that are particularly sensitive for bats and that are likely to cause disturbance in or around their breeding sites and resting places or along important routes used to access key areas of their territory, for example, for foraging; and*
- b) show how and where external lighting will be installed (through provision of appropriate lighting plans and technical specifications) so that it can be clearly demonstrated that areas to be lit will not disturb or prevent the above species using their territory or having access to their breeding sites and resting places.*

All external lighting shall be installed in accordance with the specifications and locations set out in the scheme and maintained thereafter in accordance with the scheme. Under no circumstances should any other external lighting be installed without prior consent from the local planning authority.”

Reason: To allow the LPA to discharge its duties under the Conservation of Habitats and Species Regulations 2017 (as amended), the Wildlife & Countryside Act 1981 (as amended) and s40 of the NERC Act 2006 (as amended).

Please contact us if you have any queries in relation to this advice.

Hayley Dean MCIEEM MSc BSc (Hons)

Senior Ecological Consultant

Place Services at Essex County Council



Place Services provide ecological advice on behalf of Horsham District Council.

Please note:

This letter is advisory and should only be considered as the opinion formed by specialist staff in relation to this particular matter.

We are unable to respond directly to applicants/agents or other interested parties. Any additional information, queries or comments on this advice that the applicant/agent or other interested parties may have, must be directed to the Planning Officer at the relevant LPA, who will seek further advice from us where appropriate.