Order Acknowledgement

Highseal Manufacturing Company
26 Hebden Road
Scunthorpe
North Lincolnshire
DN15 8DT

Tel: 01724 859326 Fax: 01724 845576

Customer & Order Information

WOODLAND STUDIOS

Tel :
Fax


Job No :	EB022507
Delivery Date W/C :	T. B. A. :
Processed Date :	15-Apr-2021
Printed Date :	4-Jun-2021
Order Date :	15-Apr-2021

Job Spec
Glazed / Supply Only (Delivered)

Job Reference : TRACEY MILES REVISION A

1 Warmcore FS Door
Qty (2) O/A Sizes 3000mm x 2100mm (303)

Pricing	Qty	Gross	Disc.	Nett
Frame Price 3000 x 2100	2	[redacted]		[redacted]
	Total	[redacted]		[redacted]



Specification		Chk			Chk
Frame (Head)	8F2 Oasis Outerframe	[ ]	Frame (Cill)	8F2 Oasis Outerframe	[ ]
Frame (Left jamb)	8F2 Oasis Outerframe	[ ]	Frame (Right jamb)	8F2 Oasis Outerframe	[ ]
Sash	Oasis Sash	[ ]	Cill	8SD150 150mm Cill	[ ]
Add-on (Head)	No add-on	[ ]	Add-on (Cill)	No add-on	[ ]
Add-on (Left jamb)	No add-on	[ ]	Add-on (Right jamb)	No add-on	[ ]
Ventilator (Sash)	No ventilator	[ ]	Colour	Black Out White In	[ ]
Drainage	Concealed/Base	[ ]	Bead type	Square	[ ]
Gearing	Warmcore Gearing	[ ]	Viewed from	Viewed from outside	[ ]
Open in/out	Open out	[ ]	Glazed in/out	Glazed in	[ ]
Reinforcing rule	Fully Reinforced	[ ]	Reinforcing type	Steel Reinforcing	[ ]
Sash Feature	Round	[ ]	U Value	N/A	[ ]

Glazing Details & Appertures

4-20-4 Clear Tuff Low E : *20mm SWISS SPACE V* *Argon Gas Filled *
A1 - (835 x 1841) D1 - (835 x 1841) H1 - (835 x 1841)


Continued ....

Order Acknowledgement

Job No : EB022507

6 Synerjy French Door
O/A Sizes 1800mm x 2100mm (Style 1)

BED 1



Pricing	Qty	Gross	Disc.	Nett
Frame Price 1800 x 2100	1	[redacted]	1.0%	[redacted]
Energy Surcharge	1			
Tough Low E Surcharge	1.822 m²			
Tough Low E Surcharge	1.822 m²			
2 x Chrome Lever/Lever handle	1			
Door Restrictor	2			
180mm Cill SNJY	1.900 m			
20mm Add-On	4.140 m			
1.6 Centre Pane U-Value	3.643 m²			
Black/White Surcharge				
Total		[redacted]		[redacted]

Specification		Chk			Chk
Frame (Head)	4F2 70mm Frame	[ ]	Frame (Left jamb)	4F2 70mm Frame	[ ]
Frame (Right jamb)	4F2 70mm Frame	[ ]	Threshold	PVCu Threshold	[ ]
Sash	4DV2/4DV1 104mm T/Z Sash	[ ]	Frame drip bar	No drip bar	[ ]
Sash drip bar	No drip bar	[ ]	Cill	SC03 180mm Cill	[ ]
Add-on (Head)	No add-on	[ ]	Add-on (Cill)	No add-on	[ ]
Add-on (Left jamb)	EX77 20mm Add-on	[ ]	Add-on (Right jamb)	EX77 20mm Add-on	[ ]
Ventilator (Head)	No ventilator	[ ]	Ventilator (Sash)	No ventilator	[ ]
Ventilator (Glass)	No ventilator	[ ]	Ventilator (Frame)	No ventilator	[ ]
Colour	Black on White	[ ]	Sash colour	Black on White	[ ]
Cill colour	Black on White	[ ]	Drainage	Concealed/Base	[ ]
Bead type	4SJB28 Bead	[ ]	Handle	2 x Chrome Lever/Lever	[ ]
Restrictor	Door Restrictor	[ ]	Door lock	Paddock Door Lock	[ ]
Cylinder	Standard Cylinder	[ ]	Master leaf	Left leaf	[ ]
Door hinge quantity	3 hinges	[ ]	Viewed from	Viewed from outside	[ ]
Open in/out	Open out	[ ]	Glazed in/out	Glazed in	[ ]
Reinforcing type	Steel Reinforcing	[ ]	WER RATING	1.6 Centre Pane U-Value	[ ]

Glazing Details & Appertures

4-20-4 Clear Tuff Low E : *20mm SWISS SPACE V* *Argon Gas Filled *

A1 - (653 x 1808) F1 - (653 x 1808)


Continued ....

Order Acknowledgement

Job No : EB022507

4 Synerjy Resi Door
O/A Sizes 1000mm x 2100mm (Style 1 [Rev])

BACK



Pricing	Qty	Gross	Disc.	Nett
Frame Price 1000 x 2100	1	[redacted]	21.0%	[redacted]
Energy Surcharge	1			
Tough Low E Surcharge	1.245 m²			
Tough Obscure Surcharge	1.245 m²			
Tough Low E Surcharge	0.784 m²			
Tough Obscure Surcharge	0.784 m²			
Large Midrail	1 m			
1 x Chrome Door Handle	1			
Door Restrictor	1			
180mm Cill SNJY	1.100 m			
20mm Add-On	2.070 m			
1.6 Centre Pane U-Value	2.029 m²			
Black/White Surcharge				
Total				

Specification		Chk			Chk
Frame (Head)	4F2 70mm Frame	[ ]	Frame (Left jamb)	4F2 70mm Frame	[ ]
Frame (Right jamb)	4F2 70mm Frame	[ ]	Threshold	PVCu Threshold	[ ]
Midrail	4T3 115mm T Section	[ ]	Sash	4DV2/4DV1 104mm T/Z Sash	[ ]
Frame drip bar	No drip bar	[ ]	Sash drip bar	SA13 Door Drip	[ ]
Cill	SC03 180mm Cill	[ ]	Add-on (Head)	No add-on	[ ]
Add-on (Cill)	No add-on	[ ]	Add-on (Left jamb)	No add-on	[ ]
Add-on (Right jamb)	EX77 20mm Add-on	[ ]	Ventilator (Head)	No ventilator	[ ]
Ventilator (Sash)	No ventilator	[ ]	Ventilator (Glass)	No ventilator	[ ]
Ventilator (Frame)	No ventilator	[ ]	Colour	Black on White	[ ]
Sash colour	Black on White	[ ]	Cill colour	Black on White	[ ]
Drainage	Concealed/Base	[ ]	Bead type	4SJB28 Bead	[ ]
Handle	Chrome Lever/Lever	[ ]	Restrictor	Door Restrictor	[ ]
Door lock	Paddock Door Lock	[ ]	Cylinder	Standard Cylinder	[ ]
Door hinge quantity	3 hinges	[ ]	Viewed from	Viewed from outside	[ ]
Open in/out	Open out	[ ]	Glazed in/out	Glazed in	[ ]
Reinforcing type	Steel Reinforcing	[ ]	Midrail joints	Welded joint	[ ]
WER RATING	1.6 Centre Pane U-Value	[ ]			

Glazing Details & Appertures


4-20-4 Obs Tuff Low E : *20mm SWISS SPACE V* * TBA * *Argon Gas Filled *
A1 - (718 x 1096) A7 - (718 x 626)

Continued ....

Order Acknowledgement

Job No : EB022507

2	Synerjy Casement O/A Sizes 1500mm x 950mm (Style 25) KITCHEN



Pricing	Qty	Gross	Disc.	Nett
Frame Price 1500 x 950	1	[redacted]	1.0%	[redacted]
Energy Surcharge	1			
Low E Surcharge	0.828 m²			
Low E Surcharge	0.552 m²			
180mm Cill SNJY	1.600 m			
WER - A Rating	1.380 m²			
Black/White Surcharge				
	Total			

Specification		Chk			Chk
Frame (Head)	4F3 60mm Frame	[ ]	Frame (Cill)	4F3 60mm Frame	[ ]
Frame (Left jamb)	4F3 60mm Frame	[ ]	Frame (Right jamb)	4F3 60mm Frame	[ ]
Mullion	4T1/4OL1 70mm T/Z Section	[ ]	Sash	4V2 78mm T Sash	[ ]
Frame drip bar	No drip bar	[ ]	Sash drip bar	No drip bar	[ ]
Cill	SC03 180mm Cill	[ ]	Add-on (Head)	No add-on	[ ]
Add-on (Cill)	No add-on	[ ]	Add-on (Left jamb)	No add-on	[ ]
Add-on (Right jamb)	No add-on	[ ]	Ventilator (Head)	No ventilator	[ ]
Ventilator (Sash)	No ventilator	[ ]	Ventilator (Glass)	No ventilator	[ ]
Ventilator (Frame)	No ventilator	[ ]	Colour	Black on White	[ ]
Sash colour	Black on White	[ ]	Cill colour	Black on White	[ ]
Drainage	Concealed/Base	[ ]	Bead type	4SJB28 Bead	[ ]
Handle	White Cranked Espag Handle	[ ]	Casement locking	Std Mushroom Locking	[ ]
Friction stay	Standard Stay	[ ]	Viewed from	Viewed from outside	[ ]
Open in/out	Open out	[ ]	Glazed in/out	Glazed in	[ ]
Reinforcing type	Steel Reinforcing	[ ]	Tran/Mull joints	Welded joint	[ ]
WER RATING	**A RATED**	[ ]			

Glazing Details & Appertures

4-20-4 Clear Low E : *20mm SWISS SPACE V* *Argon Gas Filled *
A1 - (835 x 830) H1 - (435 x 730)


Continued ....

Order Acknowledgement

Job No : EB022507

3 Synerjy Resi Door
O/A Sizes 1000mm x 2100mm (Style 1 [Rev])

FRONT



Pricing	Qty	Gross	Disc.	Nett
Frame Price 1000 x 2100	1	[redacted]	1.0%	[redacted]
Energy Surcharge	1			
Tough Low E Surcharge	1.245 m²			
Tough Obscure Surcharge	1.245 m²			
Tough Low E Surcharge	0.784 m²			
Tough Obscure Surcharge	0.784 m²			
Large Midrail	1 m			
1 x Chrome Door Handle	1			
Door Restrictor	1			
180mm Cill SNJY	1.100 m			
20mm Add-On	2.070 m			
1.6 Centre Pane U-Value	2.029 m²			
Black/White Surcharge				
Total		[redacted]		[redacted]

Specification		Chk			Chk
Frame (Head)	4F2 70mm Frame	[ ]	Frame (Left jamb)	4F2 70mm Frame	[ ]
Frame (Right jamb)	4F2 70mm Frame	[ ]	Threshold	PVCu Threshold	[ ]
Midrail	4T3 115mm T Section	[ ]	Sash	4DV2/4DV1 104mm T/Z Sash	[ ]
Frame drip bar	No drip bar	[ ]	Sash drip bar	SA13 Door Drip	[ ]
Cill	SC03 180mm Cill	[ ]	Add-on (Head)	No add-on	[ ]
Add-on (Cill)	No add-on	[ ]	Add-on (Left jamb)	No add-on	[ ]
Add-on (Right jamb)	EX77 20mm Add-on	[ ]	Ventilator (Head)	No ventilator	[ ]
Ventilator (Sash)	No ventilator	[ ]	Ventilator (Glass)	No ventilator	[ ]
Ventilator (Frame)	No ventilator	[ ]	Colour	Black on White	[ ]
Sash colour	Black on White	[ ]	Cill colour	Black on White	[ ]
Drainage	Concealed/Base	[ ]	Bead type	4SJB28 Bead	[ ]
Handle	Chrome Lever/Lever	[ ]	Restrictor	Door Restrictor	[ ]
Door lock	Paddock Door Lock	[ ]	Cylinder	Standard Cylinder	[ ]
Door hinge quantity	3 hinges	[ ]	Viewed from	Viewed from outside	[ ]
Open in/out	Open out	[ ]	Glazed in/out	Glazed in	[ ]
Reinforcing type	Steel Reinforcing	[ ]	Midrail joints	Welded joint	[ ]
WER RATING	1.6 Centre Pane U-Value	[ ]			

Glazing Details & Appertures


4-20-4 Obs Tuff Low E : *20mm SWISS SPACE V* * TBA * *Argon Gas Filled *
A1 - (718 x 1096) A7 - (718 x 626)

Continued ....

Order Acknowledgement

Job No : EB022507

7 Synerjy Casement
Qty (2) O/A Sizes 1200mm x 600mm (Style 25)



Pricing	Qty	Gross	Disc.	Nett
Frame Price 1200 x 600	2	[redacted]	1.0%	[redacted]
Energy Surcharge	2			
Low E Surcharge	0.684 m²			
Obscure Surcharge	0.684 m²			
Low E Surcharge	0.684 m²			
Obscure Surcharge	0.684 m²			
180mm Cill SNJY	2.600 m			
WER - A Rating	1.368 m²			
Black/White Surcharge				
Total		[redacted]		[redacted]

Specification		Chk			Chk
Frame (Head)	4F3 60mm Frame	[ ]	Frame (Left jamb)	4F3 60mm Frame	[ ]
Frame (Right jamb)	4F3 60mm Frame	[ ]	Mullion	4T1/4OL1 70mm T/Z Section	[ ]
Sash	4V2 78mm T Sash	[ ]	Frame drip bar	No drip bar	[ ]
Sash drip bar	No drip bar	[ ]	Cill	SC03 180mm Cill	[ ]
Add-on (Head)	No add-on	[ ]	Add-on (Cill)	No add-on	[ ]
Add-on (Left jamb)	No add-on	[ ]	Add-on (Right jamb)	No add-on	[ ]
Ventilator (Head)	No ventilator	[ ]	Ventilator (Sash)	No ventilator	[ ]
Ventilator (Glass)	No ventilator	[ ]	Ventilator (Frame)	No ventilator	[ ]
Colour	Black on White	[ ]	Sash colour	Black on White	[ ]
Cill colour	Black on White	[ ]	Drainage	Concealed/Base	[ ]
Bead type	4SJB28 Bead	[ ]	Handle	White Cranked Espag Handle	[ ]
Casement locking	Std Mushroom Locking	[ ]	Friction stay	Standard Stay	[ ]
Viewed from	Viewed from outside	[ ]	Open in/out	Open out	[ ]
Glazed in/out	Glazed in	[ ]	Reinforcing type	Steel Reinforcing	[ ]
Tran/Mull joints	Welded joint	[ ]	**WER RATING**	**A RATED**	[ ]

Glazing Details & Appertures


4-20-4 Obs Low E : *20mm SWISS SPACE V* * TBA * *Argon Gas Filled *
A1 - (535 x 480) H1 - (435 x 380)

Continued ....

Order Acknowledgement

Job No : EB022507

8	Synerjy Casement O/A Sizes 1200mm x 1200mm (Style 25) OFFICE



Pricing	Qty	Gross	Disc.	Nett
Frame Price 1200 x 1200	1	[redacted]	1.0%	[redacted]
Energy Surcharge	1			
Low E Surcharge	0.702 m²			
Low E Surcharge	0.702 m²			
180mm Cill SNJY	1.300 m			
WER - A Rating	1.404 m²			
Black/White Surcharge				
Total				

Specification		Chk			Chk
Frame (Head)	4F3 60mm Frame	[ ]	Frame (Left jamb)	4F3 60mm Frame	[ ]
Frame (Right jamb)	4F3 60mm Frame	[ ]	Mullion	4T1/4OL1 70mm T/Z Section	[ ]
Sash	4V2 78mm T Sash	[ ]	Frame drip bar	No drip bar	[ ]
Sash drip bar	No drip bar	[ ]	Cill	SC03 180mm Cill	[ ]
Add-on (Head)	No add-on	[ ]	Add-on (Cill)	No add-on	[ ]
Add-on (Left jamb)	No add-on	[ ]	Add-on (Right jamb)	No add-on	[ ]
Ventilator (Head)	No ventilator	[ ]	Ventilator (Sash)	No ventilator	[ ]
Ventilator (Glass)	No ventilator	[ ]	Ventilator (Frame)	No ventilator	[ ]
Colour	Black on White	[ ]	Sash colour	Black on White	[ ]
Cill colour	Black on White	[ ]	Drainage	Concealed/Base	[ ]
Bead type	4SJB28 Bead	[ ]	Handle	White Cranked Espag Handle	[ ]
Casement locking	Std Mushroom Locking	[ ]	Friction stay	Standard Stay	[ ]
Viewed from	Viewed from outside	[ ]	Open in/out	Open out	[ ]
Glazed in/out	Glazed in	[ ]	Reinforcing type	Steel Reinforcing	[ ]
Tran/Mull joints	Welded joint	[ ]	**WER RATING**	**A RATED**	[ ]

Glazing Details & Appertures


4-20-4 Clear Low E : *20mm SWISS SPACE V* *Argon Gas Filled *
A1 - (535 x 1080) H1 - (435 x 980)

Continued ....

Order Acknowledgement

Job No : EB022507

5	Synerjy Casement Qty (4) O/A Sizes 800mm x 2100mm (Style 6) BEDS



Pricing	Qty	Gross	Disc.	Nett
Frame Price 800 x 2100	4	[redacted]	21.0%	[redacted]
Energy Surcharge	4			
Low E Surcharge	3.840 m²			
Tough Low E Surcharge	2.784 m²			
Tough Surcharge	2.784 m²			
180mm Cill SNJY	3.600 m			
WER - A Rating	6.624 m²			
Black/White Surcharge				
Total				

Specification		Chk			Chk
Frame (Head)	4F2 70mm Frame	[ ]	Frame (Left jamb)	4F2 70mm Frame	[ ]
Frame (Right jamb)	4F2 70mm Frame	[ ]	Transom	4T1/4OL1 70mm T/Z Section	[ ]
Sash	4V2 78mm T Sash	[ ]	Frame drip bar	No drip bar	[ ]
Sash drip bar	No drip bar	[ ]	Cill	SC03 180mm Cill	[ ]
Add-on (Head)	No add-on	[ ]	Add-on (Cill)	No add-on	[ ]
Add-on (Left jamb)	No add-on	[ ]	Add-on (Right jamb)	No add-on	[ ]
Ventilator (Head)	No ventilator	[ ]	Ventilator (Sash)	No ventilator	[ ]
Ventilator (Glass)	No ventilator	[ ]	Ventilator (Frame)	No ventilator	[ ]
Colour	Black on White	[ ]	Sash colour	Black on White	[ ]
Cill colour	Black on White	[ ]	Drainage	Concealed/Base	[ ]
Bead type	4SJB28 Bead	[ ]	Handle	White Cranked Espag Handle	[ ]
Casement locking	Std Mushroom Locking	[ ]	Friction stay	Standard Stay	[ ]
Viewed from	Viewed from outside	[ ]	Open in/out	Open out	[ ]
Glazed in/out	Glazed in	[ ]	Reinforcing type	Steel Reinforcing	[ ]
Tran/Mull joints	Welded joint	[ ]	**WER RATING**	**A RATED**	[ ]

Glazing Details & Appertures

4-20-4 Clear Low E : *20mm SWISS SPACE V* *Argon Gas Filled *
A1 - (590 x 1025)

4-20-4 Clear Tuff Low E : *20mm SWISS SPACE V* *Argon Gas Filled *
A4 - (690 x 795)


Continued ....

Order Acknowledgement

Job No : EB022507

9 Synerjy Casement
Qty (2) O/A Sizes 3000mm x 145 / 1200mm (Style FF)

Pricing	Qty	Gross	Disc.	Nett
Frame Price 3000 x 1200	2	[redacted]		[redacted]
	Total			




Specification		Chk			Chk
Frame (Head)	4F2 70mm Frame	[ ]	Frame (Left jamb)	4F2 70mm Frame	[ ]
Frame (Right jamb)	4F2 70mm Frame	[ ]	Dummy (Mullion)	4T1 70mm T Section	[ ]
Frame drip bar	No drip bar	[ ]	Cill	SC01 150mm Cill	[ ]
Add-on (Cill)	No add-on	[ ]	Add-on (Left jamb)	No add-on	[ ]
Add-on (Right jamb)	No add-on	[ ]	Ventilator (Glass)	No ventilator	[ ]
Ventilator (Frame)	No ventilator	[ ]	Colour	Black on White	[ ]
Cill colour	Black on White	[ ]	Drainage	Concealed/Base	[ ]
Bead type	4SJB28 Bead	[ ]	Viewed from	Viewed from outside	[ ]
Glazed in/out	Glazed in	[ ]	Reinforcing type	Steel Reinforcing	[ ]
Dummy joints	Mechanical joint	[ ]	**WER RATING**	**A RATED**	[ ]

Glazing Details & Appertures

4-20-4 Clear Tuff Low E : *20mm SWISS SPACE V* *Argon Gas Filled *
A1 - See Separate Sheet F1 - See Separate Sheet

10 Synerjy Casement
Qty (2) O/A Sizes 3000mm x 1200 / 145mm (Style FF)

Pricing	Qty	Gross	Disc.	Nett
Frame Price 3000 x 1200	2	[redacted]		[redacted]
	Total			



Specification		Chk			Chk
Frame (Head)	4F2 70mm Frame	[ ]	Frame (Left jamb)	4F2 70mm Frame	[ ]
Frame (Right jamb)	4F2 70mm Frame	[ ]	Dummy (Mullion)	4T1 70mm T Section	[ ]
Frame drip bar	No drip bar	[ ]	Cill	SC03 180mm Cill	[ ]
Add-on (Cill)	No add-on	[ ]	Add-on (Left jamb)	No add-on	[ ]
Add-on (Right jamb)	No add-on	[ ]	Ventilator (Glass)	No ventilator	[ ]
Ventilator (Frame)	No ventilator	[ ]	Colour	Black on White	[ ]
Cill colour	Black on White	[ ]	Drainage	Concealed/Base	[ ]
Bead type	4SJB28 Bead	[ ]	Viewed from	Viewed from outside	[ ]
Glazed in/out	Glazed in	[ ]	Reinforcing type	Steel Reinforcing	[ ]
Dummy joints	Mechanical joint	[ ]	**WER RATING**	**A RATED**	[ ]

Glazing Details & Appertures

4-20-4 Clear Tuff Low E : *20mm SWISS SPACE V* *Argon Gas Filled *
A1 - See Separate Sheet F1 - See Separate Sheet

Continued ....

Order Acknowledgement

Job No : EB022507

Glass & Panel Description	Location	Gross	Disc.	Nett
	Sub Totals			

Extra Items			Gross	Disc.	Nett
1	off	FITTING	[redacted]	0.0%	[redacted]
		Sub Totals	[redacted]		

Total	[redacted]
VAT @ 20.00%	
Total (Incl. VAT)	

I confirm the details of this order are correct as detailed in this document. Delivery for standard products will be approx. 7-10 working days, Warmcore products approx. 20 working days and any other special orders to be confirmed by Highseal i.e. coloured profiles

Signed ----------

Print Name ---------- Dated ----------